

OJIOG WART CORN REMOVER- salicylic acid 17% wart corn remover liquid
Jiangxi Yudexi Pharmaceutical Co., LTD

85248-023

Active Ingredient

Salicylic acid 17%

Purpose

Wart remover

Use

For the removal of common warts and plantar warts. Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

Warnings

For external use only.

Do not use

on irritated skin or on any area that is infected or reddened, On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

When Using

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible. Cap tightly and store at room temperature, away from heat.

Stop Use

Stop use and ask a doctor if discomfort persists.

Ask Doctor

Stop use and ask a doctor if discomfort persists.

Keep Out Of Reach Of Children

If swallowed, get medical help or contact the Poison Control Center (1-800-222-

1222)right away.

Directions

Wash the affected area. May soak wart in warm water for 5 minutes.Dry area thoroughly. Use a brush to apply a sufficient amount to cover each wart. Let it dry. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

Other information

Store at room temperature.Avoid excessive heat (37°C/99°F).Skin discoloration may occur during or after use.

Inactive ingredients

Water□Polyethylene Glycol□Glycerin□Borneol□Collodion.

PRINCIPAL DISPLAY PANEL

C03.99901214

OJIOG

Stop use and ask a doctor if discomfort persists.
Keep out of reach of children.

If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away.

Directions

Wash the affected area.
May soak wart in warm water for 5 minutes.
Dry area thoroughly.
Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry.
Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

Other information

Store at room temperature.
Avoid excessive heat (37°C / 99°F).
Skin discoloration may occur during or after use.

Inactive ingredients:

Water.....53%
Polyethylene Glycol.....16%
Glycerin.....8%
Borneol.....5%
Colloidal.....1%



Distributor: Jiangxi Yudexi
Pharmaceutical Co., LTD
Address: No.1998, Jinghai West 5th Road,
Chengbei Jinghai District, Zhangshu City,
Yichun City, Jiangxi Province

OJIOG
**WART CORN
REMOVER**



**TARGETED
FORMULA**

- ▶ Formulated with skin-friendly components
- ▶ Formulated for use on common warts and corns
- ▶ Follow directions for best results

FOR EXTERNAL USE ONLY

NET : 1 FL OZ (30mL)

Drug Facts

Active ingredient: Salicylic acid 17%.....
Purpose: Wart remover

Uses

For the removal of common warts and plantar warts.
Common warts have a rough "cauliflower-like" surface and are easily recognizable.
Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

Warnings

For external use only.

Do not use

on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

When using this product

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible.
Cap tightly and store at room temperature, away from heat.

OJIOG
**WART CORN
REMOVER**



**TARGETED
FORMULA**

- ▶ Formulated with skin-friendly components
- ▶ Formulated for use on common warts and corns
- ▶ Follow directions for best results

FOR EXTERNAL USE ONLY

NET : 1 FL OZ (30mL)

OJIOG WART CORN REMOVER

salicylic acid 17% wart corn remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85248-023
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)		SALICYLIC ACID	17 g in 100 mL	
Inactive Ingredients				
Ingredient Name			Strength	
GLYCERIN (UNII: PDC6A3C0OX)				
WATER (UNII: 059QF0KO0R)				
BORNEOL (UNII: M89NIB437X)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
LYTTA VESICATORIA (UNII: 3Q034RO3BT)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85248-023-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/29/2026	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M028	01/29/2026	

Labeler - Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)

Revised: 1/2026

Jiangxi Yudexi Pharmaceutical Co., LTD