

REAU GENITAL WARTS REMOVER- reaua genital warts remover cream
Jiangxi Yudexi Pharmaceutical Co., LTD

85248-025

Active Ingredient

Salicylic acid 17%

Purpose

Wart remover

Use

For the removal of common warts, which have a rough,cauliflower-like appearance.

Warnings

For external use only- Avoid contact with eyes.

If he product gets into the eyes, rinse with water for 15 minutes.

Avoid inhaling vapors.

Do not use

On irritated or infected skin, or reddened areas, If you are diabetic or have poor blood circulation. On birthmarks, warts with hair growth.or moles.

When Using

If pregnant or breastfeeding, consult a health professional before use.

Stop Use

Stop use and ask a doctor if Discomfort persists.

Ask Doctor

Stop use and ask a doctor if Discomfort persists.

Keep Oot Of Reach Of Children

If swallowed, seek immediate medical help or contact a Poison Control Center.

Directions

1. Wash the affected area. (Soaking in warm water for 5 minutes may help.)
2. Dry thoroughly.
3. Apply a small amount to cover each wart. Let it dry
4. Repeat twice daily as needed, for up to 12 weeks.

Inactive ingredients

Water, Polyethylene Glycol, Glycerin, Borneol, Methylparaben, Chlorhexidine

PRINCIPAL DISPLAY PANEL

138*40*23mm



Genital Warts Remover Cream

**Remove Genital Warts
Remove Skin Tags & Corns
Repair Safely**

NET WT: 0.7oz(20g)

Genital Warts Remover Cream

**Remove Genital Warts
Remove Skin Tags & Corns
Repair Safely**

NET WT: 0.7oz(20g)

Distributor: Jiangxi Yudexi Pharmaceutical Co., LTD
Address: No.1998, Jingkai West 5th Road,
Chengbei Jingkai District, Zhangshu City,
Yichun City, Jiangxi Province

Drug Facts
Active Ingredient.....purpose
Salicylic acid 17%..... Wart remover
Use
For the removal of common warts, which have a rough, cauliflower-like appearance.
Warnings
For external use only- Avoid contact with eyes.
If the product gets into eyes, rinse with water for 15 minutes.
Avoid inhaling vapors.
Do not use
On irritated or infected skin, or reddened areas.
If you are diabetic or have poor blood circulation.
On birthmarks, warts with hair growth, or moles.
When Using
If pregnant or breastfeeding, consult a health professional before use.

Keep out of reach of children.
If swallowed, seek immediate medical help or contact a Poison Control Center.
Stop use and ask a doctor if
discomfort persists.
Directions
1. Wash the affected area. (Soaking in warm water for 5 minutes may help.)
2. Dry thoroughly.
3. Apply a small amount to cover each wart. Let it dry.
4. Repeat twice daily as needed, for up to 12 weeks.
Inactive Ingredients
Water, Polyethylene Glycol, Glycerin, Borneol, Methylparaben, Chlorhexidine

REAUA GENITAL WARTS REMOVER

reaqua genital warts remover cream

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:85248-025

Route of Administration	TOPICAL
-------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	17 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CHLORHEXIDINE (UNII: R4KO0DY52L)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
GLYCERIN (UNII: PDC6A3C0OX)	
BORNEOL (UNII: M89NIB437X)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85248-025-01	20 g in 1 TUBE; Type 0: Not a Combination Product	01/29/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	01/29/2026	

Labeler - Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)

Revised: 1/2026

Jiangxi Yudexi Pharmaceutical Co., LTD