

CHLORDINE 510- chlorhexidine gluconate spray
AgroChem Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Chlordine 510

WARNING: Keep away from children. If accidentally swallowed or taken internally contact physician immediately.

AVOID FREEZING

INGREDIENTS:

Active Ingredient - Chlorhexidine Gluconate 0.5%

Glycerine 10%

Chlordine Spray is an aid in the prevention of organisms which may cause mastitis

DIRECTIONS FOR USE: Immediately after each cow is milked, spray Chlordine Spray. Teats should be sprayed to the base of the udder. At the end of lactation, the teats should be sprayed with Chlordine Spray for four days after last milking. Teats and udders should be thoroughly washed after milking using potable water and individual paper wipes to prevent contamination of milk. Blot dry. If the dip/spray is visibly dirty or contains sediment. use fresh solution.

Chlordine 510 Sanitizing Teat Spray

WARNING: keep away from children. If accidentally swallowed or taken internally, contact physician immediately.

AVOID FREEZING


INGREDIENTS:

Active Ingredient - Chlorhexidine Gluconate - 0.5 %
Glycerine - 10%

Lot#

Expiration date:

Container



Chlordine Spray is an aid in the prevention of organisms which may cause mastitis.

DIRECTIONS FOR USE: Immediately after each cow is milked, spray Chlordine Spray. Teats should be sprayed to the base of the udder. At the end of lactation, the teats should be sprayed with Chlordine Spray for four days after last milking. Teats and udders should be thoroughly washed after milking using potable water and individual paper wipes to prevent contamination of milk. Blot dry. If the dip / spray is visibly dirty or contains sediment, use fresh solution.

3 Duplainville Rd.
Saratoga Springs, NY 12866
518-226-4850

CHLORDINE 510

chlorhexidine gluconate spray

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:17307-5100
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	.0275 kg in 1 kg

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	.86 kg in 1 kg
GLYCERIN (UNII: PDC6A3C0OX)	.10 kg in 1 kg
NONOXYNOL-12 (UNII: 6NR43D77O6)	.01 kg in 1 kg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17307-5100-1	19 kg in 1 JUG		
2	NDC:17307-5100-2	57 kg in 1 DRUM		
3	NDC:17307-5100-3	208 kg in 1 DRUM		
4	NDC:17307-5100-4	1040 kg in 1 PACKAGE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/01/2013	

Labeler - AgroChem Inc (805427700)

Establishment

Name	Address	ID/FEI	Business Operations
AgroChem Inc		805427700	manufacture, api manufacture