CLEAN-UP- urea tablet IBA, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Urea Bolus

ANTISEPTIC AND PROTEOLYTIC BOLUS

FOR ANIMAL USE ONLY

KEEP OUT OR REACH OF CHILDREN

INDICATIONS

For use as an antiseptic and proteolytic aid in beef and dairy cattle and sheep.

PRECAUTION:

Do not administer orally.

Strict cleanliness must be observed to prevent introduction of further infections. Thoroughly cleanse hands and arms of operator and external genital parts of the animal with soap and water before inserting boluses or flush.

do not use in deep or puncture wounds or for serious burns.

ACTIVE INGREDIENTS: Each Bolus contains:

Urea 13.4 g

INACTIVE INGREDIENTS: Microcrystalline Cellulose, DiTab, Sodium Starch Glycolate, Magnesium Stearate, Sipernat 22, Stearic Acid, FD&C Red #40 Lake.

PRECAUTIONS

Do not administer orally. Strict cleanliness must be observed to prevent introduction of further infections. Thoroughly cleanse hands and arms of operator and external genital parts of the animal with soap and water before inserting boluses or flush. Do not use in deep wounds or for burns.

STORAGE

Keep container tightly closed when not in use. Store in a cool, dry place.

DOSAGE AND ADMINISTRATION

For intrauterine or topical use only.

Insert boluses into uterus or dissolve in 1 pint warm water and make a flush.

Cattle: 2 - 4 boluses

Sheep□: 1/2 - 1 bolus

For topical application, dissolve 4 boluses in one pint warm water and thoroughly flush wound.

Repeat treatment in 24 to 48 hours, if necessary.

COMPOSITION

Each bolus contains:

Urea 13.4 g

ISTORE IN COOL DRY PLACE

KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE

TAKE TIME OBSERVE LABEL DIRECTIONS

INDICATIONS: For use as an antiseptic and proteolytic aid in beef and dairy cattle and sheep.

PRECAUTION: Do not administer orally.

PRECAUTION: Strict cleanliness must be observed to prevent introduction of further infections. Thoroughly cleanse hands and arms of operator and external genital parts of the animal with soap and water before inserting boluses or flush.

PRECAUTION: Do not use in deep or puncture wounds or for serious burns.


DOSAGE AND ADMINISTRATION: For intrauterine or topical use only. Insert boluses into uterus or dissolve in 1 pint warm water to make a flush.

Cattle: 2 - 4 boluses Sheep: 1/2 - 1 bolus

For topical application, dissolve 4 boluses in one pint of warm water and thoroughly flush

wound.

Repeat treatment in 24 to 48 hours if necessary.



ANTISEPTIC AND PROTEOLYTIC BOLUS

FOR ANIMAL USE ONLY
KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 50 BOLUSES

Manufactured for: IBA Inc. Animal Health Division 27 Providence Road Millbury, MA 01527 **COMPOSITION:** Each bolus

contains:

Urea13.4 g

STORE IN A COOL DRY PLACE

KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE



IBA STOCK # 474119

U-7622-02 Iss. 6-97

Lot No. Exp. Date

97SP6

CLEAN-UP

urea tablet

Product Information

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:29983-2706

Route of Administration INTRAUTERINE, TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
UREA (UNII: 8W8T17847W) (UREA - UNII:8W8T17847W)	UREA	13 g

Product Characteristics

Color	pink (Pink)	Score	2 pieces
Shape	OVAL (Oblong)	Size	6 mm
Flavor		Imprint Code	;
Contains			

Packaging

# Item Code	Package Description	Marketin	g Start Date	Marketing End Date		
1 NDC:29983-2706-2	50 in 1 JAR					
Marketing Information						
Marketing Category	Application Number or Monogra	ph Citation	Marketing Start I	Date Marketing End Date		
unapproved drug other			06/18/1997			

Labeler - IBA, Inc. (019494160)

Revised: 4/2018 IBA, Inc.