

DVO WART REMOVER- salicylic acid 20% v/v liquid
Guangzhou Huixue Biotechnology Co., Ltd.

Salicylic Acid 20% V/V

Water, Borneol, Glycerin, Polyethylene Glycol, Bisabolol, Allantoin, Lonicera Japonica (Non-eyesuckle) Flower Extract, Sophora Augustifolia Root Extract.

Wart remover

For the removal of warts, including plantar warts, flat warts, common warts, corns, and calluses.

Wash affected area, Soak the wart in warm water for 5 minutes(optional). Use a cotton swab to apply a sufficient amount to cover each wart, Let it dry. Repeat these steps two to three times daily as needed (until the wart is removed) for up to 12 weeks.

For external use only Flammable, Keep away from fire and flame. Keep out of reach of children. Avoid contact with eyes. In case of contact, flush eyes with plenty of cool water. Do not swallow. If swallowed, seek medical attention or contact Poison Control Center (1-800-222-1222) immediately.

Children should use this product under adult supervision .

If swallowed, get medical help or contact a Poison Control Center right away.

For external use only Flammable. Keep away from fire and flame. Keep out of reach of children. Avoid contact with eyes. In case of contact, flush eyes with plenty of cool water. . Do not swallow. If swallowed, seek medical attention or contact Poison Control Center (1-800-222-1222) immediately. Other Warnings Children should use this product under adult supervision, Avoid prolonged exposure to air during use as the substance may dissolve and crystallize easily. • Recap immediately after each use. Do not use if the cap is broken or missing.

On irritated skin or on any area that is infected or reddened. • If you are allergic to any ingredient in this product . On moles, birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes. If you have diabetes or a blood clotting disorder, . If you are pregnant or breastfeeding unless directed by a healthcare practitioner.

Discontinue use and consult a doctor if: . You become pregnant or are trying to become pregnant while using this product. • Irritation or redness occurs, worsens, or does not improve with continued use.

Twice each day, (1ml) each time. 15 days supply



DVO WART REMOVER

salicylic acid 20% v/v liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87204-162
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)	SALICYLIC ACID	6 mg in 30 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
BORNEOL (UNII: M89NIB437X)	
BISABOLOL (UNII: 24WE03BX2T)	
ALLANTOIN (UNII: 344S277G0Z)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87204-162-01	30 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/30/2026	02/05/2027

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	01/30/2026	02/05/2027

Labeler - Guangzhou Huixue Biotechnology Co., Ltd. (418186127)**Establishment**

Name	Address	ID/FEI	Business Operations
Guangzhou Huixue Biotechnology Co., Ltd.		418186127	manufacture(87204-162)

Revised: 1/2026

Guangzhou Huixue Biotechnology Co., Ltd.