

PARADIGM CONC- iodine solution
DeLaval

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

DeLaval Della Barrier

Concentrated Disinfecting Teat Dip

Aids in reducing the spread of mastitis-causing organisms.

Sellador desinfectante concentrado

Ayuda a reducir la transmision de microorganismos que causan mastitis

ACTIVE INGREDIENTS:

Iodine 1.00%

OTHER INGREDIENTS

Emollient*8%

*From glycerin

KEEP OUT OF REACH OF CHILDREN
! CAUTION

MANTENER FUERA DEL ALCANCE DE LOS NINOS
! CUIDADO

SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

FIRST AID

Contact with product can cause irritation to eyes. Avoid contact with eyes.

If in eyes: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.

If Swallowed: Do not induce vomiting. If victim is conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

STORAGE AND DISPOSAL

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep Freezing. If product has frozen, thaw in a warm room and mix well before using. Keep container tightly closed when not in use. Do not reuse empty container. Rinse empty container before disposing of in a safe manner.

CHEM-TREC EMERGENCY NUMBER 1-800-424-9300

Not For Human Use

Additional Information on Material Safety Data Sheet

USE DIRECTIONS

Paradigm Conc is an iodine concentrate exclusively designed for use in combination with InstaMix G Emollient Concentrate for

on-site blending/production of teat dips. To be blended with a DeLaval recommended on-site blending unit.

General Instructions.

- Do not use full-strength.
- Consult veterinarian before starting or continuing to use teat dip if cow's teats are sore or chapped.
- Do not use teat dip for cleaning and/or sanitizing of dairy equipment.
- Discard any teat sanitizing solution that becomes dirty or contaminated for any reason.
- Good dairy practices suggest the thorough cleaning and sanitizing of teats before milking to avoid contamination and assist in the control of mastitis.
- To be mixed with InstaMix G Emollient Concentrate using a DeLaval recommended on-site blending unit. Can be diluted to create three formula options.

Pre-Dipping

- Remove excess organic debris and forestrip
- Dip or spray cow's teats with properly diluted teat dip prepared with a DeLaval recommended on-site blending unit.
- Allow a 30 second contact time.
- Attach milker unit.

Post-Dipping

- Immediately after removing the milker unit, dip or spray each teat with properly diluted teat dip prepared with a DeLaval recommended on-site blending unit.
- Before exposing a cow's teats to below freezing temperatures, the teats should be thoroughly dry to reduce the potential of frostbite. Failure to follow these instructions may result in frozen teats and injured animals.

IMPORTANT!

- Teat dip must be used within one month after mixing. Discard unused mixtures after noted time.

DILUTION CHART

% Emollient	Paradigm Conc (gal/100gal)	InstaMix™ G Emollient Conc (gal/100gal)	Water (gal/100gal)
2%	25	0	75
5%	25	5	70
10%	25	14	61

Undiluted product may undergo an increase in viscosity when exposed to cold temperatures. Pumps must be recalibrated in those conditions to maintain accurate dosing. If product freezes, thaw it completely and mix properly before use. Consult your DeLaval representative for questions on specific applications.

Manufactured for: **DeLaval, Inc.**

11100 N. Congress Avenue

Kansas City, MO 64153

Phone: 816-891-7700

Manufactured by: WestAgro, Inc.

©2025, Made in USA

NET CONTENTS:

LOT NO.:


EXP. DATE:



KEEP OUT OF REACH OF CHILDREN



MANTENER FUERA DEL ALCANCE DE
LOS NIÑOS



4205

NDC 55756-205

SI USTED NO PUEDE LEER ESTA ETIQUETA, POR
FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA
ANTES DE USAR ESTE PRODUCTO

READ AND UNDERSTAND ALL INSTRUCTIONS
BEFORE USING THIS PRODUCT

FIRST AID

Contact with product can cause irritation to eyes. Avoid contact with eyes.
If in Eyes: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.
If Swallowed: Do not induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

STORAGE AND DISPOSAL

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contamination of food or feed. Avoid storing near heat or open flame. Keep freezing. If product is frozen, thaw in a warm room and mix well before using. Keep container tightly closed when not in use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.

CHEMTREC EMERGENCY NUMBER 1-800-424-9300

Not For Human Use
Additional Information on Safety Data Sheet

USE DIRECTIONS

Paradigm Conc is an iodine concentrate exclusively designed for use in combination with InstaMix™ G Emollient Concentrate for on-site blending / production of test dips. To be blended with a DeLaval recommended on-site blending unit.

General Instructions

- Do not use full-strength.
- Consult veterinarian before starting or continuing to use test dip if cow's tests are sore or chapped.
- Do not use test dip for cleaning and/or sanitizing of dairy equipment.
- Discard any test sanitizing solution that becomes dirty or contaminated for any reason.
- Good dairy practices suggest the thorough cleaning and sanitizing of teats before milking to avoid contamination and assist in the control of mastitis.
- To be mixed with InstaMix G Emollient Concentrate using a DeLaval recommended on-site blending unit. Can be diluted to create three formula options.

Pre-Dipping

- Remove excess organic debris and forestrip.
- Dip or spray cow's teats with properly diluted test dip prepared with a DeLaval recommended on-site blending unit.
- Allow a 30 second contact time.
- Dry teats thoroughly with a clean, single-service paper towel.
- Attach milker unit.

Post-Dipping

- Immediately after removing the milker unit, dip or spray each teat with properly diluted test dip prepared with a DeLaval recommended on-site blending unit.
- Before exposing a cow's teats to below freezing temperatures, the teats should be thoroughly dry to reduce the potential of frostbite. Failure to follow these instructions may result in frozen teats and injured animals.

IMPORTANT

- Test dip must be used within one month after mixing. Discard unused mixture after noted time.

DILUTION CHART

% Solution	Paradigm Conc (gal/100gal)	InstaMix™ G Emollient Conc (gal/100gal)	Water (gal/100gal)
2%	25	0	75
5%	25	5	70
10%	25	14	61

Undiluted product may undergo an increase in viscosity when exposed to cold temperatures. Pumps must be recalibrated in those conditions to maintain accurate dosing. If product freezes, thaw it completely and mix properly before use. Consult your DeLaval representative for questions on specific applications.

Manufactured for: DeLaval Inc.
11100 N. Congress Avenue
Kansas City, MO 64153
Phone: 816-891-7700
Manufactured by: West Agro, Inc.
© 2025, Made in USA

NET CONTENTS: 15 US GAL. (56.8 L)

LOT NO.:

EXP. DATE:

Paradigm™ Conc

Concentrated Disinfecting Teat Dip

Aids in reducing the spread of mastitis-causing organisms

Sellador desinfectante concentrado

Ayuda a reducir la transmisión de microorganismos que causan mastitis

ACTIVE INGREDIENTS

Iodine 1%

OTHER INGREDIENTS

Emollient* 8%

*From glycerin






KEEP OUT OF REACH OF CHILDREN



MANTENER FUERA DEL ALCANCE DE
LOS NIÑOS



4205

NDC 55756-205

SI USTED NO PUEDE LEER ESTA ETIQUETA, POR
FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA
ANTES DE USAR ESTE PRODUCTO

READ AND UNDERSTAND ALL INSTRUCTIONS
BEFORE USING THIS PRODUCT

FIRST AID

Contact with product can cause irritation to eyes. Avoid contact with eyes.
If in Eyes: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.
If Swallowed: Do not induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

STORAGE AND DISPOSAL

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contamination of food or feed. Avoid storing near heat or open flame. Keep freezing. If product is frozen, thaw in a warm room and mix well before using. Keep container tightly closed when not in use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.

CHEMTREC EMERGENCY NUMBER 1-800-424-9300

Not For Human Use
Additional Information on Safety Data Sheet

USE DIRECTIONS

Paradigm Conc is an iodine concentrate exclusively designed for use in combination with InstaMix™ G Emollient Concentrate for on-site blending / production of test dips. To be blended with a DeLaval recommended on-site blending unit.

General Instructions

- Do not use full-strength.
- Consult veterinarian before starting or continuing to use test dip if cow's tests are sore or chapped.
- Do not use test dip for cleaning and/or sanitizing of dairy equipment.
- Discard any test sanitizing solution that becomes dirty or contaminated for any reason.
- Good dairy practices suggest the thorough cleaning and sanitizing of teats before milking to avoid contamination and assist in the control of mastitis.
- To be mixed with InstaMix G Emollient Concentrate using a DeLaval recommended on-site blending unit. Can be diluted to create three formula options.

Pre-Dipping

- Remove excess organic debris and forestrip.
- Dip or spray cow's teats with properly diluted test dip prepared with a DeLaval recommended on-site blending unit.
- Allow a 30 second contact time.
- Dry teats thoroughly with a clean, single-service paper towel.
- Attach milker unit.

Post-Dipping

- Immediately after removing the milker unit, dip or spray each teat with properly diluted test dip prepared with a DeLaval recommended on-site blending unit.
- Before exposing a cow's teats to below freezing temperatures, the teats should be thoroughly dry to reduce the potential of frostbite. Failure to follow these instructions may result in frozen teats and injured animals.

IMPORTANT

- Test dip must be used within one month after mixing. Discard unused mixture after noted time.

DILUTION CHART

% Solution	Paradigm Conc (gal/100gal)	InstaMix™ G Emollient Conc (gal/100gal)	Water (gal/100gal)
2%	25	0	75
5%	25	5	70
10%	25	14	61

Undiluted product may undergo an increase in viscosity when exposed to cold temperatures. Pumps must be recalibrated in those conditions to maintain accurate dosing. If product freezes, thaw it completely and mix properly before use. Consult your DeLaval representative for questions on specific applications.

Manufactured for: DeLaval Inc.
11100 N. Congress Avenue
Kansas City, MO 64153
Phone: 816-891-7700
Manufactured by: West Agro, Inc.
© 2025, Made in USA

NET CONTENTS: 55 US GAL. (208.2 L)

LOT NO.:

EXP. DATE:

Paradigm™ Conc

Concentrated Disinfecting Teat Dip

Aids in reducing the spread of mastitis-causing organisms

Sellador desinfectante concentrado

Ayuda a reducir la transmisión de microorganismos que causan mastitis

ACTIVE INGREDIENTS

Iodine 1%

OTHER INGREDIENTS

Emollient* 8%

*From glycerin



4205-A1125

I₂

OPTIMIZED IODINE

ACT

KEEP OUT OF REACH OF CHILDREN

CAUTION

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

CUIDADO

4205

NDC 55756-205

SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

FIRST AID

Contact with product can cause irritation to eyes. Avoid contact with eyes. If in Eyes: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention. If Swallowed: Do not induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

STORAGE AND DISPOSAL

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contamination of food or feed. Avoid storing near heat or open flame. Keep freezing. If product is frozen, thaw in a warm room and mix well before using. Keep container tightly closed when not in use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.

CHEMTREC EMERGENCY NUMBER 1-800-424-9300

Not For Human Use
Additional Information on Safety Data Sheet

USE DIRECTIONS

Paradigm Conc is an iodine concentrate exclusively designed for use in combination with InstaMix™ G Emollient Concentrate for on-site blending / production of test dips. To be blended with a DeLaval recommended on-site blending unit.

General Instructions

- Do not use full-strength.
- Consult veterinarian before starting or continuing to use test dip if cow's tests are sore or chapped.
- Do not use test dip for cleaning and/or sanitizing of dairy equipment.
- Discard any test sanitizing solution that becomes dirty or contaminated for any reason.
- Good dairy practices suggest the thorough cleaning and sanitizing of teats before milking to avoid contamination and assist in the control of mastitis.
- To be mixed with InstaMix G Emollient Concentrate using a DeLaval recommended on-site blending unit. Can be diluted to create three formula options.

Pre-Dipping

- Remove excess organic debris and forestrip.
- Dip or spray cow's teats with properly diluted test dip prepared with a DeLaval recommended on-site blending unit.
- Allow a 30 second contact time.
- Dry teats thoroughly with a clean, single-service paper towel.
- Attach milker unit.

Post-Dipping

- Immediately after removing the milker unit, dip or spray each teat with properly diluted test dip prepared with a DeLaval recommended on-site blending unit.
- Before exposing a cow's teats to below freezing temperatures, the teats should be thoroughly dry to reduce the potential of frostbite. Failure to follow these instructions may result in frozen teats and injured animals.

IMPORTANT!

- Test dip must be used within one month after mixing. Discard unused mixture after noted time.

DILUTION CHART

% Solution	Paradigm Conc (gal/100gal)	InstaMix™ G Emollient Conc (gal/100gal)	Water (gal/100gal)
2%	25	8	75
5%	25	5	70
10%	25	14	61

Undiluted product may undergo an increase in viscosity when exposed to cold temperatures. Pumps must be recalibrated in those conditions to maintain accurate dosing. If product freezes, thaw it completely and mix properly before use. Consult your DeLaval representative for questions on specific applications.

Manufactured for: DeLaval Inc.
11100 N. Congress Avenue
Kansas City, MO 64153
Phone: 816-891-7700
Manufactured by: West Agro, Inc.
© 2025, Made in USA

NET CONTENTS: 275 US GAL. (1041 L)

LOT NO.:

EXP. DATE:

Concentrated Disinfecting Teat Dip
Aids in reducing the spread of mastitis-causing organisms
Sellador desinfectante concentrado
Ayuda a reducir la transmisión de microorganismos que causan mastitis

ACTIVE INGREDIENTS

Iodine 1%

OTHER INGREDIENTS

Emollient* 8%

*From glycerin

VMS™ V300

TSR

PARADIGM CONC

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:55756-205
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	10 g in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55756-205-01	208.2 L in 1 DRUM		
2	NDC:55756-205-27	1041 L in 1 TANK		
3	NDC:55756-205-02	56.8 L in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/10/2025	

Labeler - DeLaval (173704867)

Registrant - West Agro, Inc. (147528723)

Establishment

Name	Address	ID/FEI	Business Operations
West Agro, Inc.		147528723	manufacture, analysis, api manufacture

Establishment

Name	Address	ID/FEI	Business Operations
West Agro, Inc		095906480	api manufacture, manufacture, analysis

Revised: 12/2025

DeLaval