

**ALKA-SELTZER EXTRA STRENGTH- anhydrous citric acid, sodium bicarbonate, and aspirin granule, effervescent**  
**Bayer HealthCare LLC.**

-----  
**Alka-Seltzer Extra Strength**

**Drug Facts**

<b>Active ingredients (in each tablet)</b>	<b>Purpose</b>
Anhydrous citric acid 1000 mg	Antacid
Aspirin 500 mg	Analgesic
Sodium bicarbonate (heat-treated) 1985 mg	Antacid

**Uses**

for the temporary relief of:

- heartburn, acid indigestion, and sour stomach when accompanied with headache or body aches and pains
- upset stomach with headache from overindulgence in food or drink
- headache, body aches, and pain alone

**Warnings**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Aspirin may cause a severe allergic reaction which may include

- hives
- facial swelling
- asthma (wheezing)
- shock

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

**Do not use**

- if you are allergic to aspirin or any other pain reliever/fever reducer
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if**

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma
- you have a sodium-restricted diet

**Ask a doctor or pharmacist before use if you are**

- presently taking a prescription drug. Antacids may interact with certain prescription drugs.
- taking a prescription drug for anticoagulation (blood thinning), diabetes, gout, or arthritis

**When using this product do not exceed recommended dosage****Stop use and ask a doctor if**

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding
- feel faint • vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- symptoms get worse or last more than 10 days
- redness or swelling is present
- ringing in the ears or a loss of hearing occurs
- new symptoms occur

**If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- fully dissolve 2 tablets in 4 ounces of water before taking

adults and children 12 years and over	2 tablets every 6 hours, or as directed by a doctor	do not exceed 7 tablets in 24 hours
	2 tablets every 6	

adults 60 years and over	2 tablets every 6 hours, or as directed by a doctor	do not exceed 3 tablets in 24 hours
children under 12 years	consult a doctor	

### Other information

- **each tablet contains:** sodium 588 mg
- store at room temperature. Avoid excessive heat.
- Alka-Seltzer Extra Strength in water contains principally the antacid sodium citrate and the analgesic sodium acetylsalicylate

### Inactive ingredients

flavor

### Questions or comments?

**1-800-986-0369** (Mon - Fri 9AM - 5PM EST)

### PRINCIPAL DISPLAY PANEL - 24 Tablets Carton

**Alka-**

**Seltzer**®

*ANTACID & PAIN RELIEF MEDICINE*

**FAST**

**RELIEF**

**OF:**

**Acid Indigestion**

**Upset Stomach**

**Heartburn with**

**Headache**

**Body Aches**

**XTRA**

**STRENGTH**

**24 EFFERVESCENT TABLETS**



LIFT HERE

**Drug Facts** (continued)

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you are age 60 or older, have had stomach ulcers or bleeding problems, take a blood thinning (anticoagulant) or steroid drug, take other drugs containing prescription or non-prescription NSAIDs (aspirin, ibuprofen, naproxen, or others), have 3 or more alcoholic drinks every day while using this product, take more or for a longer time than directed.

**Do not use**

- if you are allergic to aspirin or any other pain reliever/fever reducer
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if**

- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma
- you have a sodium-restricted diet

**Warnings**

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Aspirin may cause a severe allergic reaction which may include:

- facial swelling
- asthma (wheezing)
- shock

**Uses**

For the temporary relief of:

- heartburn, acid indigestion, and sour stomach when accompanied with headache or body aches and pains
- upset stomach with headache from overindulgence in food or drink
- headache, body aches, and pain alone

**Active ingredients** (in each tablet)

Anhydrous citric acid 1000 mg, Antacid (heat-treated) 1966 mg, Sodium bicarbonate Antacid

**Purpose**

Analgesic, Aspirin 500 mg (NSAID)\*, Antacid


\*Nonsteroidal anti-inflammatory drug



**EXTRA STRENGTH**

24 EFFERVESCENT TABLETS

Do not use if pouch is torn or open.



14

PS

**Alka-Seltzer**

**EXTRA STRENGTH**

**Fast Relief of:**  
Heartburn  
Upset Stomach  
Acid Indigestion  
with Headache  
Body Aches

**LOT & EXP**  
(Bright Background for Black Printing)

**Alka-Seltzer**

**EXTRA STRENGTH**

*Fast Relief of:*  
**Heartburn  
Upset Stomach  
Acid Indigestion  
with Headache  
Body Aches**

**EXTRA STRENGTH**

**24 EFFERVESCENT TABLETS**

**BAYER**

**Alka-Seltzer**

**EXTRA STRENGTH**

- Place two (2) tablets in 4 oz. of water.
- Dissolve tablets completely.
- You do not have to drink any of the residue that may be on the bottom of the glass. The medicines of Alka-Seltzer® are in the water.

Take Alka-Seltzer® any time – morning, noon, or night – when you need relief from heartburn, upset stomach, acid indigestion with headache or body aches.

84200913

Bayer Healthcare LLC  
Bayer, the Bayer Cross and  
Alka-Seltzer are registered  
trademarks of Bayer.

Bayer


8 0 16500 04404



F.P.O. 100% UPC

Pharma Code





## ALKA-SELTZER EXTRA STRENGTH

anhydrous citric acid, sodium bicarbonate, and aspirin granule, effervescent

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0280-0211
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL) (ANHYDROUS CITRIC ACID - UNII:XF417D3PSL)	ANHYDROUS CITRIC ACID	1000 mg
<b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39QO) (SODIUM CATION - UNII:LYR4MONH37)	SODIUM BICARBONATE	1985 mg
<b>ASPIRIN</b> (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	500 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>LEMON</b> (UNII: 24RS0A9880)	

### Product Characteristics

<b>Color</b>	white (White tablet)	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	25mm
<b>Flavor</b>		<b>Imprint Code</b>	ALKA;SELTZER;EX;S

**Contains****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0280-0211-24	12 in 1 CARTON	04/18/2011	
1		2 in 1 PACKET; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	04/11/2011	

**Labeler** - Bayer HealthCare LLC. (112117283)

Revised: 12/2025

Bayer HealthCare LLC.