

PINK EYE RELIEF- aconitum napellus - apis mellifera - silver nitrate - euphrasia stricta - sodium arsenate, dibasic, heptahydrate - liquid

TRP Company

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Pink Eye Relief® Homeopathic Sterile Eye Drops

Active Ingredients

Aconitum Napellus HPUS 6x

Apis HPUS 6x

Argentum Nit. HPUS 12x

Euphrasia HPUS 6x

Natrum Arsenicum HPUS 11x

“HPUS” indicates the active ingredients are in the Homeopathic Pharmacopoeia of the United States.

Aconitum Napellus HPUS - Swelling, Redness

Apis HPUS - Swelling

Argentum Nit. HPUS - Burning

Euphrasia HPUS - Watering

Natrum Arsenicum HPUS - Grittiness, Overnight crusting

Uses:*

According to homeopathic indications these ingredients temporarily relieve minor symptoms such as:

• Redness • Burning sensations • Watering • Swelling • Inflammation • Sensation of grittiness and overnight crusting after serious causes have been ruled out by a physician.

*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings:

A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES.

For External Use Only.

- **If pregnant or breast-feeding**, ask a health professional before use.
- This product is intended to complement, not replace, standard medical treatment. • Initial worsening of symptoms may occur.
- Contact lens wearers consult physician prior to using.

- To avoid contamination - do not touch tip to any surface.
- Replace cap after every use.
- Use within 30 days of opening.
- **EXPIRATION DATE ONLY REFERS TO THE UNOPENED BOTTLE.**
- The use of this container by more than one person may spread infection.

Do not use:

- If solution changes color or becomes cloudy.
- If you frequently contract infections that do not clear up easily.
- If you experience eye pain or changes in vision.
- If you are experiencing a thick, white, yellow, or green discharge that forms a crust on the eyelid.

Stop use and ask a doctor if:

- You experience eye pain, changes in vision, continued redness or irritation of the eye.
- The condition worsens.
- The condition persists for more than 72 hours.

Keep out of reach of children

• **Keep out of reach of children.**

- In case of accidental ingestion, get medical help or contact a Poison Control Center right away.

Directions:

- Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use.
- Squeeze 1-3 drops in the eye. Use several times per day as needed.
- Homeopathic remedies may not be effective for everyone. Individual results may vary.

Other information:

Non-prescription drug products cannot treat infections.

- Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects.
- Store at room temperature 15° to 30° C (59° to 86° F).
- Keep bottle tightly closed

Pink Eye Relief Homeopathic Sterile Eye Drops are homeopathic dilutions: see www.trpcompany.com for details.

Inactive Ingredients:

Benzalkonium Chloride (preservative), Purified water, Sodium Chloride, Sodium Phosphate DiBasic, Sodium Phosphate Monobasic

Questions or comments?

NON COATING AREA
1.354" X 0.436"

Drug Facts

| Active ingredients | Purpose |
|---------------------------------|--------------------------------|
| Aconite HPUS 6X..... | Swelling, redness |
| Apis HPUS 6X..... | Swelling |
| Argentum nitricum HPUS 12X..... | Burning |
| Euphrasia HPUS 6X..... | Watering |
| Natrum arsenicum HPUS 11X..... | Grittiness, overnight crusting |

"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

According to homeopathic indications these ingredients provide temporary relief from symptoms such as: • Redness • Burning sensations • Watering • Swelling • Sensation of grittiness and overnight crusting; after serious causes have been ruled out by a physician. *These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings

A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES. For External Use Only. • This product is intended to complement, not replace standard medical treatment. • Initial worsening of symptoms may occur. • **If pregnant or breast-feeding**, ask a health professional before use. • Contact lens wearers: Consult a physician before use. • **Keep out of reach of children.** • In case of accidental ingestion, get medical help or contact a Poison Control Center right away. • To avoid contamination: Do not touch tip to any surface. • Replace cap after every use. • Use within 30 days of opening. • **EXPIRATION DATE ONLY REFERS TO THE UNOPENED BOTTLE.** • The use of this container by more than one person may spread infection.

Do not use if: • Solution changes color or becomes cloudy. • You frequently contract infections that do not clear up easily. • You experience eye pain or changes in vision. • You are experiencing a thick, white, yellow, or green discharge that forms a crust on the eyelid.

Stop use and ask a doctor if: • You experience eye pain or change in vision, continued redness or

BOTTLE IMAGE IS ACTUAL SIZE

Drug Facts (continued)

irritation of the eye. • The condition worsens. • Symptoms last longer than 72 hours.

Directions

• Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use. • Squeeze 1-3 drops in the eye. Use several times per day as needed. • Homeopathic remedies may not be effective for everyone. Individual results may vary.

Other information

• Non-prescription drug products cannot treat infections. • Store at room temperature 15° to 30° C (59° to 86°F) • Keep bottle tightly closed. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • PinkEye Relief™ Homeopathic Sterile Eye Drops are homeopathic dilutions, for details see www.thereliefproducts.com

Inactive ingredients

Benzalkonium chloride (preservative), Purified water, Sodium chloride, Sodium phosphate dibasic, Sodium phosphate monobasic.


Do not use if tamper evident seal is torn, broken or missing. No usar si falta el sello contra falsificaciones o si está desgarrado o roto.



PinkEye Relief™

FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

NDC # 17312-013-15



PinkEye Relief™

Sterile Eye Drops
Belladonna Free

Temporarily Relieves:

- Burning, grittiness, watering
- Overnight crusting
- Swelling



Stay Healthy, Naturally.®

100% Natural Active Ingredients

MADE IN THE USA

HOMEOPATHIC
0.33 FL OZ (10 mL)



Try **PinkEye Relief™ PM** eye ointment. It is also Women's Most Recommended® for Pink Eye Care.



2017 - 2020
WOMEN'S CHOICE AWARD™
AMERICA'S MOST RECOMMENDED
PINK EYE CARE

PinkEye Relief™

Gotas para los ojos estériles.
Sulfato de Plata Libre

Alivia Temporalmente:

- Ardor, arenoso, lagrimeo
- Encostramiento durante la noche
- Hinchazón

Drug Facts are in Spanish on the interior of this carton. Encontrará la información en español sobre este medicamento al interior de la caja.

© 2020 All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane, Suite# 208 Reno, NV 89502
Questions or Comments? 888-969-6855
www.thereliefproducts.com



Ini1117 R0520

NON COATING AREA
1.3595" X 0.8121"



NO VARNISH



Stay Healthy, Naturally[™]
HOMEOPATHIC

NDC # 17312-013-15

PinkEye Relief[®]

Sterile Eye Drops
Belladonna Free
Silver Sulfate Free

Temporarily Relieves:

- Burning, grittiness, watering
- Overnight crusting
- Swelling

100% Natural Active Ingredients

MADE IN THE USA

0.33 FL. OZ (10 mL)

Active Ingredients

Aconite HPUS 6X; Apis HPUS 6X; Argentum nitricum HPUS 12X; Euphrasia HPUS 6X; Natrum arsenicosum HPUS 11X

"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Directions

• Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use. • Squeeze 1-3 drops in the eye. Use several times per day as needed. • Homeopathic remedies may not be effective for everyone. Individual results may vary.

Inactive Ingredients

Benzalkonium chloride (preservative), Purified water, Sodium chloride, Sodium phosphate dibasic, Sodium phosphate monobasic

Other information

Refer to outer carton for complete information.

• Non-prescription drug products cannot treat

infections. • Store at room temperature 15° to 30° C (59° to 86°F). • Keep bottle tightly closed. • To avoid contamination: Do not touch tip to any surface. • Replace cap after every use. • Use within 30 days of opening.

• **EXPIRATION DATE ONLY REFERS TO THE UNOPENED BOTTLE.** • The use of this container by more than one person may spread infection. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • PinkEye Relief[®] Homeopathic Sterile Eye Drops are homeopathic dilutions, for details see www.thereliefproducts.com.

© 2018 All rights reserved to TRP Company, Inc. Manufactured exclusively for TRP Company, Inc. 1575 Delucchi Lane #115, Reno, NV 89502 Questions or Comments? www.thereliefproducts.com, 888-969-6855

Do not use if tamper evident seal is torn, broken or missing.

Int1117
R0318

Drug Facts

| Active ingredients | Purpose |
|---------------------------------|-----------------------------------|
| Aconite HPUS 6X..... | Swelling, redness |
| Apis HPUS 6X..... | Swelling |
| Argentum nitricum HPUS 12X..... | Burning |
| Euphrasia HPUS 6X..... | Watering |
| Natrum arsenicum HPUS 11X..... | Grittiness, overnight crusting |

"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

According to homeopathic indications these ingredients provide temporary relief from symptoms such as:
• Redness • Burning sensations • Watering • Swelling
• Sensation of grittiness and overnight crusting; after serious causes have been ruled out by a physician.
*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings

A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES. For External Use Only.
• This product is intended to complement, not replace, standard medical treatment. • Initial worsening of symptoms may occur. • **If pregnant or breast-feeding, ask a health professional before use.** • Contact lens wearers: Consult a physician before use. • **Keep out of reach of children.** • In case of accidental ingestion, get medical help or contact a Poison Control Center right away. • To avoid contamination: Do not touch tip to any surface. • Replace cap after every use. • Use within 30 days of opening. • **EXPIRATION DATE ONLY REFERS TO THE UNOPENED BOTTLE.** • The use of this container by more than one person may spread infection.

Do not use if: • Solution changes color or becomes cloudy. • You frequently contract infections that do not clear up easily. • You experience eye pain or changes in vision. • You are experiencing a thick, white, yellow, or green discharge that forms a crust on the eyelid.

Stop use and ask a doctor if: • You experience eye pain or change in vision, continued redness, or irritation of the eye. • The condition worsens. • Symptoms last longer than 72 hours.

BOTTLE IMAGE IS ACTUAL SIZE



VOID OF AQUEOUS
& COLOR

Drug Facts (continued)

Directions

• Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use.
• Squeeze 1-3 drops in the eye. Use several times per day as needed. • Homeopathic remedies may not be effective for everyone. Individual results may vary.

Other information

• Non-prescription drug products cannot treat infections. • Store at room temperature 15° to 30° C (59° to 86°F). • Keep bottle tightly closed. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Pink Eye Relief™ Homeopathic Sterile Eye Drops are homeopathic dilutions, for details see www.thereliefproducts.com

Inactive ingredients

Benzalkonium chloride (preservative), Purified water, Sodium chloride, Sodium phosphate dibasic, Sodium phosphate monobasic.

Questions or comments

1-888-969-6855
8 am to 4 pm; Monday - Friday

Do not use if tamper evident ring is broken or bottle is damaged. No utilizar si es evidente la manipulación el anillo está roto o la botella está estropeado.

FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Natural Eyes™

Pink Eye Relief™



THE RELIEF PRODUCTS®

NDC # 17312-013-15

NEW NAME*

Natural Eyes™

Pink Eye Relief™

STERILE EYE DROPS

Burning / Watering
Crusting

100%
NATURAL
ACTIVE
INGREDIENTS



HOMEOPATHIC
0.33 FL OZ (10 mL)

Natural Eyes™

Natural Eyes™ harnesses the power of nature. Naturally sourced active ingredients that work gently and safely with your body.

Pink Eye Relief™

*New name, same trusted formula, Natural Eyes continues to deliver soothing relief.

Encontrara la informacion en espanol sobre este medicamento al interior de la caja.

© 2022 All rights reserved to TRP Company, Inc. Manufactured in Jordan, exclusively for: TRP Company, Inc. 1575 Delucchi Lane, Suite# 208 Reno, NV 89502 www.thereliefproducts.com



Ini0422
R0822

NO VARNISH

TRP THE RELIEF PRODUCTS®
NDC # 17312-013-15

Natural Eyes™

Pink Eye Relief™

STERILE EYE DROPS

HOMEOPATHIC
0.33 FL OZ (10 mL)

Active ingredients
Aconite HPUS 6X; Apis HPUS 6X; Argentum nitricum HPUS 12X; Euphrasia HPUS 6X; Natrum arsenicum HPUS 11X

HPUS indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Directions
• Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use. • Squeeze 1-3 drops in the eye. Use several times per day as needed. • Homeopathic remedies may not be effective for everyone. Individual results may vary.

Inactive ingredients
Benzalkonium chloride (preservative), Purified water, Sodium chloride, Sodium phosphate dibasic, Sodium phosphate monobasic.

Other information
Refer to outer carton for complete information.
• Non-prescription drug products cannot treat infections. • Store at room temperature 15° to 30°C (59° to 86°F). • Keep bottle tightly closed. • To avoid contamination: Do not touch tip to any surface. • Replace cap after every use. • Use within 30 days of opening. • **EXPIRATION DATE ONLY REFERS TO THE UNOPENED BOTTLE.** • The use of this container by more than one person may spread infection. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Pink Eye Relief™ Homeopathic Sterile Eye Drops are homeopathic dilutions, for details see www.thereliefproducts.com.

© 2022 All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane, Suite# 208, Reno, NV 89502 **Questions or comments?** www.thereliefproducts.com, 888-969-6855

Do not use if tamper evident ring is broken or bottle is damaged. Inj0422 R0522

FDA Disclaimer: Claims based on traditional homeopathic practice, not medical evidence. Not FDA evaluated.

Glue area

TRP THE RELIEF PRODUCTS®

Natural Eyes™

Pink Eye Relief™

STERILE EYE DROPS
0.33 FL OZ (2.5 mL)

Active ingredients
Aconite HPUS 6X; Apis HPUS 6X; Argentum nitricum HPUS 12X; Euphrasia HPUS 6X; Natrum arsenicum HPUS 11X

HPUS indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Directions
• Squeeze 1-3 drops in the eye. Use several times per day as needed.

Inactive ingredients
Benzalkonium chloride (preservative), Purified water, Sodium chloride, Sodium phosphate dibasic, Sodium phosphate monobasic.

Other information
Refer to outer carton for complete information.
• Keep bottle tightly closed. • To avoid contamination: Do not touch tip to any surface. • Replace cap after every use.

• Use within 30 days of opening • **EXPIRATION DATE ONLY REFERS TO THE UNOPENED BOTTLE.**

© 2022 All rights reserved to TRP Company, Inc. Manufactured in Jordan, exclusively for: TRP Company, Inc. 1575 Delucchi Lane, Suite# 208, Reno, NV 89502 **Questions or comments?** 888-969-6855 www.thereliefproducts.com

Do not use if tamper evident ring is broken or bottle is damaged.
Inj0422 R0522

PROFESSIONAL SAMPLE
Not for Resale



FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Natural Eyes™

Pink Eye Relief™

Do not use if tamper evident ring is broken or bottle is damaged.



Natural Eyes™

Pink Eye Relief™

STERILE EYE DROPS
Burning / Watery
Crusting



HOMEOPATHIC
0.085 FL OZ (2.5 mL)
*NOT FOR RESALE

Drug Facts (continued)

Individual results may vary.

Other information

• Non-prescription drug products cannot treat infections. • Store at room temperature 15° to 30° C (59° to 86° F). • Keep bottle tightly closed. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Pink Eye Relief™ Homeopathic Sterile Eye Drops are homeopathic dilutions, for details see www.thereliefproducts.com.

Inactive ingredients

Benzalkonium chloride (preservative), Purified water, Sodium chloride, Sodium phosphate dibasic, Sodium phosphate monobasic.

Questions or comments

1-888-969-6855

8 am to 4 pm; Monday - Friday

© 2023 All rights reserved to TRP Company, Inc. Manufactured in Jordan, exclusively for: TRP Company, Inc., 1575 Delucchi Lane, Suite# 208 Reno, NV 89502 www.thereliefproducts.com

Drug Facts

Active ingredients Purpose

Aconite HPUS 6X.....Swelling, redness
Apis HPUS 6X.....Swelling
Argentum nitricum HPUS 12X.....Burning
Euphrasia HPUS 6X.....Watery
Natrum arsenicum HPUS 11X...Grittiness, overnight crusting

*"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

According to homeopathic indications these ingredients provide temporary relief from symptoms such as: • Redness • Burning sensations • Watery • Swelling • Sensation of grittiness and overnight crusting; after serious causes have been ruled out by a physician. *These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings

A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES. For External Use Only. • This product is intended to complement, not replace, standard medical treatment. ▶

Drug Facts (continued)

• Initial worsening of symptoms may occur
• **If pregnant or breast-feeding, ask a health professional before use.** • Contact lens wearers: Consult a physician before use.
• **Keep out of reach of children.** • In case of accidental ingestion, get medical help or contact a Poison Control Center right away.
• To avoid contamination: Do not touch tip to any surface. • Replace cap after every use.
• Use within 30 days of opening.
• **EXPIRATION DATE ONLY REFERS TO THE UNOPENED BOTTLE.** • The use of this container by more than one person may spread infection.

Do not use if: • Solution changes color or becomes cloudy. • You frequently contract infections that do not clear up easily. • You experience eye pain or changes in vision. • You are experiencing a thick, white, yellow, or green discharge that forms a crust on the eyelid.

Stop use and ask a doctor if: • You experience eye pain or change in vision, continued redness, or irritation of the eye. • The condition worsens. • Symptoms last longer than 72 hours.

Directions

• Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use. • Squeeze 1-3 drops in the eye. Use several times per day as needed. • Homeopathic remedies may not be effective for everyone. ▶

PINK EYE RELIEF

aconitum napellus - apis mellifera - silver nitrate - euphrasia stricta - sodium arsenate, dibasic, heptahydrate - liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:17312-013 |
| Route of Administration | OPHTHALMIC | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--|-------------------|
| EUPHRASIA STRICTA (UNII: C9642I91WL) (EUPHRASIA STRICTA - UNII:C9642I91WL) | EUPHRASIA STRICTA | 6 [hp_X] in 1 mL |
| SODIUM ARSENATE, DIBASIC, HEPTAHYDRATE (UNII: 90ZQ7G407W) (ARSENATE ION - UNII:G1DBI405OK) | SODIUM ARSENATE, DIBASIC, HEPTAHYDRATE | 11 [hp_X] in 1 mL |
| ACONITUM NAPELLUS (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD) | ACONITUM NAPELLUS | 6 [hp_X] in 1 mL |
| APIS MELLIFERA (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z) | APIS MELLIFERA | 6 [hp_X] in 1 mL |
| SILVER NITRATE (UNII: 05IT3W81ZE) (SILVER CATION - UNII:57N7B0K90A) | SILVER NITRATE | 12 [hp_X] |

SILVER NITRATE (UNII: 93115W6J2E) (SILVER CATION - UNII:57N7B0K90A) SILVER NITRATE in 1 mL

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) | |
| WATER (UNII: 059QF0KO0R) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74) | |
| SODIUM PHOSPHATE, MONOBASIC (UNII: 3980JIH2SW) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:17312-013-15 | 1 in 1 PACKAGE | 09/01/2012 | |
| 1 | | 10 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product | | |
| 2 | NDC:17312-013-99 | 1 in 1 PACKAGE | 02/09/2023 | |
| 2 | | 2.5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic | | 09/01/2012 | |

Labeler - TRP Company (105185719)

Registrant - TRP Company (105185719)

Revised: 2/2023

TRP Company