

**LIDOCAIN PAIN RELIEF GEL-PATCH- lidocaine and menthol patch
Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.**

Lidocaine Pain Relief Gel-Patch

Active Ingredient

Lidocaine 4% w/w Purpose: Topical anesthetic

Menthol 1% w/w Purpose: Topical analgesic

Purposes

Topical anesthetic (Lidocaine)

Topical analgesic (Menthol)

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, neck, shoulders, elbows.

Warnings

For external use only

When using this product:

- use only as directed
- avoid contact with the eyes, mucous membranes or rashes
- do not bandage tightly
- dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Do not use:

- more than 1 patch on your body at a time or with other topical anesthetics at the same time
- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- If you are allergic to any ingredients of this product

Stop use and ask a doctor if:

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering

- condition worsen
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

If pregnant or breast-feeding,

Ask a health professional before use

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

Adult and Children above 12 years old:

- Clean and dry the affected area
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily.
- Remove patch from the skin after at most 8-hour application

Children under 12 years of age: Consult a doctor

Other Information

- Store at 20°C to 25°C (68°F - 77°F)
- Store in a cool dry place away from direct sunlight


Inactive Ingredients

Dihydroxyaluminium Aminoacetate, Eddate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, L(+)-Tartaric Acid, Mineral oil, Polysorbate80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polyacrylate, Titanium Dioxide, Water.

Questions or Comments


supports@sumifunofficial.com

Package label. Principal display panel



<p>Drug Facts</p> <p>Active ingredient Purpose Lidocaine 4% Topical Anesthetic Menthol 1% Topical Analgesic</p> <p>Uses Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.</p> <p>Warnings For external use only</p> <p>Do not use</p> <ul style="list-style-type: none"> ▪ more than 1 patch on your body at a time or with other topical anesthetics at the same time ▪ on wounds or damaged skin ▪ with a heating pad or device ▪ with other ointments, creams, sprays, or liniments ▪ if you are allergic to any ingredients of this product <p>When using this product</p> <ul style="list-style-type: none"> ▪ use only as directed ▪ avoid contact with the eyes, mucous membranes, or rashes ▪ do not bandage tightly ▪ dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch. <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> ▪ localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering ▪ condition worsens ▪ symptoms persist for more than 7 days ▪ symptoms clear up and occur again within a few days <p style="text-align: right;"> 8 942488 016408</p>	<p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>KEEP OUT OF REACH OF CHILDREN. If swallowed accidentally, get medical help or contact with Poison Control Center immediately.</p> <p>Directions Adults and Children above 12 years old: <ul style="list-style-type: none"> ▪ Clean and dry the affected area. ▪ Tear off the protective film and apply the exposed part of the patch to the affected area. ▪ Carefully remove remaining film while pressing the patch firmly on the skin. ▪ Apply 1 patch at a time to affected area, not more than 3 to 4 times daily. ▪ Remove patch from the skin after at most 8-hour application. Children under age of 12: Consult a doctor</p> <p>Other Information</p> <ul style="list-style-type: none"> ▪ Store at 20°C to 25°C (68°F - 77°F) ▪ Store in a cool dry place away from direct sunlight <p>Inactive ingredients Dihydroxyaluminum Aminocetate, Edetate Disodium, Glycerin, Hydroxacetophenone, Kaolin, L(+)-Tartaric Acid, Mineral oil, Polysorbate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polyacrylate, Titanium Dioxide, Water.</p> <p>Questions or Comments: supports@sumifunofficial.com</p> <p>Business Cooperation: business@sumifunofficial.com</p> <p>Child Resistant Packaging</p>
---	---







LIDOCAINE PAIN RELIEF GEL-PATCH

lidocaine and menthol patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83602-175
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.01 g in 1 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

Inactive Ingredients

Ingredient Name	Strength

KAOLIN (UNII: 24H4NWX5CO)	
TARTARIC ACID (UNII: W4888I119H)	
WATER (UNII: 059QF0KO0R)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
MINERAL OIL (UNII: T5L8T28FGP)	
POLYSORBATE 80 (UNII: 60ZP39ZG8H)	
GLYCERIN (UNII: PDC6A3C00X)	
EDETADE DISODIUM (UNII: 7FLD91C86K)	
POVIDONE K90 (UNII: RDH86HJV5Z)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83602-175-11	11 in 1 BOX	01/30/2026	
1		1 in 1 BAG		
1	NDC:83602-175-01	21 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:83602-175-17	17 in 1 BOX	01/30/2026	
2		1 in 1 BAG		
2	NDC:83602-175-01	21 g in 1 PATCH; Type 0: Not a Combination Product		
3	NDC:83602-175-23	23 in 1 BOX	01/30/2026	
3		1 in 1 BAG		
3	NDC:83602-175-01	21 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/30/2026	

Labeler - Guangzhou Liuquanmiao Import & Export Trade Co., Ltd. (418399704)

Registrant - Guangzhou Liuquanmiao Import & Export Trade Co., Ltd. (418399704)

Revised: 1/2026

Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.