TRU-MICIN- trolamine lotion Truceuticals, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Tru-micin®

Drug Facts

Active Ingredients

Trolamine salicylate 10%

Purpose

Topical Analgesic

Uses

Temporary relief of pain associated with:

- Joint and Muscle Inflammation
- Nerve damage
- Fitness and Sports Injuries

Warnings

For external use only.

Allergy alert

If prone to allergic reaction from aspirin or salicylates, consult a doctor before use.

When using this product

use only as directed

- do not bandage tightly or use with a heating pad
- avoid contact with the eyes or mucous membranes
- do not apply to wounds or damaged skin

Stop use and ask a doctor if

symptoms persist for more than 7 days or clear up and occur again within a few days

- redness is present
- irritation develops
- condition worsens

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children. If swallowed, seek immediate medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

Adults and children over 12 years:

- apply generously to affected area
- massage into painful area until thoroughly absorbed
- repeat if necessary, but not more than 4 times daily

Other Information

Store at 20-25°C (68-77°F)

Inactive Ingredients

Alpha-lipoic acid, Caprylyl Glycol, Cetylalcohol, Coco Caprylate/Caprate, Curcuma longa, Dimethicone, DMDM Hydantoin, Ethylhexylglycerin, Glycerin, Glyceryl Stearate, Hexylene Glycol, Ocimum sanc, Octyl Methoxycinnamate, Olibanum, PEG-100 Stearate, Petrolatum, Phenoxyethanol, Rosmarinus, Salix Alba, Stearic Acid, Stearyl Stearate, Tocopheryl Acetate (Vitamin-E), Water, Zingiber

Questions?

Call 877-669-4227

PRINCIPAL DISPLAY PANEL - 100 mL Tube Label

Odorless • Non-greasy Fast-acting

Tru-micin®

Topical Analgesic

Temporary relief of pain associated with joint, muscle inflammation and nerve damage

3.5 fl. oz (100 ml)

NDC 51230-418-01

Drug Facts

Active Ingredients:

Purpose:

Trolamine salicylate 10%....

Topical Analgesic

Uses: Temporary relief of pain associated with:

- · Joint and Muscle Inflammation · Nerve damage
- · Fitness and Sports Injuries

Warnings:

For external use only.

Allergy alert: If prone to allergic reaction from aspirin or salicylates, consult a doctor before use.

When using this product: use only as directed • do not bandage tightly or use with a heating pad . avoid contact with the eyes or mucous membranes . do not apply to wounds or damaged skin

Stop use and ask a doctor if: symptoms persist for more than 7 days or clear up and occur again within a few days . redness is present • irritation develops • condition worsens

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children. If swallowed, seek immediate medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions: Adults and children over 12 years:

apply generously to affected area

- · massage into painful area until thoroughly absorbed
- · repeat if necessary, but not more than 4 times daily

Other Information: Store at 20-25°C (68-77°F)

Inactive Ingredients: Alpha-lipoic acid. Caprylyl Glycol, Cetylalcohol, Coco Caprylate/Caprate, Curcuma longa, Dimethicone, DMDM Hydantoin, Ethylhexylglycerin, Glycerin, Glyceryl Stearate, Hexylene Glycol, Ocimum sanc, Octyl Methoxycinnamate, Olibanum, PEG-100 Stearate, Petrolatum, Phenoxyethanol, Rosmarinus, Salix Alba, Stearic Acid, Stearyl Stearate, Tocopheryl Acetate (Vitamin-E), Water, Zingiber

Questions? Call 877-669-4227

* U.S. Patent pending.



Manufactured for Truceuticals® Inc. 89 Bridge St., Lancaster, NH 03584 Odorless . Non-greasy Fast-acting

Tru-micin®

Topical Analgesic

Temporary relief of pain associated with joint, muscle inflammation and nerve damage

3.5 fl. oz (100 ml)

NDC 51230-418-01



TRU-MICIN

trolamine lotion

P	ro	duct	Info	rma	tion
---	----	------	------	-----	------

HUMAN OTC DRUG NDC:51230-418 Product Type Item Code (Source)

TOPICAL Route of Administration

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
Trolamine (UNII: 9O3K93S3TK) (Trolamine - UNII:9O3K93S3TK)	Trolamine	0.1 mg in 1 mL		

Inactive Ingredients			
Ingredient Name	Strength		
Glycerin (UNII: PDC6A3C0OX)			
Coco-Caprylate (UNII: 4828G836N6)			
Glyceryl Monostearate (UNII: 230 O U9 XXE4)			
PEG-100 Stearate (UNII: YD01N1999R)			
Octinoxate (UNII: 4Y5P7MUD51)			
Stearic Acid (UNII: 4ELV7Z65AP)			
Cetyl Alcohol (UNII: 936JST6JCN)			
Stearyl Stearate (UNII: 5WX2EGD0DK)			
Dimethicone (UNII: 92RU3N3Y1O)			
Petrolatum (UNII: 4T6H12BN9U)			
.AlphaTocopherol Acetate (UNII: 9E8X80D2L0)			
Phenoxyethanol (UNII: HIE492ZZ3T)			
Caprylyl Glycol (UNII: 00 YIU5438U)			
Ethylhexylglycerin (UNII: 147D247K3P)			
Hexylene Glycol (UNII: KEH0 A3F75J)			
DMDM Hydantoin (UNII: BYR0546TOW)			
Water (UNII: 059QF0KO0R)			
Turmeric (UNII: 856 YO 1Z64F)			
INDIAN FRANKINCENSE (UNII: 4PW41QCO2M)			
.AlphaLipoic Acid (UNII: 73Y7P0K73Y)			
Salix Alba Bark (UNII: 205MXS71H7)			
Ocimum Tenuiflorum Top (UNII: 34T63W8ULS)			
Ginger (UNII: C5529G5JPQ)			
Rosemary (UNII: IJ67X351P9)			

Product Characteristics				
Color	YELLOW	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				

Packaging					
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
1 NDC:51230-418-01	100 mL in 1 TUBE				

Marketing Inform	Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part348	06/07/2013			

Labeler - Truceuticals, LLC (963324954)

Revised: 6/2013 Truceuticals, LLC