

**BEIJIXI LIQUID WART CORN REMOVER- salicylic acid 17% liquid wart corn
remover liquid**
Jiangxi Yudexi Pharmaceutical Co., LTD

85248-038

Active Ingredient

Salicylic acid 17%

Purpose

Wart remover

Use

For the removal of common warts and plantar warts. Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

Warnings

For external use only. Keep away from fire and flame.

Do not use

on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

When Using

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible. Cap tightly and store at room temperature, away from heat.

Stop Use

Stop use and ask a doctor if discomfort persists.

Ask Doctor

Stop use and ask a doctor if discomfort persists.

Keep Out Of Reach Of Children

If swallowed, get medical help or contact the Poison Control Center(1-800-222-1222) right away.

Directions

Wash the affected area. May soak wart in warm water for 5 minutes. Dry area thoroughly. Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

Other information

Store at room temperature. Avoid excessive heat (37°C/99°F). Skin discoloration may occur during or after use.

Inactive ingredients

Water, Polyethylene Glycol, Glycerin, Borneol

PRINCIPAL DISPLAY PANEL

BEIJIXI

31*31*85mm 350g银卡 纳米 UV 垫白 主体字击凸

Stop use and ask a doctor if discomfort persists. Keep out of reach of children.

If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away.

Directions

Wash the affected area. May soak wart in warm water for 5 minutes.

Dry area thoroughly. Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

Other information

Store at room temperature. Avoid excessive heat (37°C/99°F). Skin discoloration may occur during or after use.

Inactive ingredients:

Water.....53%
Polyethylene Glycol.....16%
Glycerin.....8%
Borneol.....6%

Distributor: Jiangxi Yudexi
Pharmaceutical Co., LTD
Address: No.1998, Jingkai West
5th Road, Chengbei Jingkai
District, Zhangshu City, Yichun
City, Jiangxi Province



BEIJIXI

LIQUID WART & CORN REMOVER

FAST ACTING LIQUID

- ✓ WORKS QUICKLY
- ✓ PROVEN EFFECTIVE
- ✓ FORMULATED FOR WART AND CORN REMOVAL



MEDICAL STRENGTH
NET WT: 30ML/1 FL OZ

Drug Facts

Active ingredient:

Salicylic acid 17% ..

Purpose

Uses

Wart remover

For the removal of common warts and plantar warts. Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

Warnings

For external use only. Keep away from fire and flame.

Do not use

on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

When using this product

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible. Cap tightly and store at room temperature, away from heat.



6 979843 980005

BEIJIXI

LIQUID WART & CORN REMOVER

FAST ACTING LIQUID

- ✓ WORKS QUICKLY
- ✓ PROVEN EFFECTIVE
- ✓ FORMULATED FOR WART AND CORN REMOVAL



MEDICAL STRENGTH
NET WT: 30ML/1 FL OZ

BEIJIXI LIQUID WART CORN REMOVER

salicylic acid 17% liquid wart corn remover liquid

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:85248-038

Route of Administration	TOPICAL
--------------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)	SALICYLIC ACID	17 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
BORNEOL (UNII: M89NIB437X)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85248-038-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/02/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	02/02/2026	

Labeler - Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)

Revised: 2/2026

Jiangxi Yudexi Pharmaceutical Co., LTD