

**BYT BANGYTONG SALICYLIC ACID PATCH- salicylic acid 1% wart remover
patch patch
Shenzhen Jindali Technology Co., Ltd**

BYT BANGYTONG Salicylic Acid Patch

Active Ingredient

Salicylic acid 1%

Purpose

Wart Remover

Use

For the removal of common warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface

Warnings

For external use only.

Do not use

On irritated, infected, or reddened skin; on genital warts and warts on the face; on moles, birthmarks, and warts with hair growing from them; on mucous membranes.

When Using

Ask a doctor before use if you have diabetes poor blood circulation

Stop Use

Ask a doctor before use if you have diabetes poor blood circulation

Ask Doctor

Ask a doctor before use if you have diabetes poor blood circulation

Keep Out Of Reach Of Children

If swallowed, get medical help or contact a Poison control Center right away.

Directions

wash affected area: may soak wart in warm water for 5 minutes dry area thoroughly, remove bandage strips by peeling backing off If necessary, cut medicated patch to fit wart carefully apply medicated plaster, repeat procedure every 48 hours as needed (until wart is removed) for up to 12 week

Other information

Store between 59° and 86°F(15° and 30°C).

Inactive ingredients

hard paraffin, lanolin, phenol.

PRINCIPAL DISPLAY PANEL

BYT BANGYTONG®

BYT BANGYTONG®

WART REMOVER PATCHES

Fast Healing
 Easy to Use
 Repairing Infections
 Waterproof & Protection

144 PATCHES

9MM 12MM



WART REMOVER PATCHES

BYT BANGYTONG®

Drug Facts
Active ingredient: Salicylic acid 1% Purpose Wart remover

USE
For the removal of common warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface

WARNINGS
For external use only.
DO NOT USE
on irritated, infected or reddened skin
on genital warts and warts on the face
on moles, birthmarks and warts with hair growing from them
on mucous membranes
KEEP OUT OF REACH OF CHILDREN If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS
wash affected area: may soak wart in warm water for 5 minutes dry area thoroughly, remove bandage strips by peeling backing off If necessary, cut medicated patch to fit wart carefully apply medicated plaster, repeat procedure every 48 hours as needed (until wart is removed) for up to 12 week

WHEN USING
Ask a doctor before use if you have diabetes poor blood circulation

OTHER INFORMATION Store between 59° and 86°F (15° and 30°C)

INACTIVE INGREDIENTS
hard paraffin, lanolin, phenol.

Distributor: Shenzhen Jindali Technology Co., Ltd
Address: 4B-088, Phase II, South China Int'l Leather and Accessories Logistics Zone, No. 1, Huana Ave, Hehua Comm, Pinghu St, Longgang Dist Shenzhen, Guangdong, 518111 China
Manufacturer: Jiangxi Zhonglietang Pharmaceutical Co., Ltd.
Address: Chengbei Economic and Technological Development Zone, Zhangshu City Yichun, Jiangxi, 331208 China



BYT BANGYTONG SALICYLIC ACID PATCH

salicylic acid 1% wart remover patch patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87382-217
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	1 g in 100

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	
LANOLIN (UNII: 7EV65EAW6H)	
PARAFFIN (UNII: I9O0E3H2ZE)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87382-217-01	144 in 1 BOX; Type 0: Not a Combination Product	02/02/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	02/02/2026	

Labeler - Shenzhen Jindali Technology Co., Ltd (722786197)

Registrant - Shenzhen Jindali Technology Co., Ltd (722786197)

Revised: 2/2026

Shenzhen Jindali Technology Co., Ltd