

NUMBING CREAM- lidocaine emulsion
Sainite Trading Shenzhen Co., Ltd.

82929-011

Active ingredient

Lidocaine 5%

Purpose

Anorectal (Hemorrhoidal)

Uses

For temporary relief of local itching and discomfort Associated with anorectal disorders

Warnings

For external use only.

If condition worsens or does not improve within 7 days, consult a doctor.

Do not exceed the recommended daily dosage unless directed by a doctor.

Do not put this product into the rectum by using fingers or any mechanical device or applicator.

Certain persons can develop allergic reactions to ingredients in this product. If the symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase, discontinue use and consult a doctor.

Keep out of reach of children

if swallowed get medical help or contact a Poison Control Center right away.

Directions

Adults: When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product.

Children under 12 years of age: consult a doctor.

Apply externally to the affected area. Apply to the affected area up to 6 times daily.

Inactive ingredients

Aloe barbadensis leaf juice (Aloe vera), Water, Lecithin (Soybean), Propylene Glycol, Tocopheryl Acetate, Carbomer, Triethanolamine

Other Information

Store at room temperature (59-86 *F/15-30°C).

Keep away from direct sunlight or heat.

Keep out the reach of children. The package is child-resistant.

Do not use this product if seal is broken or missing

In case of accidental overdose and ingestion, call a doctor immediately.

82929-011

<p>Drug Facts</p> <p>Active ingredient Lidocaine 5%</p> <p>Purpose Anorectal (Hemorrhoidal)</p> <p>Uses: For the temporary relief of local itching and discomfort associated with anorectal disorders</p> <p>Inactive Ingredients Aloe barbadensis leaf juice (Aloe vera), Water, Lecithin (Soybean), Propylene Glycol, Tocopheryl Acetate, Carbomer, Triethanolamine.</p>		<p>Drug Facts (Continued)</p> <p>Warnings For external use only. If condition worsens or does not improve within 7 days, consult a doctor. Do not exceed the recommended daily dosage unless directed by a doctor. Do not put this product into the rectum by using fingers or any mechanical device or applicator. Certain persons can develop allergic reactions to ingredients in this product. If the symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase, discontinue use and consult a doctor.</p>	
<p>Drug Facts (Continued)</p> <p>Directions Adults: When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product. Children under 12 years of age: consult a doctor. Apply externally to the affected area. Apply to the affected area up to 6 times daily.</p>		<p>Drug Facts (Continued)</p> <p>Other Information Store at room temperature (59-86 *F/15-30°C). Keep away from direct sunlight or heat. Keep out the reach of children. The package is child-resistant. Do not use this product if seal is broken or missing. In case of accidental overdose and ingestion, call a doctor immediately.</p>	

SAMNYTE[®]
Numbing Cream

Lidocaine 5% with Vitamin E
60ml / 2.12 Fl.Oz For external use only

6 hours
Maximum Strength
Pain Relieves

Topical Pain Treatment



Correct use step

- Clean hands and treatment area with mild soap and warm water, rinse thoroughly, then gently pat dry.
- Apply a thick layer onto treatment area. (Make sure the area and surroundings are white cream.)
- Wrap tightly with plastic wrap (No need if used for hemorrhoids), and wait 45-60 minutes (longer time better effect.)
- Wipe away residue, wait another 10 minutes for the effect to peak

Note: Due to the difference of temperature and skin type, the duration of effect will be different. It is recommended to test in a small area first to ensure the best effect.

Sainite Trading (Shenzhen) Co., Ltd
Jiangnan Building, Yongqiang Road, Banlian Street, Longgang District, Shenzhen, Guangdong Province.

6 973787 220976

Made in Canada

NUMBING CREAM

lidocaine emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82929-011
Route of Administration	CUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CARBOMER (UNII: 0A5MM307FC)	
ALOE BARBADENSIS LEAF JUICE (UNII: RUE8E6T4NB)	
TRIETHANOLAMINE (UNII: 9O3K93S3TK)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82929-011-01	1 in 1 BOX	02/04/2026	
1		60 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	02/04/2026	

Labeler - Sainite Trading Shenzhen Co., Ltd. (418973870)

Establishment

Name	Address	ID/FEI	Business Operations
Sainite Trading Shenzhen Co., Ltd.		418973870	manufacture(82929-011)

Revised: 2/2026

Sainite Trading Shenzhen Co., Ltd.