

**SANUSCODE WART CORN REMOVER- salicylic acid 40% wart corn
remover patch**
Jiangxi Yudexi Pharmaceutical Co., LTD

85248-049

Active Ingredient

Salicylic acid 40%

Purpose

Wart and Corn Remover

Use

For the removal of warts and corns.

Warnings

For external use only.

Do not use

On irritated,infected, or reddened skin; on genital warts or warts on the face; on moles, birthmarks, or warts with hair growing from them;on mucous mempranes.

When Using

Avoid contact with eyes or face. If the product gets into the eyes, rinse thoroughly with water.

Stop Use

Stop use and ask a doctor if discomfort persitsts or worsens

Ask Doctor

Ask a doctor if you have diabetes or poor blood circulation.

Keep Oot Of Reach Of Children

If swallowed, get medical help or contact a Poison control Center right away.

Directions

Wash the affected area.(Optional: soak the wart in warm water for 5 minutes.) Dry the area thoroughly. If needed, cut the plaster to fit the wart. Apply the medicated plaster. Repeat every 48 hours as needed, for up to 12 weeks. Other information: Store between 59°F and 86°F(15°C and 30°C).

Inactive ingredients

hard paraffin,lanolin,phenol, petrolatum

PRINCIPAL DISPLAY PANEL

Drug Facts	
Active Ingredient	Purpose
Salicylic acid 40%.....	Wart and Corn Remover
Use	
For the removal of warts and corns.	
Warnings	
For external use only.	
Do not use	
On irritated, infected, or reddened skin; on genital warts or warts on the face; on moles, birthmarks, or warts with hair growing from them; on mucous membranes.	
When Using	
Avoid contact with eyes or face.	
If the product gets into the eyes, rinse thoroughly with water.	
Stop use and ask a doctor if discomfort persists or worsens	
Ask a doctor if you have diabetes or poor blood circulation.	
Keep out of reach of children	
If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
Wash the affected area.	
(Optional: soak the wart in warm water for 5 minutes.)	
Dry the area thoroughly.	
If needed, cut the plaster to fit the wart.	
Apply the medicated plaster.	
Repeat every 48 hours as needed, for up to 12 weeks.	
Other information: Store between 59°F and 86°F (15°C and 30°C).*	
Inactive ingredients	
hard paraffin, lanolin, phenol, petrolatum	

Distributor: Jiangxi Yudexi Pharmaceutical Co., LTD
Address: No. 1998, Jingkai West 5th Road, Chengbei Jingkai District, Zhangshu City, Yichun City, Jiangxi Province

SANUSCODE WART CORN REMOVER

salicylic acid 40% wart corn remover patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85248-049
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)		SALICYLIC ACID	40 g in 100	
Inactive Ingredients				
Ingredient Name		Strength		
LANOLIN (UNII: 7EV65EAW6H)				
PHENOL (UNII: 339NCG44TV)				
PARAFFIN (UNII: I9O0E3H2ZE)				
PETROLATUM (UNII: 4T6H12BN9U)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85248-049-01	42 in 1 BOX; Type 0: Not a Combination Product	02/05/2026	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M028	02/05/2026		

Labeler - Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)

Revised: 2/2026

Jiangxi Yudexi Pharmaceutical Co., LTD