

SUN VEIL ILLUMINATING ELIXIR FACE SUNSCREEN SPF 38- octisalate, octocrylene, zinc oxide lotion
Koco Life LLC

Sun Veil Illuminating Elixir Face Sunscreen SPF38

Active ingredients

Octisalate 5%

Octocrylene 10%

Zinc Oxide 15%

Purpose

Octisalate 5%.....Sunscreen

Octocrylene 10%.....Sunscreen

Zinc Oxide 15%.....Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

- Apply generously & evenly 15 minutes before sun exposure.

REAPPLY: • At least every 2 hours • Use a water resistant sunscreen if swimming or sweating. Sun Protection Measures: spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.- 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask doctor

Other information

Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Water/Aqua/Eau, Butyloctyl Salicylate, Polyglyceryl-3 Polyricinoleate, Propanediol, Sodium Chloride, Caprylic/Capric Triglyceride, Mica, Niacinamide, Sodium Hyaluronate, Panthenol, Litsea Cubeba Fruit Oil, Citrus Aurantium Dulcis (Orange) Peel Oil, Mentha Viridis (Spearmint) Leaf Oil, Citrus Aurantifolia (Lime) Oil, Tocopherol, 1,2-Hexanediol, Styrene/MA Copolymer, Ethylhexylglycerin, Triethyl Citrate, Xanthan Gum, Maltol, Dimethyl Heptenal, Gamma-Decalactone, Geraniol, Geranyl Acetate, 3,6-Nonadienol, Terpineol, Hexyl Acetate, Ethyl Butyrate, Benzyl Alcohol, Limonene, Citrus Aurantium Peel Oil, Sodium Hydroxide, Tin Oxide, Sodium Ferrocyanide, Iron Titanium Oxide, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491), Iron Oxides (CI 77499).

Questions or comments?

Call (858) 252-0099

Kopari

Sun Veil Illuminating Elixir Face Sunscreen

SPF 38

1 Fl. Oz. | 30 mL

KOPARI®

**SUN VEIL
ILLUMINATING ELIXIR
FACE SUNSCREEN
SPF 38**

1 FL. OZ. | 30 mL

WITH HYALURONIC ACID & NIACINAMIDE

This illuminating glow elixir delivers a luminous, lit-from-within glow with SPF 38 UVA/UVB sun protection.

Packed with skin-loving ingredients, it helps hydrate, soothe, and nourish the skin barrier. The silky, light-diffusing finish melts into skin, leaving a sheer sun-kissed glow.

DIRECTIONS Apply generously as the last step in your skincare routine, making sure to cover your face and neck. Let absorb for 30 seconds before makeup. If used as your only SPF, apply 15 minutes before sun exposure and reapply every 2 hours.

POWERED BY: HYALURONIC ACID

Helps provide long-lasting hydration to skin.

NIACINAMIDE

Helps reinforce skin barrier by retaining moisture & smoothing appearance of skin.

PANTHENOL

Helps retain moisture in skin for a smoother, softer, & more supple complexion.

VITAMIN E

Helps protect skin appearance from environmental stressors.

Drug Facts

Active Ingredients	Purpose
Octisalate 5%.....	Sunscreen
Octocrylene 10%.....	Sunscreen
Zinc Oxide 15%.....	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove

Stop use and ask a doctor if rash occurs

Keep out of reach of children

If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

- Apply generously & evenly 15 minutes before sun exposure.

REAPPLY: • At least every 2 hours • Use a water resistant sunscreen if swimming or sweating.

Sun Protection Measures: spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses.

- Children under 6 months: Ask doctor

Other Information

Protect the product in this container from excessive heat and direct sun

Inactive Ingredients

Water/Aqua/Eau, Butyloctyl Salicylate, Polyglyceryl-3 Polycinoleate, Propanediol, Sodium Chloride, Caprylic/Capric Triglyceride, Mica, Niacinamide, Sodium Hyaluronate, Panthenol, Litsea Cubeba Fruit Oil, Citrus Aurantium Dulcis (Orange) Peel Oil, Mentha Viridis (Spearmint) Leaf Oil, Citrus Aurantifolia (Lime) Oil, Tocopherol, 1,2-Hexanediol, Styrene/MA Copolymer, Ethylhexylglycerin, Triethyl Citrate, Xanthan Gum, Maltol, Dimethyl Heptenal, Gamma-Decalactone, Geraniol, Geranyl Acetate, 3,6-Nonadienol, Terpineol, Hexyl Acetate, Ethyl Butyrate, Benzyl Alcohol, Limonene, Citrus Aurantium Peel Oil, Sodium Hydroxide, Tin Oxide, Sodium Ferrocyanide, Iron Titanium Oxide, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491), Iron Oxides (CI 77499).

Questions or comments?

Call (858) 252-0099



MADE IN THE USA OF GLOBALLY SOURCED INGREDIENTS
KOPARI.COM
DISTRIBUTED BY/PAK KOCO LIFE LLC, LA JOLLA, CA 92037

THOROUGHLY WITH WATER.
AVOID CONTACT WITH EYES. IF THIS OCCURS WASH AFFECTED AREA
SUNSCREEN PRODUCT. KEEP BABIES AND YOUNG CHILDREN OUT OF DIRECT
WARNING: DO NOT STAY TOW LONG IN THE SUN, EVEN WHILE USING A



KOPARI

SUN VEIL
ILLUMINATING
ELIXIR FACE
SUNSCREEN SPF 38

1 FL. OZ. | 30 mL

Printable area: 70mm*111.6mm

WITH HYALURONIC ACID
& NIACINAMIDE

This illuminating glow elixir delivers a luminous, lit-from-within glow with SPF 38 UVA/UVB sun protection. It hydrates and nourishes the skin with a silky, light-diffusing finish.

DIRECTIONS Apply generously to face and neck as the last step in your routine. Let absorb for 30 seconds before makeup. If used as your only SPF, apply 15 minutes before sun exposure and reapply every 2 hours.

ACTIVE INGREDIENTS

Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen
Zinc Oxide 15%	Sunscreen

PURPOSE

WARNING: FOR EXTERNAL USE ONLY. KEEP OUT OF EYES.
IF CONTACT OCCURS, RINSE IMMEDIATELY.

DISTRIBUTED BY/PPAR KOCO LIFE LLC, LA JOLLA, CA 92037
KOPARIBEAUTY.COM

MADE IN THE USA OF GLOBALLY SOURCED INGREDIENTS



koparibeauty.com

WITH HYALURONIC ACID
& NIACINAMIDE

KOPARI

SUN VEIL
ILLUMINATING ELIXIR
FACE SUNSCREEN
SPF 38

0.27 FL. OZ. | 8ML

DISTRIBUTED BY: P&R PHARMACEUTICALS, LA JOLLA, CA 92037
KOPARI.BEAUTY.COM

WARNING: FOR EXTERNAL USE ONLY. STOP USE AT THE
FIRST SIGN OF IRRITATION. AVOID CONTACT WITH EYES.
IF CONTACT OCCURS, RINSE WELL WITH WATER.
MADE IN THE USA OF GLOBALLY SOURCED INGREDIENTS



SUN VEIL ILLUMINATING ELIXIR FACE SUNSCREEN SPF 38

octisalate, octocrylene, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84130-019
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	150 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM FERROCYANIDE (UNII: 5HT6X21AID)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)	
CI 77491 (UNII: 1K09F3G675)	
CI 77499 (UNII: XM0M87F357)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
3,6-NONADIEN-1-OL, (3Z,6Z)- (UNII: 8J66AVE64W)	
CITRUS AURANTIUM PEEL OIL (UNII: 9TLV70SV6I)	
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	
CITRUS AURANTIFOLIA (LIME) OIL (UNII: UZH29XGA8G)	
DIMETHYL HEPTENAL (UNII: Z331YX9EL9)	
HEXYL ACETATE (UNII: 7U7KU3MWT0)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MICA (UNII: V8A1AW0880)	
TERPINEOL (UNII: R53Q4ZWC99)	
LITSEA CUBEBA FRUIT OIL (UNII: 2XIW34BN6O)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
ETHYL BUTYRATE (UNII: UFD2LZ005D)	
TIN OXIDE (UNII: KM7N50LOS6)	
TOCOPHEROL (UNII: R0ZB2556P8)	
MALTOL (UNII: 3A9RD92BS4)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
MENTHA VIRIDIS (SPEARMINT) LEAF OIL (UNII: C3M81465G5)	
GERANYL ACETATE (UNII: 3W81YG7P9R)	
NIACINAMIDE (UNII: 25X51I8RD4)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC TITANATE (UNII: SNK8ZSY7RU)	
PANTHENOL (UNII: WW9CM0O67Z)	
XANTHAN GUM (UNII: TTV12P4NEE)	
GAMMA-DECALACTONE (UNII: 7HLS05KP9O)	
CITRUS AURANTIUM DULCIS (ORANGE) PEEL OIL (UNII: AKN3KSD11B)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
GERANIOL (UNII: L837108USY)	
PROPANEDIOL (UNII: 5965N8W85T)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84130-019-12	1 in 1 CARTON	01/15/2026	
1	NDC:84130-019-11	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
2	NDC:84130-019-20	8 mL in 1 TUBE; Type 0: Not a Combination Product	01/15/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/15/2026	

Labeler - Koco Life LLC (046650159)

Establishment

Name	Address	ID/FEI	Business Operations
PhytogenX, Inc.		624386772	manufacture(84130-019)

Revised: 2/2026

Koco Life LLC