# VICKS DAYQUIL ELDERBERRY COLD AND FLU- acetaminophen, dextromethorphan hbr liquid The Procter & Gamble Manufacturing Company

-----

VICKS ® DayQuil™ ELDERBERRY COLD & FLU

**Drug Facts** 

Active ingredients (in each 15 mL)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

## **Purpose**

Pain reliever/fever reducer Cough suppressant

#### Uses

temporarily relieves common cold/flu symptoms:

- cough due to minor throat and bronchial irritation
- sore throat
- headache
- minor aches and pains
- fever

### Warnings

## Liver warning:

This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 4 doses (30 mL each) in 24 hrs, which is the maximum daily amount for this product
- child takes more than 4 doses (15 mL each) in 24 hrs, which is the maximum daily amount for this product
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

**Allergy Alert:**Acetaminophen may cause severe skin reactions. Symptoms may include:

• skin reddening • blisters • rash

If a skin reaction occurs, stop use and seek medical help right away

**Sore throat warning:**If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### Ask a doctor before use if you have

- liver disease
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

#### Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

#### Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 5 days (children) or 7 days (adults)
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

## If pregnant or breast-feeding,

ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

take only as directed only use the dose cup provided do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over children 6 to under 12 yrs children 4 to under 6 yrs children under 4 yrs

30 mL every 4 hrs 15 mL every 4 hrs ask a doctor do not use

#### Other information

- each 15 mL contains: sodium 13 mg
- store at no greater than 25°C and do not refrigerate

## **Inactive ingredients**

citric acid, FD&C Blue No. 1, FD&C Red No. 40, flavor (with elderberry), glycerin, propylene glycol, saccharin sodium, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate, water, xanthan gum

#### Questions?

1-800-362-1683

TAMPER EVIDENT: DO NOT USE IF PRINTED SHRINKBAND ON BOTTLE IS BROKEN OR MISSING.

**DIST. BY:** 

**PROCTER & GAMBLE** 

**CINCINNATI, OH 45202** 

#### PRINCIPAL DISPLAY PANEL - 354 ml Bottle Label

VICKS ®

DayQuil™

**ELDERBERRY** 

COLD & FLU

Acetaminophen, Dextromethorphan HBr


Headache, Fever, Sore Throat, Minor Aches & Pains

Cough

Non-Drowsy

12 FL OZ (354 mL)









## VICKS DAYQUIL ELDERBERRY COLD AND FLU

acetaminophen, dextromethorphan hbr liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84126-307
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg in 15 mL	
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 15 mL	

Inactive Ingredients	
Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
XANTHAN GUM (UNII: TTV12P4NEE)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	

SUCRALOSE	(LINIII)	96K6UO3ZD4)
JUCKALUJE	(UIVII).	30K00U3Z D41

Product Characteristics			
Color	purple	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

ı	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:84126- 307-12	354 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/09/2024	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	07/09/2024		

## **Labeler -** The Procter & Gamble Manufacturing Company (004238200)

Revised: 10/2025 The Procter & Gamble Manufacturing Company