

**ASPIRIN- aspirin tablet, film coated**  
**Discount Drug Mart**

-----  
**Drug Mart 44-157**

***Active ingredient (in each tablet)***

Aspirin 325 mg (NSAID)\*

\*nonsteroidal anti-inflammatory drug

***Purpose***

Pain reliever/fever reducer

***Uses***

temporarily relieves:

- minor pain of arthritis
- headache
- muscle pain
- menstrual pain
- toothache
- pain and fever of colds

***Warnings***

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Aspirin may cause a severe allergic reaction, which may include:

- facial swelling
- shock
- hives
- asthma (wheezing)

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- take a blood thinning (anticoagulant) or steroid drug
- have 3 or more alcoholic drinks every day while using this product
- have had stomach ulcers or bleeding problems
- take more or for a longer time than directed
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]

**Do not use**

- if you are allergic to aspirin or any other pain reliever/fever reducer
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if**

- you are taking a diuretic
- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you have asthma

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug for

- gout
- diabetes
- arthritis

**Stop use and ask a doctor if**

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
  - feel faint
  - vomit blood
  - have bloody or black stools
  - have stomach pain that does not get better
- ringing in the ears or a loss of hearing occurs
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

- **do not take more than directed**
- drink a full glass of water with each dose
- adults and children 12 years and over: take 1 or 2 tablets every 4 hours or 3 tablets every 6 hours not to exceed 12 tablets in 24 hours unless directed by a doctor

- children under 12 years: do not use unless directed by a doctor

***Other information***

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

***Inactive ingredients***

corn starch, hypromellose, polyethylene glycol, propylene glycol

***Questions or comments?***

**1-800-426-9391**

***Principal display panel***

DISCOUNT

**drug  
mart**

FOOD MARKET

AN EMPLOYEE OWNERSHIP COMPANY

**ASPIRIN  
(NSAID)**

pain reliever/fever reducer

Compare to the active ingredient of **GENUINE BAYER®** Aspirin<sup>†</sup>

**100 TABLETS - 325 mg each**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY  
SEAL UNDER CAP IS BROKEN OR MISSING**

DISTRIBUTED BY:

DRUG MART-FOOD FAIR, 211 COMMERCE DRIVE, MEDINA, OH 44256

**[www.discount-drugmart.com](http://www.discount-drugmart.com)**

<sup>††</sup>This product is not manufactured or distributed by Bayer AG, owner of the registered trademark Genuine Bayer® Aspirin.                      50844                      REV0122C15712



# ASPIRIN (NSAID)

pain reliever/fever reducer

Compare to the active ingredient in GENUINE BAYER® Aspirin®

100 TABLETS - 325 mg each



0 93351 10160 1

This product is not manufactured or distributed by Bayer AG, owner of the registered trademark Genuine Bayer® Aspirin. 50844 REV10122C15712  
DISTRIBUTED BY:  
DRUG MART - FOOD FAIR, 211 COMMERCE DRIVE, MEDINA, OH 44256  
www.discount-drugmart.com

**TAMPER EVIDENT, DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**Drug Facts**  
**Active ingredient (in each tablet)**  
Aspirin 325 mg (NSAID)\* ..... Pain reliever/fever reducer  
\*nonsteroidal anti-inflammatory drug

no print / no varnish area  
lot no. & exp. date

**Uses** temporarily relieves:  
 ■ minor pain of arthritis  
 ■ headache ■ muscle pain ■ menstrual pain  
 ■ toothache ■ pain and fever of colds

**Warnings**  
**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.  
**Allergy alert:** Aspirin may cause a severe allergic reaction, which may include:  
 ■ facial swelling  
 ■ shock ■ hives ■ asthma (wheezing)  
**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you  
 ■ are age 60 or older  
 ■ take a blood thinning (anticoagulant) or steroid drug  
 ■ have 3 or more alcoholic drinks every day while using this product  
 ■ have had stomach ulcers or bleeding problems  
 ■ take more or for a longer time than directed  
 ■ take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)

**Do not use** ■ if you are allergic to aspirin or any other pain reliever/fever reducer ■ if you have ever had an allergic reaction to this product or any of its ingredients  
**Ask a doctor before use if**  
 ■ stomach bleeding warning applies to you  
 ■ you have a history of stomach problems, such as heartburn  
 ■ you are taking a diuretic  
 ■ you have high blood pressure, heart disease, liver cirrhosis, or kidney disease ■ you have asthma  
**Ask a doctor or pharmacist before use if you are taking a prescription drug for** ■ gout ■ diabetes ■ arthritis

**STOP PEELING**

**STOP PEELING**

**Inactive ingredients** corn starch, hypromellose, polyethylene glycol, propylene glycol  
**Questions or comments?** 1-800-426-9391

**Other information** ■ use by expiration date on package ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
**Directions** ■ do not take more than directed  
 ■ drink a full glass of water with each dose  
 ■ adults and children 12 years and over: take 1 or 2 tablets every 4 hours or 3 tablets every 6 hours not to exceed 12 tablets in 24 hours unless directed by a doctor  
 ■ children under 12 years: do not use unless directed by a doctor

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.  
 If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

**Stop use and ask a doctor if** ■ an allergic reaction occurs. Seek medical help right away.  
 ■ you experience any of the following signs of stomach bleeding: ■ vomit blood ■ have bloody or black stools  
 ■ feel faint ■ have stomach pain that does not get better  
 ■ ringing in the ears or a loss of hearing occurs  
 ■ pain gets worse or lasts more than 10 days  
 ■ fever gets worse or lasts more than 3 days  
 ■ redness or swelling is present ■ new symptoms occur  
 These could be signs of a serious condition.

**Drug Facts (continued)**  
**Do not use** ■ if you are allergic to aspirin or any other pain reliever/fever reducer ■ if you have ever had an allergic reaction to this product or any of its ingredients  
**Ask a doctor before use if**  
 ■ stomach bleeding warning applies to you  
 ■ you have a history of stomach problems, such as heartburn  
 ■ you are taking a diuretic  
 ■ you have high blood pressure, heart disease, liver cirrhosis, or kidney disease ■ you have asthma  
**Ask a doctor or pharmacist before use if you are taking a prescription drug for** ■ gout ■ diabetes ■ arthritis

## Drug Mart 44-157

### ASPIRIN

aspirin tablet, film coated

#### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53943-157
Route of Administration	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

#### Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	

**HYPROMELLOSE, UNSPECIFIED** (UNII: 3NXW29V3WO)

**POLYETHYLENE GLYCOL, UNSPECIFIED** (UNII: 3WJQ0SDW1A)

**PROPYLENE GLYCOL** (UNII: 6DC9Q167V3)

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	ASPIRIN;44;157
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-157-12	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/22/2019	
2	NDC:53943-157-17	300 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/22/2019	
3	NDC:53943-157-14	500 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/22/2019	08/31/2025

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/22/2019	

**Labeler** - Discount Drug Mart (047741335)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(53943-157)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(53943-157)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(53943-157)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(53943-157)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(53943-157)

Revised: 4/2025

Discount Drug Mart