

**SKAPEMED ORIGINAL NASAL- naphazoline hcl 0.05% original nasal liquid**  
**Jiangxi Yudexi Pharmaceutical Co., LTD**

-----  
**85248-053**

**Active Ingredient**

Naphazoline HCL 0.05%.

**Purpose**

Nasal Decongestant

**Use**

temporarily relieves Nasal congestion due to a cold, hay fever, or other upper respiratory allergies ·Sinus congestion and pressure

**Warnings**

- 1.Do not use if you are allergic to the ingredients.
- 2.Ask a doctor before use if you have Heart disease□High blood pressure□Thyroid disease□Diabetes□Trouble urinating due to enlarged prostate gland
- 3.When using this product  
·Do not exceed recommended dosage ·Do not use this product for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. ·Temporary discomfort such as burning, stinging, sneezing, or increased nasal discharge may occur. ·Use of this container by more than one person may spread infection.

**Do not use**

children under 2 years.Shake well before use. Before using the first time.remove the protective cap & safely clip from the tip and prime metered pump by depressing firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress pump all the way down with a firm even stroke and sniff deeply. Wipe nozzle clean after use.

**When Using**

- Do not exceed recommended dosage · Do not use this product for more than 3 days.Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. ·Temporary discomfort such as burning, stinging, sneezing, or increased nasal discharge may occur.
- Use of this container by more than one person may spread infection.

**Stop Use**

Stop use and ask a doctor if symptoms persist.

**Ask Doctor**

children 2 to under 6 years.

**Keep Out Of Reach Of Children**

if swallowed, get medical help or contact a Poison Control Center right away

**Directions**

Adults & children 6 years & older (with adult supervision ): 2 or 3 sprays in each nostril, not more often than every 10 to 12 hours. Do not exceed 2 doses in 24 hours

**Other information**

do not exceed 25°C. Retain the box for future reference on full labeling.

**Inactive ingredients**

Borneol, Camphor, glycerin, propylene glycol.

**PRINCIPAL DISPLAY PANEL**



## SKAPEMED ORIGINAL NASAL

naphazoline hcl 0.05% original nasal liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:85248-053
<b>Route of Administration</b>	NASAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>NAPHAZOLINE HCL</b> (UNII: MZ1131787D) (NAPHAZOLINE - UNII:H231GF11BV)	NAPHAZOLINE HCL	0.05 g in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>CAMPHOR (SYNTHETIC)</b> (UNII: 5TJD82A1ET)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>BORNEOL</b> (UNII: M89NIB437X)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85248-053-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/06/2026	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/06/2026	

**Labeler** - Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)

Revised: 2/2026

Jiangxi Yudexi Pharmaceutical Co., LTD