

**LIDOCAINE PAIN RELIEF GEL-PATCH- lidocaine patch**  
**Shenzhen Wankelai E-commerce Co., Ltd.**

-----  
**87413-001 Lidocaine Pain Relief Gel-Patch**

Lidocaine 4%

Topical Anesthetic

Temporarily relieves minor pain.

For external use only

More than one patch on your body at a time.

On wounds or damaged skin.

On puncture wounds.

For more than one week without consulting a doctor

If pouch is damaged or opened.

If you are allergic to any ingredients of this product.

Use only as directed

Read and follow all directions and warnings on this carton

Do not allow contact with the eyes

Do not use at the same time as other topical analgesics

Do not bandage tightly or apply local heat (such as heating pads) to the area of use

Do not microwave

Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Condition worsens

Redness is present

Irritation develops

Symptoms persist for more than 7 days or clear up and occur again within a few days

You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

Ask a health professional before use.

If swallowed, get medical help or contact a Poison Control Center right away.

Adults and children 12 years of age and over:

Clean and dry the affected area.

Tear off the protective film and apply the exposed part of the patch to the affected area. Carefully remove remaining film while pressing the patch firmly on the skin. Patch firmly on the skin.

Remove patch from the skin after at most 8-hour application.

Discard the patch after a single use.

Children under 12 years of age: consult a physician.

Aluminum Glycinate, Aluminum Hydroxide, Cellulose Gum  
 DMDM hydantoin, Glycerin, Polyacrylic Acid  
 Polysorbate 80, Propylene Glycol, Ricinus Communis Seed Oil (castor)  
 Silica, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Urea, Water, Menthol  
 Aloe Vera, Vitamin E



## LIDOCAINE PAIN RELIEF GEL-PATCH

lidocaine patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:87413-001
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g

### Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
MENTHOL (UNII: L7T10EIP3A)	

<b>ALUMINUM GLYCINATE</b> (UNII: 1K713C615K)
<b>CELLULOSE GUM</b> (UNII: K679OBS311)
<b>TARTARIC ACID</b> (UNII: W4888I119H)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>DMDM HYDANTOIN</b> (UNII: BYR0546TOW)
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)
<b>UREA</b> (UNII: 8W8T17847W)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JNI2J)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>RICINUS COMMUNIS (CASTOR) SEED OIL</b> (UNII: D5340Y2I9G)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87413-001-01	32 in 1 BOX	02/06/2026	
1		1 in 1 PATCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/06/2026	

**Labeler** - Shenzhen Wankelai E-commerce Co., Ltd. (624221031)

### Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Wankelai E-commerce Co., Ltd.		624221031	manufacture(87413-001)

Revised: 2/2026

Shenzhen Wankelai E-commerce Co., Ltd.