

**CERAVE DEVELOPED WITH DERMATOLOGISTS HYDRATING SUNSCREEN SPF 50  
BODY LIGHTWEIGHT, NON-GREASY FEEL 3 ESSENTIAL CERAMIDES MINERAL  
SUNSCREEN- titanium dioxide and zinc oxide lotion  
L'Oreal USA Products Inc**

-----

**Drug Facts**

**Active ingredients**

Titanium dioxide 9%

Zinc oxide 7%

**Purpose**

Sunscreen

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

**Do not use**

on damaged or broken skin

**When using this product,**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - o limit time in the sun, especially from 10 a.m. – 2 p.m.
  - o wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

### **Other information**

- protect the product in this container from excessive heat and direct sun

### **Inactive ingredients**

water, glycerin, C12-15 alkyl benzoate, dimethicone, isododecane, styrene/acrylates copolymer, glyceryl stearate, butyloctyl salicylate, dicaprylyl carbonate, propanediol, stearic acid, aluminum hydroxide, PEG-100 stearate, sorbitan stearate, PEG-8 laurate, ceramide NP, ceramide AP, ceramide EOP, sorbitan isostearate, carbomer, cetearyl alcohol, cetearth-20, triethoxycaprylylsilane, dimethiconol, sodium citrate, sodium lauroyl lactylate, sodium dodecylbenzenesulfonate, myristic acid, sodium hyaluronate, cholesterol, palmitic acid, phenoxyethanol, chlorphenesin, tocopherol, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, caprylyl glycol, citric acid, xanthan gum, phytosphingosine, polyhydroxystearic acid, polysorbate 60, ethylhexylglycerin

### **Questions or comments?**

Toll-free number 1-888-768-2915

NEW

# CeraVe

DEVELOPED WITH DERMATOLOGISTS

## Hydrating Sunscreen BROAD SPECTRUM SPF 50

# 50

 BODY

Lightweight, non-greasy feel

3 essential ceramides

MINERAL SUNSCREEN



5 FL OZ (150 ml)

### Hydrating Sunscreen BROAD SPECTRUM SPF 50

#### Drug Facts

Active ingredients	Purpose
Titanium dioxide 9%	Sunscreen
Zinc oxide 7%	Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product, keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.–2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

#### Other information

- protect the product in this container from excessive heat and direct sun

#### Inactive ingredients

water, glycerin, C12-15 alkyl benzoate, dimethicone, isododecane, styrene/acrylates copolymer, glyceryl stearate, butylcetyl salicylate, dicaprylyl carbonate, propanediol, stearic acid, aluminum hydroxide, PEG-100 stearate, sorbitan stearate, PEG-8 laurate, ceramide NP, ceramide AP, ceramide EOP, sorbitan isostearate, carbomer, cetearyl alcohol, ceteareth-20, triethoxycaprylylsilane, dimethiconol, sodium citrate, sodium lauryl lactate, sodium dodecylbenzenesulfonate, myristic acid, sodium hyaluronate, cholesterol, palmitic acid, phenoxyethanol, chlorphenesin, tocopherol, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, caprylyl glycol, citric acid, xanthan gum, phytosphingosine, polyhydroxystearic acid, polysorbate 60, ethylhexylglycerin

#### Questions or comments?

Toll-free number 1-888-768-2915

CeraVe<sup>®</sup> LLC, New York, NY 10001  
 Made in USA of US and/or Imported Ingredients  
 www.cerave.com

2021548 19 (CODE F.L.L. D22578/1)  
 3612621047660



3 60600 514911

NEW

# CeraVe

DEVELOPED WITH DERMATOLOGISTS

## Hydrating Sunscreen BROAD SPECTRUM SPF 50

# 50

 BODY

Lightweight, non-greasy feel

3 essential ceramides

MINERAL SUNSCREEN



5 FL OZ (150 ml)

### Hydrating Sunscreen BROAD SPECTRUM SPF 50

#### Drug Facts

Active ingredients	Purpose
Titanium dioxide 9%	Sunscreen
Zinc oxide 7%	Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product, keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.–2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

#### Other information

- protect the product in this container from excessive heat and direct sun

#### Inactive ingredients

water, glycerin, C12-15 alkyl benzoate, dimethicone, isododecane, styrene/acrylates copolymer, glyceryl stearate, butylcetyl salicylate, dicaprylyl carbonate, propanediol, stearic acid, aluminum hydroxide, PEG-100 stearate, sorbitan stearate, PEG-8 laurate, ceramide NP, ceramide AP, ceramide EOP, sorbitan isostearate, carbomer, cetearyl alcohol, ceteareth-20, triethoxycaprylylsilane, dimethiconol, sodium citrate, sodium lauryl lactate, sodium dodecylbenzenesulfonate, myristic acid, sodium hyaluronate, cholesterol, palmitic acid, phenoxyethanol, chlorphenesin, tocopherol, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, caprylyl glycol, citric acid, xanthan gum, phytosphingosine, polyhydroxystearic acid, polysorbate 60, ethylhexylglycerin

#### Questions or comments?

Toll-free number 1-888-768-2915

CeraVe<sup>®</sup> LLC, New York, NY 10001  
 Made in USA of US and/or Imported Ingredients  
 www.cerave.com

2021548 19 (CODE F.L.L. D22578/1)  
 3612621047660



3 60600 514911

**NEW**

# CeraVe®

DEVELOPED WITH DERMATOLOGISTS

## Hydrating Sunscreen

BROAD SPECTRUM SPF 50


# 50

BODY

Lightweight, non-greasy feel

3 essential ceramides


**MINERAL SUNSCREEN**



5 FL OZ (150 ml)

**Hydrating Sunscreen BROAD SPECTRUM SPF 50**

Drug Facts	Purpose
<b>Active ingredients</b>	
Titanium dioxide 9%.....	Sunscreen
Zinc oxide 7%.....	Sunscreen
<b>Uses</b>	
<ul style="list-style-type: none"> <li>helps prevent sunburn</li> <li>if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul>	
<b>Warnings</b>	
For external use only	
Do not use on damaged or broken skin	
When using this product, keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
For sunscreen use:	
<ul style="list-style-type: none"> <li>apply liberally 15 minutes before sun exposure</li> <li>reapply at least every 2 hours</li> <li>use a water resistant sunscreen if swimming or sweating</li> <li><b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:               <ul style="list-style-type: none"> <li>limit time in the sun, especially from 10 a.m.– 2 p.m.</li> <li>wear long-sleeved shirts, pants, hats, and sunglasses</li> </ul> </li> <li>children under 6 months of age: Ask a doctor</li> </ul>	
<b>Other information</b>	
protect the product in this container from excessive heat and direct sun	
<b>Inactive ingredients</b>	
water, glycerin, C12-15 alkyl benzoate, dimethicone, isododecane, styrene/acrylates copolymer, glyceryl stearate, butylcetyl salicylate, dicaprylyl carbonate, propanediol, stearic acid, aluminum hydroxide, PEG-100 stearate, sorbitan stearate, PEG-8 laurate, ceramide NP, ceramide AP, ceramide EOP, sorbitan isostearate, carbomer, cetearyl alcohol, ceteareth-20, triethoxycaprylylsilane, dimethiconol, sodium citrate, sodium lauryl lactate, sodium dodecylbenzenesulfonate, myristic acid, sodium hyaluronate, cholesterol, palmitic acid, phenoxyethanol, chlorphenesin, tocopherol, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, caprylyl glycol, citric acid, xanthan gum, phytosphingosine, polyhydroxystearic acid, polysorbate 60, ethylhexylglycerin	
<b>Questions or comments?</b>	
Toll-free number 1-888-768-2915	



3 60600 514911

CeraVe® LLC, New York, NY 10001      2021548 19 (CODE F.L.L. D225784/1)

Made in USA of US and/or Imported Ingredients      www.cerave.com      3612621047660

C1 - Internal use

**CERAVE DEVELOPED WITH DERMATOLOGISTS HYDRATING**

# SUNSCREEN SPF 50 BODY LIGHTWEIGHT, NON-GREASY FEEL 3 ESSENTIAL CERAMIDES MINERAL SUNSCREEN

titanium dioxide and zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49967-911
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	90 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	70 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>SORBITAN MONOSTEARATE</b> (UNII: NVZ4I0H58X)	
<b>PEG-8 LAURATE</b> (UNII: 762O8IWA10)	
<b>CERAMIDE NP</b> (UNII: 4370DF050B)	
<b>CERAMIDE AP</b> (UNII: F1X8L2B00J)	
<b>CERAMIDE 1</b> (UNII: 5THT33P7X7)	
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)	
<b>CARBOXYPOLYMETHYLENE</b> (UNII: 0A5MM307FC)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>POLYOXYL 20 CETOSTEARYL ETHER</b> (UNII: YRC528SWUY)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>SODIUM LAUROYL LACTYLATE</b> (UNII: 7243K85WFO)	
<b>SODIUM DODECYLBENZENESULFONATE</b> (UNII: 554127163Y)	
<b>MYRISTIC ACID</b> (UNII: 0I3V7S25AW)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	

<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.S AT 1%)</b> (UNII: 86FQE96TZ4)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>PHYTOSPHINGOSINE</b> (UNII: GIN46U9Q2Q)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-911-01	1 in 1 CARTON	02/01/2019	
1		150 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/01/2019	

**Labeler** - L'Oreal USA Products Inc (002136794)

### Establishment

Name	Address	ID/FEI	Business Operations
L'OREAL USA PRODUCTS, INC.		624244349	manufacture(49967-911)

Revised: 1/2024

L'Oreal USA Products Inc