

REINREUDE WART REMOVAER- salicylic acid 17% wart removaer cream
Jiangxi Yudexi Pharmaceutical Co., LTD

85248-073

Active Ingredient

Salicylic acid 17%

Purpose

Wart remover

Use

For the removal of common warts, which have a rough,cauliflower-like appearance.

Warnings

For external use only- Avoid contact with eyes. If the product gets into eyes, rinse with water for 15 minutes. Avoid inhaling vapors.

Do not use

On irritated or infected skin, or reddened areas. If you are diabetic or have poor blood circulation. On birthmarks, warts with hair growth,or moles.

When Using

If pregnant or breastfeeding, consult a health professional before use.

Stop Use

Stop use and ask a doctor if discomfort persists.

Ask Doctor

Stop use and ask a doctor if discomfort persists.

Keep Out Of Reach Of Children

If swallowed, seek immediate medical help or contact a Poison Control Center.

Directions

1. Wash the affected area. (Soaking in warm water for 5 minutes may help.)
2. Dry thoroughly.
3. Apply a small amount to cover each wart. Let it dry.
4. Repeat twice daily as needed, for up to 12 weeks.

Inactive ingredients


water, polyethylene glycol, glycerin, borneol, methylparaben.

PRINCIPAL DISPLAY PANEL



Drug facts
Active Ingredient.....Purpose
 Salicylic acid 17%.....Wart remover
Use
 For the removal of common warts, which have a rough, cauliflower-like appearance.
Warnings
 For external use only- avoid contact with eyes.
 If the product gets into eyes, rinse with water for 15 minutes.
 Avoid inhaling vapors.
Do not use:
 on irritated or infected skin, or reddened areas if you are diabetic or have poor blood circulation.
 On birthmarks, warts with hair growth, or moles.
When using
 If pregnant or breastfeeding, consult a health professional before use.
Keep out of reach of children.
 If swallowed, seek immediate medical help or contact a Poison Control Center.
Stop use and ask a doctor if discomfort persists.
Directions
 1. Wash the affected area. (soaking in Warm water for 5 minutes may help.)
 2. Dry thoroughly.
 3. Apply a small amount to cover each wart. Let it dry.
 4. Repeat twice daily as needed, for up to 12 weeks.
Inactive ingredients
 water, polyethylene glycol, glycerin, borneol, methylparaben


 DISTRIBUTOR: JIANGXI YUDEXI
 PHARMACEUTICAL CO., LTD
 ADDRESS: NO.1998, JINGKAI WEST
 5TH ROAD, CHENGBEI JINGKAI
 DISTRICT, ZHANGSHU CITY



REINREUDE WART REMOVAER

salicylic acid 17% wart removaer cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85248-073
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	17 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BORNEOL (UNII: M89NIB437X)	
METHYLPARABEN (UNII: A2I8C7HI9T)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85248-073-01	20 g in 1 TUBE; Type 0: Not a Combination Product	02/07/2026	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End

Category	Citation	Date	Date
OTC Monograph Drug	M028	02/07/2026	

Labeler - Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)

Revised: 2/2026

Jiangxi Yudexi Pharmaceutical Co., LTD