

NATUHEAL WART REMOVER- salicylic acid 17% wart remover cream
Jiangxi Yudexi Pharmaceutical Co., LTD

85248-082

Active Ingredient

Salicylic acid 17%

Purpose

Wart remover

Use

For the removal of common warts, which have a rough,cauliflower-like appearance.

Warnings

For external use only- Avoid contact with eyes. If the product gets into eyes, rinse with water for 15 minutes. Avoid inhaling vapors.

Do not use

On irritated or infected skin, or reddened areas. If you are diabetic or have poor blood circulation. On birthmarks, warts with hair growth,or moles.

When Using

If pregnant or breastfeeding, consult a health professional before use.

Stop Use

Stop use and ask a doctor if discomfort persists.

Ask Doctor

Stop use and ask a doctor if discomfort persists.

Keep Out Of Reach Of Children

If swallowed, seek immediate medical help or contact a Poison Control Center.

Directions

1. Wash the affected area.
 (Soaking in warm water for 5 minutes may help.) 2. Dry thoroughly. 3. Apply a small amount to cover each wart. Let it dry. 4. Repeat twice daily as needed, for up to 12 weeks.

Inactive ingredients

Water, Polyethylene Glycol, Glycerin, Borneol, Methylparaben

PRINCIPAL DISPLAY PANEL



NATUHEAL WART REMOVER

salicylic acid 17% wart remover cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:85248-082 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------|-------------------|----------|
|-----------------|-------------------|----------|

SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ) SALICYLIC ACID 17 g in 100 g

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| WATER (UNII: 059QF0KO0R) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| METHYLPARABEN (UNII: A2I8C7HI9T) | |
| BORNEOL (UNII: M89NIB437X) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:85248-082-01 | 20 g in 1 TUBE; Type 0: Not a Combination Product | 02/08/2026 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M028 | 02/08/2026 | |

Labeler - Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)

Revised: 2/2026

Jiangxi Yudexi Pharmaceutical Co., LTD