

MEIJER - avobenzone, homosalate, octisalate, octocrylene, oxybenzone lotion
Meijer Distribution Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients

Avobenzone 2.0%
Homosalate 10.0%
Octisalate 5.0%
Octocrylene 4.0%
Oxybenzone 5.0%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decrease the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only. Do not use on damaged or broken skin.

When using this product

Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions

- apply liberally 15 minutes before sun exposure
- reapply
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or

higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

Inactive ingredients

Water, Neopentyl Glycol Diheptanoate, Styrene/Acrylates Copolymer, Propylene Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Benzyl Alcohol, Polyglyceryl-3 Methylglucose Distearate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Disodium EDTA, Tocopherol, Oleth-3, Chlorphenesin, Fragrance.

Other Information

- protect this product from excessive heat and direct sun

Principal Display Panel

meijer

Sport Sunscreen lotion

Won't Run Into Eyes

UVA/UVB Protection


30

Broad Spectrum SPF 30

Water Resistant

(80 Minutes)

3 FL. OZ. (88 mL)



Drug Facts

Active ingredients Avobenzone 2.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 4.0%, Oxybenzone 5.0%	Purpose Sunscreen
--	-----------------------------

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. • May stain some fabrics

Directions
• apply liberally 15 minutes before sun exposure
• reapply after 80 minutes of swimming or sweating
• immediately after towel drying • at least every 2 hours
• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats and sunglasses
• children under 6 months of age: Ask a doctor

Inactive ingredients Water, Neopentyl Glycol Diheptanoate, Styrene/Acrylates Copolymer, Propylene Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Benzyl Alcohol, Polyglyceryl-3 Methylglucose Distearate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Disodium EDTA, Oleth-3, Tocopherol, Chlorphenesin, Fragrance.

Other information • protect this product from excessive heat and direct sun

Made in USA

DIST. BY MEIJER DISTRIBUTION, INC.
2923 WALKER AVE NW
GRAND RAPIDS, MI 49544
www.meijer.com 93005375

meijer
Sport Sunscreen lotion
Won't Run Into Eyes
UVA/UVB Protection
30
Broad Spectrum SPF 30

Water Resistant
 (80 Minutes)
 8 FL. OZ. (236 mL)



Drug Facts	
Active Ingredients	Purpose
Avobenzone 2.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 4.0%, Oxybenzone 5.0%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. • May stain some fabrics.	
Directions • apply liberally 15 minutes before sun exposure • reapply: after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats and sunglasses • children under 6 months of age: Ask a doctor	
Inactive Ingredients Water, Neopentyl Glycol Diheptanoate, Styrene/Acrylates Copolymer, Propylene Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Benzyl Alcohol, Polyglyceryl-3 Methylglucose Distearate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Disodium EDTA, Tocopherol, Oleth-3, Chlorphenesin, Fragrance.	
Other information • protect this product from excessive heat and direct sun	
	
 Made in USA DIST. BY MEIJER DISTRIBUTION, INC. 2929 WALKER AVE NW GRAND RAPIDS, MI 49544 www.meijer.com	
93006541	

MEIJER

avobenzone, homosalate, octisalate, octocrylene, oxybenzone lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-000
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	4 g in 100 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CARBOMER INTERPOLYMER TYPE A (55000 CPS) (UNII: 59TL3WG5CO)	
TROLAMINE (UNII: 9O3K93S3TK)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CHLORPHENESIN (UNII: I670DAL4SZ)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-000-22	85 g in 1 BOTTLE		
2	NDC:41250-000-56	226 g in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	07/17/2013	

Labeler - Meijer Distribution Inc (006959555)