

ANIXIKE NUMBING- lidocaine4% numbing cream
Jiangxi Yudexi Pharmaceutical Co., LTD

85248-088

Active Ingredient

Lidocaine 4%

Purpose

Local Anesthetic

Use

For temporary relief of local discomfort, itching, pain, soreness, or burning associated with minor skin procedure

Warnings

■ For external use only. ■ Do not use with a bandage or cover the treated area tightly unless directed by a doctor. ■ Ask a doctor before use for children under 12 years of age.

Do not use

■ Do not use with a bandage or cover the treated area tightly unless directed by a doctor

When Using

■ Avoid contact with eyes, If this happens, rinse thoroughly with water. ■ -If symptoms persist for more than 7 days or subside but occur again within 3 days, stop use and consult a physician.

Stop Use

■ Medical attention if signs of an allergy occur, such as redness, irritation, swelling, pain, or other severe symptoms. If symptoms do not subside completely within 7 days, seek medical help.

Ask Doctor

■ Medical attention if signs of an allergy occur, such as redness, irritation, swelling, pain, or other severe symptoms. If symptoms do not subside completely within 7 days, seek

medical help. ■ Ask a doctor before use for children under 12 years of age. ■ -If symptoms persist for more than 7 days or subside but occur again within 3 days, stop use and consult a physician.

Keep Out Of Reach Of Children

Keep out of reach of children

Directions

■ Before applying the numbing cream, make sure to wash your hands thoroughly and put on disposable procedure gloves.

■ Clean the area of the body receiving the procedure. Dry completely

■ Apply a thin layer of cream to the affected area and rub it in thoroughly in a circular motion for 30 to 60 seconds. Do not use more than 3 to 4 times daily. Do not apply over large areas of the body.

■ Leave the cream and wrap in place for 30 to 45 minutes, Wipe away the cream and thoroughly clean the area to prepare for the upcoming procedure.

Other information


■ Store between 15-30 C (59-86°F). Avoid freezing and excessive heat above 40°C (104°F)

■ Storage and Handling

Inactive ingredients

■ Water, Carbomer 934, Propylene Glycol, Soybean Lecithin, .Alpha.-Tocopherol Acetate, Benzyl Alcohol.

PRINCIPAL DISPLAY PANEL



ANIXIKE NUMBING

lidocaine 4% numbing cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85248-088
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	
WATER (UNII: 059QF0KO0R)	
CARBOMER 934 (UNII: Z135WT9208)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85248-088-01	30 g in 1 BOTTLE; Type 0: Not a Combination Product	02/08/2026	
2	NDC:85248-088-02	50 g in 1 BOTTLE; Type 0: Not a Combination Product	02/08/2026	
3	NDC:85248-088-03	60 g in 1 BOTTLE; Type 0: Not a Combination Product	02/08/2026	
4	NDC:85248-088-04	80 g in 1 BOTTLE; Type 0: Not a Combination Product	02/08/2026	
5	NDC:85248-088-05	100 g in 1 BOTTLE; Type 0: Not a Combination Product	02/08/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/08/2026	

Labeler - Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)

Revised: 2/2026

Jiangxi Yudexi Pharmaceutical Co., LTD