

FLOCEAN ANTI-ITCH- benzocaine 5%anti-itch cream
Jiangxi Yudexi Pharmaceutical Co., LTD

85248-094

Active Ingredient

Benzocaine 5%

Purpose

External analgesic

Use

temporarily relieves itching

Warnings

For external use only

Do not use

if you have a vaginal discharge. Consult a physician.

When Using

Avoid contact with eyes

Stop Use

condition worsens, or if symptoms persist for more than 7 days, or clear up and occur again with in a few days Do not apply over large areas of the body

Ask Doctor

condition worsens, or if symptoms persist for more than 7 days, or clear up and occur again with in a few days Do not apply over large areas of the body

Keep Out Of Reach Of Children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years and older apply a fingertip amount (approximately 1-inch strip) to affected area not more than 3 to 4 times daily. Clean nozzle of tube by wiping thoroughly before replacing cap. Keep cap tightly closed between uses.

Other information

children under 12 years consult a doctor

Inactive ingredients

water □ Glycerol □ Propylene Glycol □ Polydimethylsiloxane □ Trolamine □ Borneol □ MENTHAPIPERITA □ Methylparaben □ Chlorhexidine

PRINCIPAL DISPLAY PANEL

Flocean®

MAXIMUM STRENGTH

Relieves Pain & Itch Fast!

For Severe Itching & Irritation
Instant Relief from Painful
Itching & Burning

TAMPER-EVIDENT UNIT:
DO NOT USE IF SEAL
OVER TUBE OPENING HAS
BEEN PUNCTURED

Flocean®

Flocean®

**ANTI-ITCH
CREME**

helps provide topical hydration aids in
reducing itching & irritation support
a healthy pH of intimate area

NET WT: 1 OZ. (28g)

Flocean®

B01.533

Distributor: Jiangxi Yudexi
Pharmaceutical Co., LTD
Address: No.1998, Jingkai
West 5th Road, Chengbei
Jingkai District, Zhangshu
City, Yichun City, Jiangxi Province



Flocean Anti-Itch Creme

Drug Facts
Benzocaine 5%.....External analgesic
Purpose

Active Ingredient
Use temporarily relieves itching

Warnings For external use only
Avoid contact with eyes

WHEN USING THIS PRODUCT
Stop use and ask doctor if condition worsens, or if symptoms persist for more than 7 days, or clear up and occur again with in a few days Do not apply over large areas of the body

Do not use if you have a vaginal discharge. Consult a physician.
Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions adults and children 12 years and older apply a fingertip amount (approximately 1-inch strip) to affected area not more than 3 to 4 times daily. Clean nozzle of tube by wiping thoroughly before replacing cap. Keep cap tightly closed between uses. children under 12 years consult a doctor

Inactive ingredients
water, Glycerol, Propylene Glycol, Polydimethylsiloxane, Trielamine, Borneol, MENTHA PIPERITA, Methylparaben, Chlorhexidine

FLOCEAN ANTI-ITCH

benzocaine 5%anti-itch cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85248-094
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)		BENZOCAINE	5 g in 100 g	
Inactive Ingredients				
Ingredient Name			Strength	
METHYLPARABEN (UNII: A2I8C7HI9T)				
TROLAMINE (UNII: 9O3K93S3TK)				
GLYCERIN (UNII: PDC6A3C0OX)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
BORNEOL (UNII: M89NIB437X)				
DIMETHICONE (UNII: 92RU3N3Y1O)				
CHLORHEXIDINE (UNII: R4KO0DY52L)				
WATER (UNII: 059QF0KO0R)				
MENTHA PIPERITA (UNII: 79M2M2UDA9)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85248-094-01	28 g in 1 TUBE; Type 0: Not a Combination Product	02/08/2026	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M017	02/08/2026		

Labeler - Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)

Revised: 2/2026

Jiangxi Yudexi Pharmaceutical Co., LTD