

FLOBOW TAG WART REMOVER- salicylic acid 17% tag wart remover liquid
Jiangxi Yudexi Pharmaceutical Co., LTD

85248-097

Active Ingredient

Salicylic acid 17%

Purpose

Wart remover

Use

For the removal of common warts and plantar warts. Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

Warnings

For external use only. Keep away from fire and flame.

Do not use

on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

When Using

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible. Cap tightly and store at room temperature, away from heat.

Stop Use

Stop use and ask a doctor if discomfort persists.

Ask Doctor

Stop use and ask a doctor if discomfort persists.

Keep Out Of Reach Of Children

If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away.

Directions

Wash the affected area. May soak wart in warm water for 5 minutes. Dry area thoroughly.

Use a bursh to apply a sufficient amount to cover each wart. Let it dry. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

Other information

Store at room temperature. Avoid excessive heat (37°C/ 99°F). Skin discoloration may occur during or after use.

Inactive ingredients

Water □ Polyethylene Glyco □ Glycerin □ Borneol

PRINCIPAL DISPLAY PANEL

B01.591

Flobow®

Stop use and ask a doctor if discomfort persists.

Keep out of reach of children. If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away.

Directions

Wash the affected area.
May soak wart in warm water for 5 minutes.
Dry area thoroughly.
Use a brush to apply a sufficient amount to cover each wart. Let it dry.
Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

Other information

Store at room temperature.
Avoid excessive heat (37°C / 99°F).
Skin discoloration may occur during or after use.

Inactive ingredients:

Water 53%
Polyethylene Glycol 16%
Glycerin 8%
Borneol 6%



DISTRIBUTOR: JIANGXI YUDEXI PHARMACEUTICAL CO., LTD
ADDRESS: NO.1998, JINGKAI WEST 5TH ROAD, CHENGBEI JINGKAI DISTRICT, ZHANGSHU CITY, YICHUN CITY, JIANGXI PROVINCE

Flobow®
TAG&WART
REMOVER



USE FOR

- ✓ Corns
- ✓ Calluses
- ✓ Flat warts
- ✓ Plantar warts
- ✓ Common warts

100%
plant extract

NET :1 FL OZ (30mL)

Drug Facts

Active ingredient: Salicylic acid 17% **Purpose** Wart remover

Uses

For the removal of common warts and plantar warts.
Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

Warnings

For external use only. Flammable. Keep away from fire and flame.

Do not use

on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

When using this product

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible.
Cap tightly and store at room temperature, away from heat.



6 979843 980364

Flobow®
TAG&WART
REMOVER



USE FOR

- ✓ Corns
- ✓ Calluses
- ✓ Flat warts
- ✓ Plantar warts
- ✓ Common warts

100%
plant extract

NET :1 FL OZ (30mL)

FLOWBOW TAG WART REMOVER

salicylic acid 17% tag wart remover liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:85248-097 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------------|
| SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) | SALICYLIC ACID | 17 g in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| BORNEOL (UNII: M89NIB437X) | |
| WATER (UNII: 059QF0KO0R) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:85248-097-01 | 30 mL in 1 BOTTLE; Type 0: Not a Combination Product | 02/08/2026 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M028 | 02/08/2026 | |

Labeler - Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)

Revised: 2/2026

Jiangxi Yudexi Pharmaceutical Co., LTD