

**VIRU-CHORD- belladonna, cinchona officinalis, echinacea (angustifolia), gelsemium sempervirens, glandula suprarenalis suis, glycyrrhiza glabra, hepar suis, hydrastis canadensis, illicium anisatum, influenzinum, lachesis mutus, lappa major, magnesia phosphorica, morbillinum, myrrha, nasturtium aquaticum, nux vomica, paloondo, pyridoxinum hydrochloricum, riboflavinum, sambucus nigra, scutellaria lateriflora, thiaminum hydrochloricum, thyroidinum (bovine) liquid**

**Energetix Corporation**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **Viru-Chord**

**Active ingredients** 59.1 mL contains 2.85% of: Belladonna 12X, 30X, Cinchona 12X, Echinacea 4X, Gelsemium 6X, Glandula Suprarenalis Suis 9X, 12X, 6C, Glycyrrhiza 4X, Hepar Suis 9X, 12X, 6C, Hydrastis 5X, Illicium 12X, Influenzinum 30X, Lachesis 12X, Lappa 4X, Mag Phos 12X, Morbillinum 30X, Myrrha 4X, 6X, Nasturtium 6X, Nux Vomica 12X, Paloondo 12X, Pyridoxinum Hydrochloricum 12X, 30X, Riboflavinum 12X, 30X, Sambucus Nig 4X, 6X, Scutellaria 6X, Thiaminum Hydrochloricum 12X, 30X, Thyroidinum 9X, 12X.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

**Uses** Temporary relief of fever, fatigue, diarrhea, muscle aches, nausea.

### **Warnings**

- In case of overdose, get medical help or contact a Poison Control Center right away.

**If pregnant or breast feeding**, ask a healthcare professional before use.

**Keep out of reach of children.**

Take 30 drops orally twice daily or as directed by a healthcare professional.

Consult a physician for use in children under 12 years of age or if symptoms worsen or persist.

### **Directions**

- Take 30 drops orally twice daily or as directed by a healthcare professional.

- Consult a physician for use in children under 12 years of age or if symptoms worsen or persist.

## Other information

- Store at room temperature out of direct sunlight.
- Do not use if neck wrap is broken or missing.
- Shake well before use.

## Inactive ingredients

Alcohol, Vegetable Glycerin, Purified Water.

**Distributed by Energetix Corp.**

**Dahlonega, GA 30533**

**Questions? 800.990.7085**

**www.energetix.com**

**energetix**

**Viru-Chord**

**Homeopathic Remedy**

Fever, fatigue, diarrhea, muscle aches, nausea.

**2 fl oz (59.1 mL) / 15% Alcohol**

<p>Questions? Comments? 800.990.7085 www.energetix.com</p>  <p><b>Viru-Chord</b> <b>Homeopathic Remedy</b> Fever, fatigue, diarrhea, muscle aches, nausea</p> <p>2 fl oz (59.1 mL) / 15% Alcohol</p>	<p><b>Drug Facts</b></p> <p><b>Active ingredients</b> 59.1 mL contains 2.85% of Belladonna 12X, 30X; Cinchona 12X; Echinacea 4X; Gelsemium 6X; Glandula suprarenalis suis 9X, 12X, 6C; Glycyrrhiza 4X; Hepar suis 9X, 12X, 6C; Hydrastis 5X; Illicium 12X; Influenzinum 30X; Lachesis 12X; Lappa 4X; Mag phos 12X; Morbillinum 30X; Myrrha 4X, 6X; Nasturtium 6X; Nux vom 12X; Paloondo 12X; Pyridoxinum hydrochloricum 12X, 30X; Riboflavinum 12X, 30X; Sambucus nig 4X, 6X; Scutellaria 6X; Thiaminum hydrochloricum 12X, 30X; Thyroidinum 9X, 12X.</p> <p><b>Purpose</b> Temporary relief of fever, fatigue, diarrhea, muscle aches, nausea.</p> <p><b>Uses</b> Temporary relief of fever, fatigue, diarrhea, muscle aches, nausea.</p> <p><b>Warnings</b> ■ In case of overdose, get medical help or contact a Poison Control Center right away. ■ If pregnant →</p>	<p><b>Drug Facts (continued)</b></p> <p>or breast-feeding, ask a healthcare professional before use. ■ Keep out of reach of children.</p> <p><b>Directions</b> ■ Take 30 drops orally twice daily or as directed by a healthcare professional. ■ Consult a physician for use in children under 12 years of age or if symptoms worsen or persist.</p> <p><b>Other information</b> ■ Store at room temperature out of direct sunlight. ■ Do not use if neck wrap is broken or missing. ■ Shake well before use.</p> <p><b>Inactive ingredients</b> Alcohol, Vegetable Glycerin, Purified Water.</p> <p>Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.</p> <p><b>Distributed by Energetix Corp.</b> Dahlonega, GA 30533 r02-25 02241</p>	
	<p>64578 02241 4</p>		
	<p>3</p>		

**Purpose** Temporary relief of fever, fatigue, diarrhea, muscle aches, nausea.

## VIRU-CHORD

belladonna, cinchona officinalis, echinacea (angustifolia), gelsemium sempervirens, glandula suprarenalis suis, glycyrrhiza glabra, hepar suis, hydrastis canadensis, illicium anisatum, influenzzinum, lachesis mutus, lappa major, magnesia phosphorica, morbillinum, myrrha, nasturtium aquaticum, nux vomica, paloondo, pyridoxinum hydrochloricum, riboflavinum, sambucus nigra, scutellaria lateriflora, thiaminum hydrochloricum, thyroidinum (bovine) liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:64578-0128
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ATROPA BELLADONNA</b> (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	12 [hp_X] in 1 mL
<b>CINCHONA OFFICINALIS BARK</b> (UNII: S003A158SB) (CINCHONA OFFICINALIS BARK - UNII:S003A158SB)	CINCHONA OFFICINALIS BARK	12 [hp_X] in 1 mL
<b>ECHINACEA ANGUSTIFOLIA</b> (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	4 [hp_X] in 1 mL
<b>GELSEMIUM SEMPERVIRENS ROOT</b> (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	6 [hp_X] in 1 mL
<b>SUS SCROFA ADRENAL GLAND</b> (UNII: 398IYQ16YV) (SUS SCROFA ADRENAL GLAND - UNII:398IYQ16YV)	SUS SCROFA ADRENAL GLAND	9 [hp_X] in 1 mL
<b>GLYCYRRHIZA GLABRA</b> (UNII: 2788Z9758H) (GLYCYRRHIZA GLABRA - UNII:2788Z9758H)	GLYCYRRHIZA GLABRA	4 [hp_X] in 1 mL
<b>PORK LIVER</b> (UNII: 6EC706HI7F) (PORK LIVER - UNII:6EC706HI7F)	PORK LIVER	9 [hp_X] in 1 mL
<b>GOLDENSEAL</b> (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	5 [hp_X] in 1 mL
<b>STAR ANISE</b> (UNII: XKC1657P78) (STAR ANISE - UNII:XKC1657P78)	STAR ANISE	12 [hp_X] in 1 mL
<b>INFLUENZA A VIRUS A/BRISBANE/10/2010 (H1N1) HEMAGGLUTININ ANTIGEN (MDCK CELL DERIVED, PROPIOLACTONE INACTIVATED)</b> (UNII: KFL1W6W9JB) (INFLUENZA A VIRUS A/BRISBANE/10/2010 (H1N1) HEMAGGLUTININ ANTIGEN (MDCK CELL DERIVED, PROPIOLACTONE INACTIVATED) - UNII:KFL1W6W9JB)	INFLUENZA A VIRUS A/BRISBANE/10/2010 (H1N1) HEMAGGLUTININ ANTIGEN (MDCK CELL DERIVED, PROPIOLACTONE INACTIVATED)	30 [hp_X] in 1 mL
<b>INFLUENZA A VIRUS A/BRISBANE/10/2010 (H1N1) NEURAMINIDASE ANTIGEN (MDCK CELL DERIVED, PROPIOLACTONE INACTIVATED)</b> (UNII: 80T3QS071U) (INFLUENZA A VIRUS A/BRISBANE/10/2010 (H1N1) NEURAMINIDASE ANTIGEN (MDCK CELL DERIVED, PROPIOLACTONE INACTIVATED) - UNII:80T3QS071U)	INFLUENZA A VIRUS A/BRISBANE/10/2010 (H1N1) NEURAMINIDASE ANTIGEN (MDCK CELL DERIVED, PROPIOLACTONE INACTIVATED)	30 [hp_X] in 1 mL
<b>INFLUENZA A VIRUS A/SOUTH AUSTRALIA/55/2014 (H3N2) HEMAGGLUTININ ANTIGEN (MDCK CELL DERIVED, PROPIOLACTONE INACTIVATED)</b> (UNII: V3EC8AF8MF) (INFLUENZA A VIRUS A/SOUTH AUSTRALIA/55/2014 (H3N2) HEMAGGLUTININ ANTIGEN (MDCK CELL DERIVED, PROPIOLACTONE INACTIVATED) - UNII:V3EC8AF8MF)	INFLUENZA A VIRUS A/SOUTH AUSTRALIA/55/2014 (H3N2) HEMAGGLUTININ ANTIGEN (MDCK CELL DERIVED, PROPIOLACTONE INACTIVATED)	30 [hp_X] in 1 mL
<b>INFLUENZA A VIRUS A/SOUTH AUSTRALIA/55/2014 (H3N2) NEURAMINIDASE ANTIGEN (MDCK CELL DERIVED, PROPIOLACTONE INACTIVATED)</b> (UNII: 445486QJCG) (INFLUENZA A VIRUS A/SOUTH AUSTRALIA/55/2014 (H3N2) NEURAMINIDASE ANTIGEN (MDCK CELL DERIVED, PROPIOLACTONE INACTIVATED) - UNII:445486QJCG)	INFLUENZA A VIRUS A/SOUTH AUSTRALIA/55/2014 (H3N2) NEURAMINIDASE ANTIGEN (MDCK CELL DERIVED, PROPIOLACTONE INACTIVATED)	30 [hp_X] in 1 mL
<b>INFLUENZA B VIRUS B/UTAH/9/2014 HEMAGGLUTININ ANTIGEN (MDCK CELL DERIVED, PROPIOLACTONE INACTIVATED)</b> (UNII: 9VVQ21KI5Z) (INFLUENZA B VIRUS B/UTAH/9/2014 HEMAGGLUTININ ANTIGEN (MDCK CELL DERIVED, PROPIOLACTONE INACTIVATED) - UNII:9VVQ21KI5Z)	INFLUENZA B VIRUS B/UTAH/9/2014 HEMAGGLUTININ ANTIGEN (MDCK CELL DERIVED, PROPIOLACTONE INACTIVATED)	30 [hp_X] in 1 mL
<b>INFLUENZA B VIRUS B/UTAH/9/2014 NEURAMINIDASE ANTIGEN (MDCK CELL DERIVED, PROPIOLACTONE INACTIVATED)</b> (UNII: 3W5C8YUT4D) (INFLUENZA B VIRUS B/UTAH/9/2014 NEURAMINIDASE ANTIGEN (MDCK CELL DERIVED, PROPIOLACTONE INACTIVATED) - UNII:3W5C8YUT4D)	INFLUENZA B VIRUS B/UTAH/9/2014 NEURAMINIDASE ANTIGEN (MDCK CELL DERIVED, PROPIOLACTONE INACTIVATED)	30 [hp_X] in 1 mL
<b>LACHESIS MUTA VENOM</b> (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)	LACHESIS MUTA VENOM	12 [hp_X] in 1 mL
<b>ARCTIUM LAPPA ROOT</b> (UNII: 597E9BI3Z3) (ARCTIUM LAPPA ROOT - UNII:597E9BI3Z3)	ARCTIUM LAPPA ROOT	4 [hp_X] in 1 mL

<b>MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE</b> (UNII: HF539G9L3Q) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE	12 [hp_X] in 1 mL
<b>MEASLES VIRUS</b> (UNII: HT3R7C012Q) (MEASLES VIRUS - UNII:HT3R7C012Q)	MEASLES VIRUS	30 [hp_X] in 1 mL
<b>MYRRH</b> (UNII: JC71GJ1F3L) (MYRRH - UNII:JC71GJ1F3L)	MYRRH	4 [hp_X] in 1 mL
<b>NASTURTIUM OFFICINALE</b> (UNII: YH89GMV676) (NASTURTIUM OFFICINALE - UNII:YH89GMV676)	NASTURTIUM OFFICINALE	6 [hp_X] in 1 mL
<b>STRYCHNOS NUX-VOMICA SEED</b> (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	12 [hp_X] in 1 mL
<b>LARREA TRIDENTATA LEAF</b> (UNII: PK0TXD049P) (LARREA TRIDENTATA LEAF - UNII:PK0TXD049P)	LARREA TRIDENTATA LEAF	12 [hp_X] in 1 mL
<b>PYRIDOXINE HYDROCHLORIDE</b> (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1BI6Z)	PYRIDOXINE	12 [hp_X] in 1 mL
<b>RIBOFLAVIN</b> (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	12 [hp_X] in 1 mL
<b>SAMBUCUS NIGRA FLOWERING TOP</b> (UNII: CT03BSA18U) (SAMBUCUS NIGRA FLOWERING TOP - UNII:CT03BSA18U)	SAMBUCUS NIGRA FLOWERING TOP	4 [hp_X] in 1 mL
<b>SCUTELLARIA LATERIFLORA</b> (UNII: 7BP4DH5PDC) (SCUTELLARIA LATERIFLORA - UNII:7BP4DH5PDC)	SCUTELLARIA LATERIFLORA	6 [hp_X] in 1 mL
<b>THIAMINE HYDROCHLORIDE</b> (UNII: M572600E5P) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE HYDROCHLORIDE	12 [hp_X] in 1 mL
<b>THYROID, BOVINE</b> (UNII: MN18OTN73W) (THYROID, BOVINE - UNII:MN18OTN73W)	THYROID, BOVINE	9 [hp_X] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64578-0128-1	59.1 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	06/01/2016	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/01/2016	

**Labeler** - Energetix Corporation (969572502)