

ED CHLORPED JR- chlorpheniramine maleate liquid
EDWARDS PHARMACEUTICALS, INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ED CHLORPED JR.

Drug Facts

Active Ingredients
(in each 5 mL teaspoonful)

Chlorpheniramine Maleate 2 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other respiratory allergies:

- runny nose
- sneezing
- itching of the nose or throat
- itchy, watery eyes

Warnings

Do not exceed recommended dosage.

Do not take this product, unless directed by a doctor, if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Do not take this product if you are taking sedatives or tranquilizers, without first consulting your doctor.

When using this product

- excitability may occur, especially in children
- may cause marked drowsiness
- sedatives and tranquilizers may increase drowsiness effect
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, seek professional help or contact a Poison Control Center immediately.

Directions

Do not exceed recommended dosage.

Adults and children 12 years of age and over:	2 teaspoonfuls (10 mL) every 4 to 6 hours, not to exceed 12 teaspoonfuls in 24 hours, or as directed by a doctor.
Children 6 to under 12 years of age:	1 teaspoonful (5 mL) every 4 to 6 hours, not to exceed 6 teaspoonfuls in 24 hours, or as directed by a doctor.
Children under 6 years of age:	Consult a doctor
	.

Other information

Store at 59° - 86° F (15° - 30° C) [see USP for Controlled Room Temperature].

Inactive ingredients

Cherry Flavor, Citric Acid, FD&C Red # 40, Methyl Paraben, Potassium Citrate, Potassium Sorbate, Propyl Paraben, Propylene Glycol, Purified Water, Sorbitol Solution 70%, Sucralose.

Question? Comments?

Call 1-800-543-9560

PRINCIPAL DISPLAY PANEL - 473 mL Bottle Label

ED Chlorped Jr.

E

NDC 0485-0098-16

ED Chlorped Jr.

ANTIHISTAMINE

FOR PROFESSIONAL USE ONLY

Sugar Free • Alcohol Free

Each teaspoonful (5 mL)

for oral administration contains:

Chlorpheniramine Maleate 2 mg

Cherry Flavor

Tamper evident by foil seal under cap.

Do not use if foil seal is broken or

missing.


Manufactured for:

EDWARDS

Pharmaceuticals, Inc.

Ripley, MS 38663

16oz. (473 mL)



NDC 0485-0098-16

ED Chlorped Jr.

ANTIHISTAMINE

Sugar Free • Alcohol Free

Each teaspoonful (5 mL)
for oral administration contains:
Chlorpheniramine Maleate2 mg

Cherry Flavor

Tamper evident by foil seal under cap.
Do not use if foil seal is broken or missing.

Manufactured for:
EDWARDS
Pharmaceuticals, Inc.
Ripley, MS 38663

16oz. (473 mL)

Drug Facts

Active Ingredients (in each 5 mL teaspoonful)	Purpose
Chlorpheniramine Maleate 2 mg.....	Antihistamine

Uses temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other respiratory allergies:
 ■ runny nose ■ sneezing ■ itching of the nose or throat ■ itchy, watery eyes

Warnings
Do not exceed recommended dosage.
Do not take this product, unless directed by a doctor, if you have
 ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma
 ■ difficulty in urination due to enlargement of the prostate gland

Do not take this product if you are taking sedatives or tranquilizers, without first consulting your doctor.

When using this product
 ■ excitability may occur, especially in children
 ■ may cause marked drowsiness
 ■ sedatives and tranquilizers may increase drowsiness effect
 ■ avoid alcoholic beverages
 ■ use caution when driving a motor vehicle or operating machinery

If pregnant or breastfeeding, ask a health professional before use.
Keep out of reach of children.
 In case of accidental overdose, seek professional help or contact a Poison Control Center immediately.

Directions
 Do not exceed recommended dosage. ▶

Drug Facts (continued)


Adults and children 12 years of age and over:	2 teaspoonfuls (10 mL) every 4 to 6 hours; not to exceed 12 teaspoonfuls in 24 hours, or as directed by a doctor.
Children 6 to under 12 years of age:	1 teaspoonful (5 mL) every 4 to 6 hours, not to exceed 6 teaspoonfuls in 24 hours, or as directed by a doctor.
Children under 6 years of age:	Consult a doctor.

Other information
 Store at 59° - 86° F (15° - 30° C) [see USP for Controlled Room Temperature].

Inactive ingredients
 Cherry flavor, citric acid, FD&C Red #40, methylparaben, potassium citrate, potassium sorbate, propylene glycol, propylparaben, purified water, sorbitol, sucralose.

Question? Comments?
 Call 1-800-543-9560

Rev. 08/19



N 3 04850 09816 4

ED CHLORPED JR

chlorpheniramine maleate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0485-0098
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POTASSIUM CITRATE (UNII: EE90ONI6FF)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	

PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0485-0098-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/04/2011	
2	NDC:0485-0098-04	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/04/2011	09/16/2019

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	03/04/2011	

Labeler - EDWARDS PHARMACEUTICALS, INC. (195118880)