

BD E-Z SCRUB- chlorhexidine gluconate solution
Xttrium Laboratories, Inc.

BD 2% CHG

Drug Facts

Active ingredient

chlorhexidine gluconate 2% solution

Purpose

surgical hand scrub

healthcare personnel handwash

Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you are allergic to chlorhexidine gluconate or any other ingredient in this product

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

Stop use and ask a doctor if irritation, sensitization or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Surgical hand scrub:

- wet hands and forearms with water
- scrub for 3 minutes with 5 ml of solution (4 full strokes) and a wet brush paying close attention to the nails, cuticles, and interdigital space
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 ml of solution (4 full strokes) and rinse under running water
- dry thoroughly

Healthcare personnel handwash:

- wet hands with water
- dispense 5 ml of solution (4 full strokes) into cupped hands, wash in a vigorous manner for 15 seconds, and rinse under running water
- dry thoroughly

Other information

- store at 20-25° C (68-77° F)
- avoid excessive heat above 40° C (104° F)

Inactive ingredients

citric add. cocamide DEA, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water

Questions or comments?

call **1-800-453-4538** Monday through Friday 8 AM to 5 PM EST

WARNING: This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

NDC 17271-506-02

BD E-Z Scrub

Chlorhexidine Gluconate 2% Solution Antiseptic

REF 372416

Foreign Patents and Patents Pending

U.S. Patent 6,427,875

Chlorhexidine Gluconate

32 fl oz (946 mL)

Drug Facts (continued)

- a separate nail cleaner may be used • rinse thoroughly
 - wash for an additional 3 minutes with 5 mL of solution (4 full strokes) and rinse under running water
 - dry thoroughly
- Healthcare personnel handwash:**
- wet hands with water
 - dispense 5 mL of solution (4 full strokes) into cupped hands, wash in a vigorous manner for 15 seconds, and rinse under running water
 - dry thoroughly

Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients citric acid, cocamide-DEA, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water

Questions or comments? call 1-800-453-4538 Monday through Friday 8 AM to 5 PM EST

WARNING: This product can expose you to cancer or asthma irritants. Condensate (a substance that is a byproduct of the chemical reaction) which has been found to be known to the State of California to cause cancer. For more information go to www.P66.com.



Mfg. Licensed to:
 Becton, Dickinson and Company, Franklin Lakes, NJ 07630
 © 2011 Becton, Dickinson and Company
 P.O. Box 100, Becton, Dickinson and Company, Franklin Lakes, NJ 07630
 P.O. Box 100, Becton, Dickinson and Company, Franklin Lakes, NJ 07630

NDC 17271-506-02

**BD E-Z Scrub™**

Chlorhexidine
 Gluconate 2% Solution
 Antiseptic

REF 372416

Foreign Patents and Patents Pending,
 U.S. Patent 6,427,875

Chlorhexidine Gluconate

32 fl. oz. (946 mL)

Drug Facts**Active ingredient**

Chlorhexidine gluconate 2% solution

Purpose

.....surgical hand scrub
healthcare personnel handwash

Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease

Drug Facts (continued)**Warnings****For external use only**

Allergy alert: This product may cause a severe allergic reaction.
 Symptoms may include:
 • wheezing/difficulty breathing
 • shock
 • facial swelling
 • hives
 • rash
 If an allergic reaction occurs, stop use and seek medical help right away.

Do not use • If you are allergic to chlorhexidine gluconate or any other ingredient in this product

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- If solution should contact these areas, rinse out promptly and thoroughly with water
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- Surgical hand scrubs:**
 - wet hands and forearms with water
 - scrub for 3 minutes with 5 mL of solution (4 full strokes) and a wet brush paying close attention to the nails, cuticles, and interdigital space

BD E-Z SCRUB

chlorhexidine gluconate solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0116-0506
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	20 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
COCO DIETHANOLAMIDE (UNII: 92005F972D)	
HYDROXYETHYL CELLULOSE (2000 MPAS AT 1%) (UNII: S38J6RZN16)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
LAURAMINE OXIDE (UNII: 4F6FC4MI8W)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0116-0506-02	946 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2001	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019422	04/01/2001	

Labeler - Xttrium Laboratories, Inc. (007470579)

Registrant - Xttrium Laboratories, Inc. (007470579)

Establishment

Name	Address	ID/FEI	Business Operations
Xttrium Laboratories, Inc.		007470579	manufacture(0116-0506)

Revised: 10/2020

Xttrium Laboratories, Inc.