

**CARDINAL HEALTH- chlorhexidine gluconate 4% liquid**  
**Xttrium Laboratories, Inc.**

-----  
**XTT Cardinal Health 4%**  
**COMP 8oz**

Chlorhexidine gluconate 4% Solution

**Purpose**

Antiseptic

**Uses**

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **patient preoperative skin preparation:** for the preparation of the patient's skin prior to surgery
- **skin wound and general cleansing**

**Warnings**

**For external use only**

**Allergy alert:**

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area
- as a preoperative skin preparation of the head or face

**When using this product**

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water

- wound which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

### **Stop use and ask a doctor**

if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Direction**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

### **Surgical hand scrub:**

- wet hands and forearms with water.
- scrub for 3 minutes with about 5 mL of product and a wet brush paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 mL of product and rinse under running water
- dry thoroughly

### **Healthcare personnel handwash:**

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

### **Patient preoperative skin preparation:**

- apply product liberally to surgical site and swab for at least 2 minutes and dry with a sterile towel
- repeat procedure for an additional 2 minutes and dry with a sterile towel

### **Skin wound and general skin cleansing:**

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

### **other information**

- store at 20-25 C (68-77 F)
- avoid excessive heat above 40 C (104 F)

**Inactive ingredients**

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

**Laundering/Cleaning Instructions:** Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

**WARNING:** This product can expose you to chemicals including cocamide DEA, which is known to the State of California to cause cancer. For more information, go to [P65Warnings.ca.gov](http://P65Warnings.ca.gov)

For Professional and Hospital Use Only

You may report serious side effects to 1-877-227-3642

Not Made with Natural Rubber Latex

Distributed by

**Cardinal Health**

Waukegan, IL 60085 USA

Rev. D 2019-07 • [cardinalhealth.com](http://cardinalhealth.com)

©2019 Cardinal Health. All Rights Reserved.

CARDINAL HEALTH and the Cardinal Health LOGO are trademarks of Cardinal Health and may be registered in the US and/or in other countries.

**Package Label**

NDC: 63517-061-04

AS-4CHGL4

Cardinal Health

Chlorhexidine Gluconate 4% Solution

Single-Use Antiseptic

Non Sterile Solution

4 fl oz (118mL)

NDC: [REDACTED] REF AS-4CHGL4

**CardinalHealth**  
**Chlorhexidine Gluconate**  
**4% Solution**

Single Use Antiseptic  
 Non Sterile Solution

  
 8 88499 00662 4

**4 fl oz (118 mL)**

**NON STERILE**



[cardinalhealth.com/symbolsglossary](http://cardinalhealth.com/symbolsglossary)

Distributed by: Cardinal Health  
 Waukegan, IL 60085 USA  
 Rev. D 2019-07 - cardinalhealth.com

© 2019 Cardinal Health. All Rights Reserved.  
 CARDINAL HEALTH and the Cardinal Health LOGO  
 are trademarks of Cardinal Health and may be  
 registered in the US and/or in other countries.

### Drug Facts

Active ingredient	Purpose
Chlorhexidine gluconate 4% solution.....	Antiseptic

#### Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **patient preoperative skin preparation:** for the preparation of the patient's skin prior to surgery
- **skin wound and general skin cleansing**

Lift Here - 4CH495TUBC

## **Drug Facts** (continued)

### **Warnings**

For external use only

#### **Allergy alert:**

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
  - shock ■ facial swelling ■ hives ■ rash
- If an allergic reaction occurs, stop use and seek medical help right away.

#### **Do not use**

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meningitis
- in the genital area
- as a preoperative skin preparation of the head or face

#### **When using this product**

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition. ▼

## **Drug Facts** (continued)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

#### **Surgical hand scrub:**

- wet hands and forearms with water
- scrub for 3 minutes with about 5 mL of product and a wet brush paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 mL of product and rinse under running water
- dry thoroughly

#### **Healthcare personnel handwash:**

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

#### **Patient preoperative skin preparation:**

- apply product liberally to surgical site and swab for at least 2 minutes and dry with a sterile towel
- repeat procedure for an additional 2 minutes and dry with a sterile towel

#### **Skin wound and general skin cleansing:**

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly ▼

**Drug Facts** (continued)

**Other information**

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

**Inactive ingredients** cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

**Laundering/Cleaning Instructions:** Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

**WARNING:** This product can expose you to chemicals including cocamide DEA, which is known to the State of California to cause cancer. For more information, go to [P65Warnings.ca.gov](http://P65Warnings.ca.gov)

**For Professional and Hospital Use Only**  
You may report serious side effects to 1-877-227-3462

Not Made with Natural Rubber Latex

Distributed by  
**Cardinal Health**  
Waukegan, IL 60085 USA  
Rev. D 2019-07 • [cardinalhealth.com](http://cardinalhealth.com)

© 2019 Cardinal Health. All Rights Reserved.  
CARDINAL HEALTH and the Cardinal Health LOGO are trademarks of Cardinal Health and may be registered in the US and/or in other countries.

NDC: 63517-061-08


AS-4CHGL8

Cardinal Health

Chlorhexidine Gluconate 4% Solution

Antiseptic

8 fl oz (237 mL)



## Drug Facts

### Active ingredient

Chlorhexidine gluconate 4% solution.....Antiseptic

### Purpose

### Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **skin wound and general skin cleansing**

### Warnings

For external use only

#### Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- facial swelling
- shock
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

▲ Lift Here

## Drug Facts (continued)

### Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

### When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

**Stop use and ask a doctor** if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns

#### Surgical hand scrub:

- wet hands and forearms with water
- scrub for 3 minutes with about 5 mL of product and a wet brush paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 mL of product and rinse under running water
- dry thoroughly

#### Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

#### Skin wound and general skin cleansing:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

**Drug Facts (continued)****Other information**

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

**Inactive ingredients** cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

**Laundering/Cleaning Instructions:** Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

**WARNING:** This product can expose you to chemicals including cocamide DEA, which is known to the State of California to cause cancer. For more information, go to [P65Warnings.ca.gov](http://P65Warnings.ca.gov)

Distributed by: Cardinal Health, Waukegan, IL 60085 USA  
Rev. D 2019-06 - cardinalhealth.com

© 2019 Cardinal Health. All Rights Reserved. CARDINAL HEALTH and the Cardinal Health LOGO are trademarks of Cardinal Health and may be registered in the US and/or in other countries.

For Professional and Hospital Use Only  
You may report serious side effects to 1-877-227-3462

Not Made with Natural Rubber Latex

**CARDINAL HEALTH**

chlorhexidine gluconate 4% liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0116-0061
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	4 g in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>GLUCONOLACTONE</b> (UNII: WQ29KQ9POT)	
<b>PEG-75 LANOLIN</b> (UNII: 09179OX7TB)	
<b>TRIDECYL ALCOHOL</b> (UNII: 8I9428H868)	
<b>COCO DIETHANOLAMIDE</b> (UNII: 92005F972D)	
<b>HYDROXYETHYL CELLULOSE (2000 CPS AT 1%)</b> (UNII: S38J6RZN16)	
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	
<b>LAURAMINE OXIDE</b> (UNII: 4F6FC4MI8W)	
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0116-0061-04	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/24/2015	
2	NDC:0116-0061-08	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/24/2015	02/28/2027

<b>3</b>	NDC:0116-0061-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/24/2015	11/30/2019
<b>4</b>	NDC:0116-0061-32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/24/2015	03/31/2020

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019125	07/24/2015	

**Labeler** - Xttrium Laboratories, Inc. (007470579)

Revised: 12/2025

Xttrium Laboratories, Inc.