

ANTISEPTIC SKIN CLEANSER- chlorhexidine gluconate 4% liquid
Xttrium Laboratories, Inc.

Good Neighbor 4%CHG 8oz and 16oz

Active Ingredients

Chlorhexidine Gluconate 4% Solution

Purpose

Antiseptic

Uses

- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **skin wound and general skin cleansing**

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated

- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask doctor if

irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Healthcare personnel handwash:

- wet hands with water
- dispense about 5ml of product into cupped hands and wash in vigorous manner for about 15 seconds
- rinse and dry thoroughly

Skin wound and normal skin cleansing:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

Other information

- store at 20°-25° C (68°-77° F)
- avoid excessive heat above 40° C (104° F)

Inactive ingredients

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol.

Questions?

1-773-587-3721

Warning: This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.gov

Laundering/Cleaning Instructions: Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.

*Good Neighbor Pharmacy® Antiseptic Skin Cleanser is not manufactured or distributed

by Mölnlycke Healthcare, owner of the registered trademark Hibiclens®.

Package label and principal display panel

Good Neighbor Pharmacy

Compare to the active ingredient in Hibiclens®

NDC 46122-137-34

Antiseptic Skin Cleanser

(CHLORHEXIDINE GLUCONATE 4% SOLUTION)

ANTISEPTIC/ANTIMICROBIAL SKIN CLEANSER

8 fl oz (237 mL)

ABC #10286304

REV. 02/24

FOR EXTERNAL USE ONLY

DYE FREE

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING

GOOD NEIGHBOR PHARMACY®

Compare to the active ingredient in Hibiclens®

NDC 46122-137-34

Antiseptic Skin Cleanser

(CHLORHEXIDINE GLUCONATE 4% SOLUTION)

ANTISEPTIC/ANTIMICROBIAL SKIN CLEANSER

8 fl oz (237 mL)

FOR EXTERNAL USE ONLY

DYE FREE

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING

ABC# 10286304 REV. 02/24

3 46122 13734 8

| | | |
|---|---|--|
| Drug Facts | Drug Facts (continued) | Drug Facts (continued) |
| Active ingredient Purpose Chlorhexidine gluconate 4% solution Antiseptic | When using this product <ul style="list-style-type: none">■ keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.■ if solution should contact these areas, rinse out promptly and thoroughly with water■ wounds which involve more than the superficial layers of the skin should not be routinely treated■ repeated general skin cleansing of large body areas should not be done except when advised by a health care provider | Healthcare personnel handwash: <ul style="list-style-type: none">■ wet hands with water■ dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds■ rinse and dry thoroughly |
| Uses <ul style="list-style-type: none">■ healthcare personnel handwash: helps reduce bacteria that potentially can cause disease■ skin wound and general skin cleansing | Warnings <p>For external use only</p> <p>Allergy alert: This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none">■ wheezing/difficulty breathing■ shock■ facial swelling■ hives■ rash <p>If an allergic reaction occurs, stop use and seek medical help right away.</p> | Skin wound and general skin cleaning: <ul style="list-style-type: none">■ thoroughly rinse the area to be cleaned with water■ apply the minimum amount of product necessary to cover the skin or wound area and wash gently■ rinse again thoroughly |
| Do not use <ul style="list-style-type: none">■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product■ in contact with meninges■ in the genital area | Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition. | Other information <ul style="list-style-type: none">■ store at 20-25°C (68-77°F)■ avoid excessive heat above 40°C (104°F) |
| | Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | Inactive ingredients cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol |
| | Directions <ul style="list-style-type: none">■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. | Questions? 1-800-587-3721 |

Distributed by: AmerisourceBergen
1 West First Ave, Conshohocken, PA 19428
Questions or Concerns? www.mynp.com

Good Neighbor Pharmacy®
Antiseptic Skin Cleanser is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered trademark Hibiclens®.

Laundry/Cleaning Instructions:
Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach.

WARNING: Cancer - www.P65Warnings.ca.gov

Good Neighbor Pharmacy

Compare to the active ingredient in Hibiclens®

NDC 46122-137-43

Antiseptic Skin Cleanser

(CHLORHEXIDINE GLUCONATE 4% SOLUTION)

ANTISEPTIC/ANTIMICROBIAL SKIN CLEANSER

16 fl oz (473 mL)


ABC #10286265

REV. 02/24

FOR EXTERNAL USE ONLY

DYE FREE

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING



Compare to the active ingredient in Hibidens™

NDC 46122-137-43

Antiseptic Skin Cleanser

(CHLORHEXIDINE GLUCONATE 4% SOLUTION)

ANTISEPTIC/ANTIMICROBIAL SKIN CLEANSER

16 fl oz (473 mL)

FOR EXTERNAL USE ONLY
DYE FREE

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING

ABC# 10286265 REV. 02/24

3 46122 13743 0

Drug Facts

Active ingredient Purpose
Chlorhexidine gluconate
4% solution Antiseptic

Uses

- healthcare personnel handwash: helps reduce bacteria that potentially can cause disease
- skin wound and general skin cleansing

Warnings
For external use only

Allergy alert:
This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

Drug Facts (continued)

When using this product

- keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Drug Facts (continued)

Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

Skin wound and general skin cleaning:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

Questions? 1-800-587-3721

Laundering/Cleaning Instructions:
Chlorhexidine gluconate skin cleansers will cause discoloration of white laundry releasing products, such as chlorine bleach.

WARNING: Cancer - www.P55Warnings.ca.gov

*Good Neighbor Pharmacy® Antiseptic Skin Cleanser is not registered with the U.S. Food and Drug Administration. Manufactured by Minijack Healthcare, owner of the registered trademark Hibidens®. 46NP168TLLBLB

Distributed by: AmerisourceBergen
1 West First Ave. Conshohocken, PA 19428
Questions or Concerns? www.mygnp.com

ANTISEPTIC SKIN CLEANSER

chlorhexidine gluconate 4% liquid

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0116-0137 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------------|----------------|
| CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L) | CHLORHEXIDINE GLUCONATE | 4 mg in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| COCO DIETHANOLAMIDE (UNII: 92005F972D) | |
| PEG-75 LANOLIN (UNII: 09179OX7TB) | |
| HYDROXYETHYL CELLULOSE (2000 CPS AT 1%) (UNII: S38J6RZN16) | |
| ISOPROPYL ALCOHOL (UNII: ND2M416302) | |
| WATER (UNII: 059QF0KO0R) | |
| TRIDECYL ALCOHOL (UNII: 8I9428H868) | |
| GLUCONOLACTONE (UNII: WQ29KQ9POT) | |
| LAURAMINE OXIDE (UNII: 4F6FC4MI8W) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0116-0137-34 | 237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 04/01/2013 | |
| 2 | NDC:0116-0137-43 | 473 mL in 1 BOTTLE; Type 0: Not a Combination Product | 01/01/2019 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| NDA | NDA019125 | 04/01/2013 | |

Labeler - Xttrium Laboratories, Inc. (007470579)

Revised: 4/2025

Xttrium Laboratories, Inc.