

ANTISEPTIC SKIN CLEANSER- chlorhexidine gluconate 4% liquid
Xttrium Laboratories, Inc.

XTT COMP Good Neighbor 4%CHG 8oz and 16oz

Active Ingredients

Chlorhexidine Gluconate 4% Solution

Purpose

Antiseptic

Uses

- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **skin wound and general skin cleansing**

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated

- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask doctor if

irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Healthcare personnel handwash:

- wet hands with water
- dispense about 5ml of product into cupped hands and wash in vigorous manner for about 15 seconds
- rinse and dry thoroughly

Skin wound and normal skin cleansing:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

Other information

- store at 20°-25° C (68°-77° F)
- avoid excessive heat above 40° C (104° F)

Inactive ingredients

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol.

Questions?

1-773-587-3721

Warning: This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.gov

Laundering/Cleaning Instructions: Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.

*Good Neighbor Pharmacy® Antiseptic Skin Cleanser is not manufactured or distributed

by Mölnlycke Healthcare, owner of the registered trademark Hibiclens®.

Package label and principal display panel

Good Neighbor Pharmacy

Compare to the active ingredient in Hibiclens®

NDC 46122-137-34

Antiseptic Skin Cleanser

(CHLORHEXIDINE GLUCONATE 4% SOLUTION)

ANTISEPTIC/ANTIMICROBIAL SKIN CLEANSER

8 fl oz (237 mL)

ABC #10286304

REV. 02/24

FOR EXTERNAL USE ONLY

DYE FREE

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING

GOOD NEIGHBOR PHARMACY® Compare to the active ingredient in Hibiclens®
NDC 46122-137-34

Antiseptic Skin Cleanser

(CHLORHEXIDINE GLUCONATE 4% SOLUTION)

ANTISEPTIC/ANTIMICROBIAL SKIN CLEANSER

8 fl oz (237 mL)

FOR EXTERNAL USE ONLY
DYE FREE

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING

ABC# 10286304 REV. 02/24

3 46122 13734 8

Drug Facts	
Active ingredient Chlorhexidine gluconate 4% solution	Purpose Antiseptic
Uses <ul style="list-style-type: none">healthcare personnel handwash: helps reduce bacteria that potentially can cause diseaseskin wound and general skin cleansing	
Warnings For external use only Allergy alert: This product may cause a severe allergic reaction. Symptoms may include: <ul style="list-style-type: none">wheezing/difficulty breathingshockhivesfacial swellingrash If an allergic reaction occurs, stop use and seek medical help right away.	
Do not use <ul style="list-style-type: none">if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this productin contact with meningesin the genital area	

Drug Facts (continued)	
When using this product <ul style="list-style-type: none">keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.if solution should contact these areas, rinse out promptly and thoroughly with waterwounds which involve more than the superficial layers of the skin should not be routinely treatedrepeated general skin cleansing of large body areas should not be done except when advised by a health care provider Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions <ul style="list-style-type: none">use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.	

Drug Facts (continued)	
Healthcare personnel handwash: <ul style="list-style-type: none">wet hands with waterdispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 secondsrinse and dry thoroughly	
Skin wound and general skin cleaning: <ul style="list-style-type: none">thoroughly rinse the area to be cleaned with waterapply the minimum amount of product necessary to cover the skin or wound area and wash gentlyrinse again thoroughly	
Other information <ul style="list-style-type: none">store at 20-25°C (68-77°F)avoid excessive heat above 40°C (104°F)	
Inactive ingredients cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol	
Questions? 1-800-587-3721	

Distributed by: AmerisourceBergen
1 West First Ave. Conshohocken, PA 19428
Questions or Concerns? www.mynp.com

Laundry/Cleaning Instructions:
Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach.

WARNING: Cancer - www.P55Warnings.ca.gov

Good Neighbor Pharmacy® Antiseptic Skin Cleanser is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered trademark Hibiclens®.
46NP088TLLBLH

Good Neighbor Pharmacy

Compare to the active ingredient in Hibiclens®

NDC 46122-137-43

Antiseptic Skin Cleanser

(CHLORHEXIDINE GLUCONATE 4% SOLUTION)

ANTISEPTIC/ANTIMICROBIAL SKIN CLEANSER

16 fl oz (473 mL)

ABC #10286265

REV. 02/24

FOR EXTERNAL USE ONLY

DYE FREE

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING



GOOD NEIGHBOR PHARMACY

Compare to the active ingredient in Hibidens™

NDC 46122-137-43

Antiseptic Skin Cleanser

(CHLORHEXIDINE GLUCONATE 4% SOLUTION)

ANTISEPTIC/ANTIMICROBIAL SKIN CLEANSER

16 fl oz (473 mL)

**FOR EXTERNAL USE ONLY
DYE FREE**

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING

ABC# 10286265 REV. 02/24



3 46122 13743 0

Drug Facts

Active ingredient Purpose
Chlorhexidine gluconate
4% solution Antiseptic

Uses

- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **skin wound and general skin cleansing**

Warnings
For external use only

Allergy alert:
This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock ■ facial swelling
- hives ■ rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

Drug Facts (continued)

When using this product

- keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Drug Facts (continued)

Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

Skin wound and general skin cleaning:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, triethyl alcohol

Questions? 1-800-587-3721

Distributed by: AmerisourceBergen
1 West First Ave. Conshohocken, PA 19428
Questions or Concerns? www.mygnp.com

Laundry/Cleaning Instructions:
Chemically cleaning skin cleansers will cause discoloration of white fabric releasing products, such as chlorine bleach.

Good Neighbor Pharmacy®
Antiseptic Skin Cleanser is not manufactured by Good Neighbor Pharmacy. Manufacture Healthcare, owner of the registered trademark Hibidens™. 461P168TLLBLB

WARNING - Cancer - www.P65Warnings.ca.gov



ANTISEPTIC SKIN CLEANSER

chlorhexidine gluconate 4% liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0116-0137
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	4 mg in 100 mL

Inactive Ingredients

Ingredient Name	Strength
COCO DIETHANOLAMIDE (UNII: 92005F972D)	
PEG-75 LANOLIN (UNII: 09179OX7TB)	
HYDROXYETHYL CELLULOSE (2000 CPS AT 1%) (UNII: S38J6RZ N16)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
WATER (UNII: 059QF0KO0R)	
TRIDECYL ALCOHOL (UNII: 8I9428H868)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
LAURAMINE OXIDE (UNII: 4F6FC4MI8W)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0116-0137-34	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/01/2013	02/28/2027
2	NDC:0116-0137-43	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2019	01/31/2027

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019125	04/01/2013	02/28/2027

Labeler - Xttrium Laboratories, Inc. (007470579)

Revised: 12/2025

Xttrium Laboratories, Inc.