## ANTISEPTIC SKIN CLEANSER- chlorhexidine gluconate 4% liquid Xttrium Laboratories, Inc.

-----

TopCo 4% CHG 8oz

#### **Active Ingredient**

Chlorhexidine gluconate 4% solution

#### **Purpose**

Antiseptic

#### Uses

- healthcare personnel handwash: helps reduce bacteria that potentially can cause disease
- skin wound and general skin cleansing

#### **Warnings**

#### For external use only

#### Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

#### Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

#### When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when

advised by a health care provider

#### Stop use and ask a doctor if

irritation, sensitization or allergic reaction occurs. These may be signs of a serious condition.

#### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

#### **Healthcare personnel handwash:**

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for about 15 seconds
- rinse and dry thoroughly

#### Skin wound and general skin cleansing:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

#### Other information

- store at 20-25°C (68-77° F)
- avoid excessive heat above 40°C (104°F)

#### Inactive ingredients

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol.

#### Questions?

#### 1-800-587-3721

**Warning:** This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information fo to www.P65Warnings.ca.gov

**Laundering/Cleaning Instructions:** Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.

\*This product is not manufactured or distributed by Mölnlycke Healthcare, owner of the

#### Package label and principal display panel

NDC 36800-401-50

TopCare health

DYE FREE

COMPARE TO HIBICLENS® ACTIVE INGREDIENT


Antiseptic Skin Cleanser

(CHLORHEXIDINE CLUCONATE 4% SOLUTION)

ANTISEPTIC / ANTIMICROBIAL SKIN CLEANSER

FOR EXTERNAL USE ONLY

8 FL OZ (237 mL)



#### ANTISEPTIC SKIN CLEANSER

chlorhexidine gluconate 4% liquid

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0116-0401		
Route of Administration	TOPICAL				

# Active Ingredient/Active Moiety Ingredient Name Basis of Strength CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE UNII:R4KO0DY52L) CHLORHEXIDINE GLUCONATE 4 mg in 100 mL

Inactive Ingredients			
Ingredient Name	Strength		
COCO DIETHANOLAMIDE (UNII: 92005F972D)			
PEG-75 LANOLIN (UNII: 091790X7TB)			
HYDROXYETHYL CELLULOSE (2000 CPS AT 1%) (UNII: S38J6RZN16)			
ISOPROPYL ALCOHOL (UNII: ND2M416302)			
WATER (UNII: 059QF0KO0R)			
TRIDECYL ALCOHOL (UNII: 819428H868)			
GLUCONOLACTONE (UNII: WQ29KQ9POT)			

l	Packaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1	NDC:0116- 0401-50	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/01/2013		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
NDA	NDA019125	11/01/2013			

### **Labeler -** Xttrium Laboratories, Inc. (007470579)

Revised: 4/2025 Xttrium Laboratories, Inc.