

**SERYNTH WART REMOVAL SYSTEM- salicylic acid 17% wart removal system liquid**

**Jiangxi Yudexi Pharmaceutical Co., LTD**

-----

**85248-134**

**Active Ingredient**

Salicylic acid 17%

**Purpose**

Wart remover

**Use**

For the removal of common warts and plantar warts. Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

**Warnings**

For external use only. Keep away from fire and flame.

**Do not use**

on irritated skin or on any area that is infected or reddened on moles, birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

**When Using**

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible. Cap tightly and store at room temperature, away from heat.

**Stop Use**

Stop use and ask a doctor if discomfort persists.

**Ask Doctor**

Stop use and ask a doctor if discomfort persists.

## Keep Out Of Reach Of Children

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## Directions

Wash the affected area. May soak wart in warm water for 5 minutes. Dry area thoroughly.

Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

## Other information

Store at room temperature. Avoid excessive heat (37°C/ 99°F). Skin discoloration may occur during or after use.

## Inactive ingredients

Water □ Polyethylene Glycol □ Glycerin □ Borneol.

## PRINCIPAL DISPLAY PANEL

**SERYNTH**  
**WART REMOVAL SYSTEM**

Efficient Wart Removal Treatment  
Targets Warts, Not Your Skin

PRECISION TIP FOR ACCURATE APPLICATION

0.085 oz fl (2.5ml)

**Drug Facts**  
**Active ingredient:** Salicylic acid 17%.....Wart remover  
**Purpose**  
Wart remover  
**Uses**  
For the removal of common warts and plantar warts. Common warts have a rough, cauliflower-like surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

**Warnings**  
For external use only. Keep away from fire and flame.  
**Do not use** on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

**When using this product**  
Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible. Cap tightly and store at room temperature, away from heat.  
**Stop use and ask a doctor if discomfort persists.**  
**Keep out of reach of children.** If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away.

**Directions**  
Wash the affected area. May soak wart in warm water for 5 minutes. Dry area thoroughly. Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

**Other information**  
Store at room temperature. Avoid excessive heat (37°C / 99°F). Skin discoloration may occur during or after use.

**Inactive ingredients:**  
Water ..... 53%  
Polyethylene Glycol ..... 16%  
Glycerin ..... 8%  
Borneol ..... 6%

DISTRIBUTOR: JIANGXI YUDEXI PHARMACEUTICAL CO., LTD.  
ADDRESS: NO.1998, JINGKAI WEST 5TH ROAD, CHENGBEI JINGKAI DISTRICT, ZHANGSHU CITY, YICHUN CITY, JIANGXI PROVINCE

B01.691

6 1979843 981132

# SERYNTH WART REMOVAL SYSTEM

salicylic acid 17% wart removal system liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:85248-134
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	17 g in 100 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>BORNEOL</b> (UNII: M89NIB437X)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:85248-134-01	2.5 mL in 1 TUBE; Type 0: Not a Combination Product	02/10/2026	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M028	02/10/2026	

**Labeler** - Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)

Revised: 2/2026

Jiangxi Yudexi Pharmaceutical Co., LTD