

**GNIBY LIDOCAINE ANORECTAL HEMORRHOIDAL NUMBING- lidocaine cream**  
**Putian Licheng District Zhijiancheng Trading Co., Ltd.**

-----

**87152-003**

Purpose

Lidocaine 5%.....Topical Analgesic

Uses

For the temporary relief of localitching and discomfort associatedwith anorectal disorders.For the temporary relief of pain,burning and soreness.

Keep Out Of Reach Of ChildrenIf swallowed, get medical help orcontact a poison control center rightaway.

Warnings

.For external use onlyAvoid contact with the eyes

Children under 2 years: Do not use.For children under 12: Consult adoctor.

For adults: Apply to affected area notmore than 6 times daily. Clean theaffected area with mild soap andwarm water, making sure to rinsethoroughly. Gently dry the area withtoilet tissue or a soft cloth beforeapplying the product.

- 1.First, conduct apatch test to checkfor skin suitabilityand effectiveness.
- 2.Thoroughly washyour hands and thetreatment area withmild soap and warmwater, then dry.
- 3.Apply a THICKlayer of cream tocover the entretreatment area andits surroundings.

Inactive ingredients

Water, Propylene Glycol,Carbomer, Glycerin,Disodium Edta,Hydroxyacetophenone,1,2-Hexanediol, MenthaArvensis Leaf Extract.Chrysanthellum IndicumExtract, PortulacaOleracea Extract,Peg-40 HydrogenatedCastor Oil

**87152-002-01-50g**

**HOW TO USE IT CORRECTLY?**

1. First, conduct a patch test to check for skin suitability and effectiveness.
2. Thoroughly wash your hands and the treatment area with mild soap and warm water, then dry.
3. Apply a THICK layer of cream to cover the entire treatment area and its surroundings.

**Drug facts**

**Active ingredient Purpose**  
Lidocaine 5% — Topical Anesthetic

**Uses**  
For the temporary relief of local itching and discomfort associated with anorectal disorders.  
For the temporary relief of pain, burning and soreness.

**Warnings**  
For external use only  
Avoid contact with the eyes  
**When Using**  
avoid contact with the eyes do not exceed the recommended daily dosage unless directed by a doctor  
use only as directed  
**Stop Use and Ask Doctor**  
Condition worsens or does not improve within 7 days.  
Allergic reaction occurs to ingredients in this product.  
Symptom being treated does not subside or if redness, irritation  
**Keep Out Of Reach Of Children**  
If swallowed, get medical help or contact a poison control center right away.

**Directions**  
Children under 2 years: Do not use.  
For children under 12: Consult a doctor.  
**For adults:** Apply to affected area not more than 6 times daily. Clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.

**Other Information**  
Store at 69°-86°F (15°-30°C) Protect from excessive heat and direct sunlight

**Inactive Ingredients**  
Water, Propylene Glycol, Carbomer, Glycerin, Disodium Edta, Hydroxypropylcellulose, 1,2-Hexanediol, Mentha Arvensis Leaf Extract, Chrysanthallum lidoium Extract, Portulaca Oleracea Extract, PEG-40 Hydrogenated Castor Oil

**NOTE:**  
Approximately 0.05% of individuals may not experience numbness from the cream due to a natural resistance. If this applies to you, please reach out to us for a full refund.

**Questions or comments?**  
Contact us: svvgpr@outlook.com

**5% LIDOCAINE**

**ANORECTAL (HEMORRHOIDAL) CREAM**

**FOR EXTERNAL USE ONLY**

**NET: 1.75oz (50g)**

**Gniby**

**NUMBING CREAM**

138\*40\*23mm

**Active Ingredient**  
Lidocaine 5%

**Inactive Ingredients**  
Water, Propylene Glycol, Carbomer, Glycerin, Disodium Edta, Hydroxypropylcellulose, 1,2-Hexanediol, Mentha Arvensis Leaf Extract, Chrysanthallum lidoium Extract, Portulaca Oleracea Extract, PEG-40 Hydrogenated Castor Oil

**NOTE:**  
Approximately 0.05% of individuals may not experience numbness from the cream due to a natural resistance. If this applies to you, please reach out to us for a full refund.

**Questions or comments?**  
Contact us: svvgpr@outlook.com

**5% LIDOCAINE**

**ANORECTAL (HEMORRHOIDAL) CREAM**

**FOR EXTERNAL USE ONLY**

**NET: 1.75oz (50g)**

**Gniby**

**NUMBING CREAM**

95\*30mm

**87152-002-02 60g**

**HOW TO USE IT CORRECTLY?**

1. First, conduct a patch test to check for skin suitability and effectiveness.
2. Thoroughly wash your hands and the treatment area with mild soap and warm water, then dry.
3. Apply a THICK layer of cream to cover the entire treatment area and its surroundings.

**Drug facts**

**Active ingredient Purpose**  
Lidocaine 5% — Topical Anesthetic

**Uses**  
For the temporary relief of local itching and discomfort associated with anorectal disorders.  
For the temporary relief of pain, burning and soreness.

**Warnings**  
For external use only  
Avoid contact with the eyes  
**When Using**  
avoid contact with the eyes do not exceed the recommended daily dosage unless directed by a doctor  
use only as directed  
**Stop Use and Ask Doctor**  
Condition worsens or does not improve within 7 days.  
Allergic reaction occurs to ingredients in this product.  
Symptom being treated does not subside or if redness, irritation  
**Keep Out Of Reach Of Children**  
If swallowed, get medical help or contact a poison control center right away.

**Directions**  
Children under 2 years: Do not use.  
For children under 12: Consult a doctor.  
**For adults:** Apply to affected area not more than 6 times daily. Clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.

**Other Information**  
Store at 69°-86°F (15°-30°C) Protect from excessive heat and direct sunlight

**Inactive Ingredients**  
Water, Propylene Glycol, Carbomer, Glycerin, Disodium Edta, Hydroxypropylcellulose, 1,2-Hexanediol, Mentha Arvensis Leaf Extract, Chrysanthallum lidoium Extract, Portulaca Oleracea Extract, PEG-40 Hydrogenated Castor Oil

**NOTE:**  
Approximately 0.05% of individuals may not experience numbness from the cream due to a natural resistance. If this applies to you, please reach out to us for a full refund.

**Questions or comments?**  
Contact us: svvgpr@outlook.com

**5% LIDOCAINE**

**ANORECTAL (HEMORRHOIDAL) CREAM**

**FOR EXTERNAL USE ONLY**

**NET: 2 oz (60g)**

**Gniby**

**NUMBING CREAM**

138\*40\*23mm

**Active Ingredient**  
Lidocaine 5%

**Inactive Ingredients**  
Water, Propylene Glycol, Carbomer, Glycerin, Disodium Edta, Hydroxypropylcellulose, 1,2-Hexanediol, Mentha Arvensis Leaf Extract, Chrysanthallum lidoium Extract, Portulaca Oleracea Extract, PEG-40 Hydrogenated Castor Oil

**NOTE:**  
Approximately 0.05% of individuals may not experience numbness from the cream due to a natural resistance. If this applies to you, please reach out to us for a full refund.

**Questions or comments?**  
Contact us: svvgpr@outlook.com

**5% LIDOCAINE**

**ANORECTAL (HEMORRHOIDAL) CREAM**

**FOR EXTERNAL USE ONLY**

**NET: 2 oz (60g)**

**Gniby**

**NUMBING CREAM**

95\*30mm

**HOW TO USE IT CORRECTLY?**

1. First, conduct a patch test to check for skin sensitivity and effectiveness.
2. Thoroughly wash your hands and the treatment area with mild soap and warm water, then dry.
3. Apply a THICK layer of cream to cover the entire treatment area and its surroundings.

**Drug facts**

**Active Ingredient Purpose**  
Lidocaine 5% — Topical Anesthetic

**Uses**  
For the temporary relief of local itching and discomfort associated with anorectal disorders.  
For the temporary relief of pain, burning and soreness.

**Warnings**  
For external use only  
Avoid contact with the eyes

**When Using**  
avoid contact with the eyes  
do not exceed the recommended daily dosage unless directed by a doctor  
use only as directed

**Stop Use and Ask Doctor**  
Condition worsens or does not improve within 7 days.  
Allergic reaction occurs to ingredients in this product.  
Symptom being treated does not subside or if redness, irritation if pregnant or breast-feeding, ask a health professional before use.

**Keep Out Of Reach Of Children**  
If swallowed, get medical help or contact a poison control center right away.

**Directions**  
Children under 2 years: Do not use.  
For children under 12: Consult a doctor.  
For adults: Apply to affected area not more than 8 times daily. Clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.

**Other Information**  
Store at 69°-86°F (15°-30°C) Protect from excessive heat and direct sunlight

**Inactive Ingredients**  
Water, Propylene Glycol, Carbomer, Glycerin, Disodium Edta, Hydroxyacetophenone, 1,2-Hexanediol, Mentha Arvensis Leaf Extract, Chrysanthellum Indicum Extract, Portulaca Oleracea Extract, PEG-40 Hydrogenated Castor Oil

**NOTE:**  
Approximately 0.05% of individuals may not experience numbness from the cream due to a natural resistance. If this applies to you, please reach out to us for a full refund.

**Questions or comments?**  
Contact us: svpgr@gmail.com

**5% LIDOCAINE**

**ANORECTAL (HEMORRHOIDAL) CREAM**

**FOR EXTERNAL USE ONLY**

**NET: 1.1oz (30g)**

**DISTRIBUTED BY:**  
HSIERQ TRADING LTD  
30 N Gould Street,  
Suite R Sheridan,  
WY US, 82801  
Design By USA,  
Made in PRC

138\*40\*23mm

**Active Ingredient**  
Lidocaine 5%

**Inactive Ingredients**  
Water, Propylene Glycol, Carbomer, Glycerin, Disodium Edta, Hydroxyacetophenone, 1,2-Hexanediol, Mentha Arvensis Leaf Extract, Chrysanthellum Indicum Extract, Portulaca Oleracea Extract, PEG-40 Hydrogenated Castor Oil

**NOTE:**  
Approximately 0.05% of individuals may not experience numbness from the cream due to a natural resistance. If this applies to you, please reach out to us for a full refund.

**Maximum Strength for Long-Lasting Relief**

**FOR EXTERNAL USE ONLY**

**NET: 1.1oz (30g)**

**Questions or comments?**  
Contact us: svpgr@gmail.com

95\*30mm

## GNIBY LIDOCAINE ANORECTAL HEMORRHOIDAL NUMBING

lidocaine cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:87152-003
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
CHRYSANTHELLUM INDICUM TOP (UNII: STJ856D1Z0)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PEG-40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
PURSLANE (UNII: M6S840WVG5)	
MENTHA ARVENSIS LEAF (UNII: A4IWO4DDZ9)	
CARBOMER (UNII: 0A5MM307FC)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	

**WATER** (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87152-003-01	50 g in 1 BOTTLE; Type 0: Not a Combination Product	02/11/2026	
2	NDC:87152-003-02	60 g in 1 BOTTLE; Type 0: Not a Combination Product	02/11/2026	
3	NDC:87152-003-03	30 g in 1 BOTTLE; Type 0: Not a Combination Product	02/11/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	02/11/2026	

**Labeler** - Putian Licheng District Zhijiancheng Trading Co., Ltd. (568072879)

**Registrant** - Putian Licheng District Zhijiancheng Trading Co., Ltd. (568072879)

Revised: 2/2026

Putian Licheng District Zhijiancheng Trading Co., Ltd.