KIRKLAND SIGNATURE ESOMEPRAZOLE MAGNESIUM- esomeprazole capsule, delayed release

Costco Wholesale Company

Costco Wholesale Corp. Esomeprazole Magnesium Drug Facts

Active ingredient (in each capsule)

Esomeprazole 20 mg

(Each delayed-release capsule corresponds to 22 mg esomeprazole magnesium dihydrate)

Purpose

Acid reducer

Uses

- treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert: Do not use if you are allergic to esomeprazole

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before using if you have

• taking a prescription drug. Acid reducers may interact with certain prescription

drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- may take 1 to 4 days for full effect

14-Day Course of Treatment

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules.
- do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the package. It contains important information.
- store at 20-25°C (68-77°F)

Inactive ingredients

FD&C blue no. 1, FD&C red no. 3, ferric oxide, gelatin, glyceryl monostearate,

hypromellose, magnesium stearate, meglumine, methacrylic acid copolymer, polyethylene glycol, polysorbate 80, shellac, sodium lauryl sulfate, sugar spheres, talc, titanium dioxide, triethyl citrate

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

KIRKLAND Signature

COMPARE TO NEXIUM® 24HR active ingredient*

ESOMEPRAZOLE MAGNESIUM

Delayed-Release Capsules 20 mg

3 Pack

Acid Reducer

Treats Frequent Heartburn

May take 1 to 4 days for full effect

Actual Size

24 Hour

CAPSULES

Clinically Proven to Treat Frequent Heartburn

42 CAPSULES

Three 14-Day Courses of Treatment

*This product is not manufactured or distributed by Pfizer, distributor of Nexium® 24HR.



COMPARE TO NEXIUM® 24HR active ingredient*

NDC 63981-898-03 ITM. / ART. 1140422

ESOMEPRAZOLE MAGNESIUM

Delayed-Release Capsules 20 mg

Acid Reducer

Treats Frequent Hearthurn

May take 1 to 4 days for full effect

24 Hour



Die Cut





Die Cut

Actual Size

CAPSULES

Clinically Proven to Treat Frequent Heartburn

42 CAPSULES

Three 14-Day
Courses of Treatment
'This product is not manufactured or distributed

KEEP PACKAGE FOR COMPLETE WARNINGS AND IMPORTANT INFORMATION. Drug Facts Drug Facts (continued) If pregnant or treast-feed hig, aska heal thor ofestions to eforeuse. Active ingredent (in each capsule) Esomepraze 20 mg..... Pur po se Acti red ucer Keep out of treach of children. In case of overclose, glet medical helpo room lact aP olson Control Center E ach dela yedir elease capsu le correspon dato 22 mg esomeprazo le magne sium d'hy drate) rty hitaway / 1-80 0-22 24 22 2 Dir ections unt eals frequenth eartburn (cocurs <u>2 or mone</u> days a wee li) until nitend edfor hinn eda bereiler of hea rib um; this ding may lake 1 b 4 days for full effect m adults 18 years of age and older m b lsp roductisto be used once ada y (every 2.4h ours), every d ay for 1.4 days m may take 1 b 4 days for full effect. 14 Da yCo ur seo fTie alm ent Aller gy aler't: Don ot use il you are all erglicho esoniepra zo le m swa ib w tea psul ewith agi assor water before leating in blemo mit g On or to self you to axe. In touble or painswal bown glood, wimith gwith blood or bloody or blackstools. In heartburn with light the ade dress, sowe altingor dizzless s In heartburn with light the ade dress, sowe altingor dizzless s In chestipa in orsh outle ep alt within ordress of beath; sweating, put spe adhigto arms, reck ■ takee very da y for i 4d ays m do nottake more than 1 capsules day ■ swa lb w who le. Do not cru sh or chewicap sule s to note a form crette in 1 4d ayour bood feeted by yourd octor. Repeated 14-DayCourse soft rise do do o rshou bler s oribjn bieade dress ∎ requent da est pa h my ourn gyrep eats 14-day course every 4 months m do n of takentor mor eth an 1 4d ay so mnose of ten than eae sy 4m on tha unless due cled by a doctor The se may be estigned fasert ous condition. See your doctor Ask a do clor betor eu ee if yo uh ar e un had hearth um over3 mon b s.T his may be asl gri of a moreser bus condition. muchil dren un der 18 years of lage: ask lado cbirbe bireuse. Hear blum in childre nmay sometime site caused by a serbu seon diffion. on frequent wheezh g, parti cula rly with hear brum on unexp blined welight bas Other information m rousea or vorman g mread the direction sland waimin gab eforeu se sb machp ah m kee pithe packs ge. t. contains im portant inform altin . m store al:20 -2.5° C (68-77° F) Ask a do-clor or pharma clast bato re us etty ou ar e m la kh ga pescri pibri dru g. Asl dre ducars may Interact with certainprescription drugs. l na ctiv e ingredients FD&C bitle no. 1 FD&C rednio. 3, femblioktie, galaith, glycelyl mono álea nale, hyprom el ose, mai gresi umstear ale, megiumin e, methacrifib acti und ethyl acryl taleco polyme nolisparsi on, poliyethyl ene glycoli, poliyor batled 0, shelliac, sod lumi buriyl sufate, aug araphieres, fabb, Stopuseandaskadoctorif wouth earthu moon thu es or wor as as ■ your eed bitale bispiroductformo rettan 1 4d ays than is mid oot if e,tri ethyl ctrate m your eed bitale more bant courseof it eatment e very 4 mon to s Quest ans ar cam ments? 1-900-719-9280 ■ youg et d anhe a would evelop a rasho do ht pub TipsforManaging Heartburn mAvdd foodsorof his that are more likelyt or ause hearbhurn, such as nich, spby, faitty and fried foods, chocolale, caffeire, also holl and even some schic fruitsand veget ables. Clinically Provento Treat Fréquent Heartburn ■Est slowly and do not eat big mea.b. ■Donote at late at night or just belone bedtime. ■Donotibilist or bendover soon after eating. ■Rabethehead of your bed. ■We ar loo se fitting d dthing a round your sto mach. ■ifyou a re overweight, b se weight. miliyo usmoke quit smoking **GLUTE N-FREE** Packa ged by: Perrigo®, 515 Eastern Ave. Allegan, MI 49010 USA 1-800-719-9260 For: Costco Wholesale Corporation 20V 05052a 999 Lake Drive, Issaquah, WA 98027 USA www.c os too .c om Do Not Uself or bitedf di se al under capor ban daroundthecenter of each cap auleis brokenor missing PLASTIC

KIRKLAND SIGNATURE ESOMEPRAZOLE MAGNESIUM

esomeprazole capsule, delayed release

Product Information	roduct Information		
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63981-898
Route of Administration	ORAL		

AB945 5NS 5

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ESOMEPRAZOLE (UNII: N3PA6559FT) (ESOMEPRAZOLE - UNII:N3PA6559FT)	ESOMEPRAZ OLE	20 mg	

Inactive Ingredients	
Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 3 (UNII: PN2ZH5LOQY)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MEGLUMINE (UNII: 6HG8UB2MUY)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 60ZP39ZG8H)	
SHELLAC (UNII: 46N107B710)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics			
Color	BLUE (opaque)	Score	no score
Shape	CAPSULE (oblong)	Size	14mm
Flavor		Imprint Code	L898
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:63981-898- 03	3 in 1 CARTON	09/22/2017		
1		14 in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing I	larketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA207193	09/22/2017		

Revised: 5/2023 Costco Wholesale Company