

**ULTA SUN DRY TOUCH SPF 70 - avobenzone, homosalate, octisalate, octocrylene, oxybenzone lotion**

**Ulta**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

AVOBENZONE 3.0%, HOMOSALATE 15.0%, OCTISALATE 5.0%, OCTOCRYLENE 2.8%, OXYBENZONE 6.0%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**For external use only**

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor**

if rash occurs

**Keep out of the reach of children**

If product is swallowed, get medical help or contact a Poison Control Center right away.

- May stain some fabrics

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply: after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10:00 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats and sunglasses

- children under 6 months of age: Ask a doctor

### **Inactive ingredients**

Water, Styrene/Acrylates Copolymer, Butyloctyl Salicylate, Silica, Glyceryl Stearate, PEG-100 Stearate, Caprylyl Methicone, Sodium Polyacrylate, Benzyl Alcohol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Ethylhexyl Stearate, Beeswax, Dimethicone, Chlorphenesin, Cetyl Dimethicone, Xanthan Gum, Trimethylsiloxysilicate, Fragrance, Trideceth-6, Disodium EDTA, BHT, Dipotassium Glycyrrhizate.

### **Other information**

- protect this product from excessive heat and direct sun

### **Principal Display Panel**

**62296-8900-4**

**SUNCARE**

**BROAD SPECTRUM**

**SPF 70**

**WATER RESISTANT**

**(80 MINUTES)**

**LIGHT WEIGHT**

**SUNSCREEN LOTION**

**SHEER**

**ULTA**

**5 fl oz/147 ml**

# SUNGCARE

**BROAD SPECTRUM SPF 70**

WATER RESISTANT (80 MINUTES)  
LIGHTWEIGHT SUNSCREEN LOTION  
**SHEER**

**ULTA**

5 fl oz/147 ml

Lightweight • Oil-Free • UVA/UVB Protection

Drug Facts Eye-Mark

<b>Active Ingredients</b>	<b>Purpose</b>
Avobenzone 3.0%, Homosalate 15.0%, Octisalate 5.0%, Octocrylene 2.8%, Oxybenzone 6.0%	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only • Do not use on damaged or broken skin  
• When using this product keep out of eyes. Rinse with water to remove.  
• Stop use and ask a doctor if rash occurs • Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.  
• May stain some fabrics

**Directions**  
• apply liberally 15 minutes before sun exposure • reapply: after 80 minutes of swimming or sweating • immediately after towel drying  
• at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:  
• limit time in the sun, especially from 10 a.m. - 2 p.m.  
• wear long-sleeve shirts, pants, hats and sunglasses  
• children under 6 months of age: Ask a doctor

**Inactive ingredients** Water, Styrene/Acrylates Copolymer, Butyloctyl Salicylate, Glyceryl Stearate, Silica, PEG-100 Stearate, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Caprylyl Methicone, Sodium Polyacrylate, Benzyl Alcohol, Beeswax, Ethylhexyl Stearate, Dimethicone, Cetyl Dimethicone, Xanthan Gum, Trimethylsiloxysilicate, Trideceth-6, Disodium EDTA, Dipotassium Glycyrrhizate, BHT, Chlorphenesin, Fragrance.

**Other information** • protect this product from excessive heat and direct sun

7 17897 104705 115

MADE IN THE USA  
FROM US AND IMPORTED INGREDIENTS  
DISTRIBUTED BY ULTA  
BOLINGBROOK, IL 60440  
[www.ulta.com](http://www.ulta.com)

## ULTA SUN DRY TOUCH SPF 70

avobenzone, homosalate, octisalate, octocrylene, oxybenzone lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62296-8900
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 g in 100 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	2.8 g in 100 g
<b>OXYBENZONE</b> (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	6 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
XANTHAN GUM (UNII: TTV12P4NEE)	
TRIDECETH-6 (UNII: 3T5PCR2H0C)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
GLYCYRRHIZINATE DIPO TASSIUM (UNII: CA2Y0FE3FX)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62296-8900-4	147 g in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/25/2016	

**Labeler** - Ulta (608168597)

Revised: 1/2016

Ulta