

**ACTIVATED CHARCOAL GEL- activated charcoal gel**  
**Aspen Veterinary Resources, Ltd.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Activated Charcoal Gel**

**INDICATION:**

Activated Charcoal Gel is a veterinary aid designed to assist in the absorption of toxins. This gel formulation is used in emergency situations involving suspected toxicosis in animals such as cattle, horses, goats, dogs, and cats.

In all cases of suspected poisonings, consult your veterinarian for complete diagnosis and specific treatment.

**DOSAGE AND ADMINISTRATION:**

Administer orally on the back of the tongue.

**Cats, Dogs, Goats, Sheep, Calves and Foals:** 0.5-1.5 mL/lb body weight.

**Adult Horses and Cattle:** It is recommended to give up to 300 mL.

Repeat every 4-8 hours or as directed by your veterinarian. If toxin ingestion is suspected, consult with your veterinarian immediately. Shake well before administration.

**PRECAUTIONS**

Activated charcoal gel may not be effective against poisoning by mercury, other heavy metals, or inorganic arsenic.

**STORAGE AND HANDLING**

Store in a cool, dry location out of direct sunlight.

Do not freeze.

Replace cap tightly after opening.

Not for human consumption.

**Keep out of reach of children.**

Activated Charcoal Gel is available in 300cc and 60cc multi-dose syringes for flexible and precise dosing.

**Aspen Veterinary Resources, Ltd.**

Liberty, MO 64068, USA

Rev. 06/25

**PRINCIPAL DISPLAY PANEL - 300 mL Syringe Label**

NDC 46066-313-11

Aspen Veterinary Resources Ltd.

Activated Charcoal Gel

**INDICATION:**

For oral administration as an aid in treating poisoning by most organic chemicals in large and small animals.

Net Volume: 300 mL (10 fl oz)

NDC 46066-313-11

**aspen**  **ACTIVATED CHARCOAL GEL**



For use in horses, foals, cattle, calves, sheep, goats, dogs, and cats

**FOR ANIMAL USE ONLY.**  
Keep Out of Reach of Children.

**NET VOLUME: 300 mL (10 fl oz)**

**DIRECTIONS FOR USE:**  
Administer orally on back of tongue.  
**Recommended dose:**  
Cats, Dogs, Goats, Sheep, Calves and Foals: 0.5-1.5 mL/lb body weight.  
Adult Horses and Cattle: It is recommended to give up to 300 mL.  
Repeat every 4-8 hours or as directed by your veterinarian. If toxin ingestion is suspected, consult with your veterinarian immediately. Shake well before administration.

**ACTIVE INGREDIENTS:**  
Activated Charcoal, USP.....120 mg/mL  
Kaolin, USP.....60 mg/mL

**CAUTION:**  
Store in a cool, dry location out of direct sunlight. Do not freeze. Replace cap tightly after opening.  
Not for human consumption.

**INACTIVE INGREDIENTS:**  
Citric Acid, Potassium Sorbate, Xanthan Gum, Water

**Manufactured for:**  
Aspen Veterinary Resources®, LTD.  
Liberty, MO 64068, USA  
www.aspenveterinaryresources.com  
A0132.SAH LB-ASP436 Rev. 04/25

 0 99355 03844 8

 TAKE TIME OBSERVE LABEL DIRECTIONS

**PRINCIPAL DISPLAY PANEL - 60 mL Syringe Label**

NDC 46066-313-19

Aspen Veterinary Resources Ltd.

Activated Charcoal Gel

**INDICATION:**

For oral administration as an aid in treating poisoning by most organic chemicals in large and small animals.

Net Volume: 60 mL (2 fl oz)

NDC 46066-313-19



## ACTIVATED CHARCOAL GEL



For use in horses, foals, cattle, calves, sheep, goats, dogs, and cats

**FOR ANIMAL USE ONLY.**

Keep Out of Reach of Children.

**NET VOLUME:** 60 mL (2.0 fl oz)

### DIRECTIONS FOR USE:

Administer orally on back of tongue.

#### Recommended dose:

Cats, Dogs, Goats, Sheep, Calves and Foals: 0.5-1.5 mL/lb body weight.

Adult Horses and Cattle: It is recommended to give up to 300 mL.

Repeat every 4-8 hours or as directed by your veterinarian. If toxin ingestion is suspected, consult with your veterinarian immediately. Shake well before administration.

### CAUTION:

Store in a cool, dry location out of direct sunlight. Do not freeze. Replace cap tightly after opening. Not for human consumption.

### ACTIVE INGREDIENTS:

Activated Charcoal, USP ..... 120 mg/mL  
Kaolin, USP ..... 60 mg/mL

### INACTIVE INGREDIENTS:

Citric Acid, Potassium Sorbate, Xanthan Gum, Water

#### Manufactured for:

Aspen Veterinary Resources®, LTD., Liberty, MO 64068, USA  
www.aspenveterinaryresources.com AD166.SAH Rev. 04/25



## ACTIVATED CHARCOAL GEL

activated charcoal gel

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:46066-313
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACTIVATED CHARCOAL</b> (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)	ACTIVATED CHARCOAL	55 [arb'U] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	

<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>CITRIC ACID</b> (UNII: 2968PHW8QP)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Product Characteristics

<b>Color</b>	BLACK (BLACK GEL)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46066-313-19	60 mL in 1 SYRINGE, PLASTIC		
2	NDC:46066-313-11	300 mL in 1 SYRINGE, PLASTIC		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		06/04/2025	

**Labeler** - Aspen Veterinary Resources, Ltd. (627265361)

**Registrant** - Aspen Veterinary Resources, Ltd. (627265361)