

**FORTICEPT HOOF-FORTE- zinc oxide, benzethonium chloride ointment  
Lidan, inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**FORTICEPT HOOF-FORTE ANTIMICROBIAL OUNTMENT**

**DRUG FACTS**

***Active Ingredients:***

Zinc Oxide.....10.0%  
Benzethonium Chloride.....0.2%

***Inactive Ingredients:***

Waxes, Oils, Emollients..... 89.8%

***Uses:***

Water-resistant hoof dressing and topical antiseptic.

Helps treat and decrease the risk of bacterial and fungal frog and hoof infections. Helps protect affected area from moisture and environmental stress. Promotes healing of minor lacerations, scrapes, burns, and wounds.

***Warnings:***

- For external use only
- For animal use only
- Keep out of reach of children
- When using this product - avoid eye contact

***Directions for use:***

**FOR HORSES AND CATLE**

Clean the hoof thoroughly, removing debris and necrotic material prior to application of the ointment. Apply to affected hoofs as needed until fully healed.

***Storage and handling:***

Keep container closed when not in use. Do not store below 32F/00C or above 95F/350C for extended periods.

***FIRST AID***

**Eye contact:** In case of contact, immediately flush eyes with cool running water. Get medical attention if irritation persists.

**Skin contact:** Wash the skin with water and soap.

**Ingestion:** If large quantities of this material are swallowed, contact poison control center immediately!

For questions, please call: +1 212 709-8133

## 8oz label



**Forticept® Hoof-Forte™**  
Antimicrobial Ointment

Treats and Prevents hoof infections  
Antibacterial/Antifungal Barrier Dressing

8 oz/227 g




**Active Ingredients**

Zinc Oxide .....10.0%

Benzethonium Chloride.....0.2%

**Inactive Ingredients**

Waxes, Oils, Emollients.....89.8%

**Uses**

Water-resistant hoof dressing and topical antiseptic. Helps treat and decrease the risk of bacterial and fungal frog and hoof infections. Helps protect affected area from moisture and environmental stress. Promotes healing of minor lacerations, scrapes, burns, and wounds.

**Warnings**

For external use only  
For animal use only  
Keep out of reach of children  
Stop use and ask a doctor if irritation occurs

**Directions for use**

**FOR HORSES AND CATTLE**

Clean the hoof thoroughly, removing debris and necrotic material prior to application of the ointment. Apply to affected hoofs as needed until fully healed.

**Storage and handling**

Keep container closed when not in use. Do not store below 32°F/0°C or above 59°/35°C for extended periods.

**First Aid**

**Eye contact:** In case of contact, immediately flush eyes with cool running water. Get medical attention if irritation persists.  
**Skin contact:** Wash the skin with water and soap.  
**Ingestion:** If large quantities of this material are swallowed, contact poison control center immediately!

Forticept® is a registered Trademark of Lidan, Inc. all rights reserved 2016




1-234514-897361

MADE IN USA



## 16oz label



**Forticept® Hoof-Forte™**  
Antimicrobial Ointment

Treats and Prevents hoof infections  
Antibacterial/Antifungal Barrier Dressing

16oz/453g




**Active Ingredients**

Zinc Oxide .....10.0%

Benzethonium Chloride.....0.2%

**Inactive Ingredients**

Waxes, Oils, Emollients.....89.8%

**Uses**

Water-resistant hoof dressing and topical antiseptic. Helps treat and decrease the risk of bacterial and fungal frog and hoof infections. Helps protect affected area from moisture and environmental stress. Promotes healing of minor lacerations, scrapes, burns, and wounds.

**Warnings**

For external use only  
For animal use only  
Keep out of reach of children  
Stop use and ask a doctor if irritation occurs

**Directions for use**

**FOR HORSES AND CATTLE**

Clean the hoof thoroughly, removing debris and necrotic material prior to application of the ointment. Apply to affected hoofs as needed until fully healed.

**Storage and handling**

Keep container closed when not in use. Do not store below 32°F/0°C or above 59°/35°C for extended periods.

**First Aid**

**Eye contact:** In case of contact, immediately flush eyes with cool running water. Get medical attention if irritation persists.  
**Skin contact:** Wash the skin with water and soap.  
**Ingestion:** If large quantities of this material are swallowed, contact poison control center immediately!

Forticept® is a registered Trademark of Lidan, Inc. all rights reserved 2016




1-234514-897361

MADE IN USA



# FORTICEPT HOOF-FORTE

zinc oxide, benzethonium chloride ointment

## Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:72127-0705
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	.1 kg in 1 kg
<b>BENZETHONIUM CHLORIDE</b> (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.002 kg in 1 kg

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72127-0705-0	0.227 kg in 1 JAR		

2 | NDC:72127-0705-1 | .453 kg in 1 JAR

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/03/2020	

**Labeler** - Lidan, inc. (014456716)

**Registrant** - Lidan, inc. (014456716)

## Establishment

Name	Address	ID/FEI	Business Operations
Cosco International, Inc.		016433141	manufacture, api manufacture, analysis, pack

Revised: 9/2024

Lidan, inc.