

ERBORIAN CC CREME COLOR CORRECTING SPF 25 BRONZE- octinoxate, octisalate, titanium dioxide, zinc oxide cream
LABORATOIRES M&L

ERBORIAN CC CREME Color Correcting Cream SPF 25, BRONZE

Drug Facts

Active ingredients

Octinoxate 6.00%
Octisalate 2.00%
Titanium dioxide 2.34%
Zinc oxide 3.84%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours

- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. –2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses
 - Children under 6 months of age: ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun


Inactive ingredients

AQUA/WATER - CYCLOPENTASILOXANE - TITANIUM DIOXIDE - CI 77492/IRON OXIDES - DIPROPYLENE GLYCOL - GLYCERIN - PEG-10
 DIMETHICONE - METHYL TRIMETHICONE - MICA - C12-15 ALKYL BENZOATE - DIMETHICONE - CI 77491/IRON OXIDES - MAGNESIUM SULFATE - VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER - DISTEARDIMONIUM HECTORITE - POLYESTER-1 - SILICA DIMETHYL SILYLATE - CENTELLA ASIATICA EXTRACT - TALC - DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER - ALUMINUM HYDROXIDE - PHENOXYETHANOL - TRIHYDROXYSTEARIN - BUTYLENE GLYCOL - METHICONE - PALMITIC ACID - STEARIC ACID - TOCOPHERYL ACETATE - ETHYLHEXYLGLYCERIN - CI 77499/IRON OXIDES - PARFUM/FRAGRANCE - HEXYL CINNAMAL - ALPHA-ISOMETHYL IONONE - LINALOOL - CITRONELLOL - GERANIOL - EUGENOL - LIMONENE

Questions or comments?

Call toll free 1-866-464-3358

Package Labeling: 5 mL



Package Labeling: 45 mL



Drug Facts

Active ingredients Purpose

Octinoxate 6.00%.....Sunscreen
Octisalate 2.00%.....Sunscreen
Titanium dioxide 2.34% Sunscreen
Zinc oxide 3.84%.....Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use ■ on damaged or broken skin

When using this product ■ keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if ■ rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. -2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months of age: ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun

Drug Facts (continued)

Inactive ingredients

AQUA/WATER - CYCLOPENTASILOXANE
- TITANIUM DIOXIDE - CI 77492/IRON
OXIDES - DIPROPYLENE GLYCOL -
GLYCERIN - PEG-10 DIMETHICONE -
METHYL TRIMETHICONE - MICA -
C12-15 ALKYL BENZOATE -
DIMETHICONE - CI 77491/IRON OXIDES
- MAGNESIUM SULFATE - VINYL
DIMETHICONE/METHICONE SILSES-
QUOXANE CROSSPOLYMER - DISTEAR-
DIMONIUM HECTORITE - POLYESTER-1
- SILICA DIMETHYL SILYLATE -
CENTELLA ASIATICA EXTRACT - TALC
- DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER - ALUMINIUM
HYDROXIDE - PHENOXYETHANOL -
TRIHYDROXYSTEARIN - BUTYLENE
GLYCOL - METHICONE - PALMITIC ACID -
STEARIC ACID - TOCOPHERYL ACETATE
- ETHYLHEXYLGLYCERIN - CI 77499/
IRON OXIDES - PARFUM/FRAGRANCE -
HEXYL CINNAMAL - ALPHA-ISOMETHYL
IONONE - LINALOOL - CITRONELLOL -
GERANIOL - EUGENOL - LIMONENE

Questions or comments?

Call toll free
1-866-464-3358

CC CRÈME

COLOR-CORRECTING CREAM
UNIFIES · HYDRATES · PROTECTS

LIGHT COVERAGE
LUMINOUS & NATURAL FINISH

BROAD SPECTRUM
SPF 25 SUNSCREEN

WITH
CENTELLA ASIATICA

BRONZE

45 ML - NET WT. 1.5 OZ

Thanks to its transformative texture, CC CRÈME is the right blend of **color & care** to enhance your skin's appearance and give a luminous and natural-looking finish.

COLOR CORRECTOR

LIGHT COVERAGE

Thanks to our Korean technology of encapsulated pigments that adapt to the skin tone for a skin-like finish.

Helps to:

- Even out skin tone's appearance.
- Revive radiance.
- Visibly smooth & blur.

A TRUE MOISTURIZER

SPF 25 SUN PROTECTION

With our Korean super ingredient CENTELLA ASIATICA.

- Hydrates.
- Effective protection from UV rays.
- Helps to refine skin texture.

[Apply and massage over the skin to release the encapsulated pigments.]

Tested under dermatological supervision. **Non-comedogenic.**



www.erborian.com - Made in South Korea
Mfd for M&L - 04100 Manosque - France



6AA10679

ERBORIAN CC CRÈME COLOR CORRECTING SPF 25 BRONZE

octinoxate, octisalate, titanium dioxide, zinc oxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10345-952
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)		OCTINOXATE	60 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)		OCTISALATE	20 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (CI 77891 - UNII:15FIX9V2JP)		TITANIUM DIOXIDE	23.4 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)		ZINC CATION	38.4 mg in 1 mL
Inactive Ingredients			
Ingredient Name			Strength
WATER (UNII: 059QF0KO0R)			
CYCLOMETHICONE (UNII: NMQ347994Z)			
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)			
DIPROPYLENE GLYCOL (UNII: E107L85C40)			
GLYCERIN (UNII: PDC6A3C0OX)			
METHYL TRIMETHICONE (UNII: S73ZQI0GXM)			
MICA (UNII: V8A1AW0880)			
C12-15 ALKYL BENZOATE (UNII: A9EJ3J61HQ)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
FERRIC OXIDE RED (UNII: 1K09F3G675)			
MAGNESIUM SULFATE (UNII: DE08037SAB)			
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)			
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)			
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)			
CENTELLA ASIATICA TRITERPENOIDS (UNII: 4YS74Q4G4J)			
TALC (UNII: 7SEV7J4R1U)			
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)			
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
PALMITIC ACID (UNII: 2V16EO95H1)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)			
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)			
FERROSOFERRIC OXIDE (UNII: XM0M87F357)			
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)			
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)			
LINALOOL, (+/-)- (UNII: D81QY6I88E)			
CITRONELLOL (UNII: P01OUT964K)			
GERANIOL (UNII: L837108USY)			

EUGENOL (UNII: 3T8H1794QW)

LIMONENE, (+)- (UNII: GFD7C86Q1W)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10345-952-05	1 in 1 BOX	09/01/2025	
1		5 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:10345-952-45	1 in 1 BOX	09/01/2025	
2		45 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/01/2025	

Labeler - LABORATOIRES M&L (262533623)

Registrant - LABORATOIRES M&L (262533623)

Revised: 8/2025

LABORATOIRES M&L