

**CVS PAIN RELIEF ROLL-ON LIDOCAINE WITH LAVENDER- lidocaine hydrochloride lotion**  
**CVS Pharmacy**

-----  
**CVS Lidocaine Lavender Roll On**

**Active ingredient**

Lidocaine HCl 4%

**Purpose**

Topical anesthetic

**Use**

For the temporary relief of pain

**Warnings**

For external use only

**Do not use**

- on large areas of the body or on cut, irritated, or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

**When using this product**

- use only as directed. Read and follow all directions and warnings on this carton
- do not allow contact with the eyes
- do not bandage or apply local heat (such as heating pads) to area of use

**Stop use and ask a doctor if**

- conditions worsen
- skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children and pets.**

If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

- **adults and children 12 years of age and over:**
- apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period
- **children 12 years or younger:** ask a doctor

## Other information

- Avoid storing the product in direct sunlight
- Protect product from excessive moisture
- Store with lid closed tightly

## Inactive ingredients

Acrylates/C10-30 Acrylate Crosspolymer, Alcohol Denatured, Aloe Barbadensis Leaf Juice, Aminomethyl Propanol, C30-45 Alkyl Cetearyl Dimethicone Crosspolymer, Caprylyl Methicone, Cetearyl Alcohol, Ceteth-20 Phosphate, Dicyetyl Phosphate, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Glyceryl Stearate, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Isohexadecane, Lavandula Angustifolia (Lavender) Oil, Methylparaben, Polysorbate 60, Steareth-2, Steareth-21, Water

## Principal Display Panel - 73 mL Carton

CVS Health ®

Compare to the active ingredient in Aspercreme ® Lidocaine with Lavender Essential Oil\*  
Maximum Strength

Lidocaine concentration

without a prescription †

Lidocaine Pain Relief Roll-On

Lidocaine HCL 4%

Lavender Essential Oil

- Temporary relief of pain
- Helps numb pain-affected areas without irritation
- Non-greasy, no-mess formula

with calming lavender aromatherapy

Actual Bottle Size on Side Panel

2.5 FL OZ

(73 mL)



MAXIMUM STRENGTH  
Lidocaine concentration  
without a prescription<sup>†</sup>

# Lidocaine Pain Relief Roll-On

LIDOCAINE HCl 4%  
Lavender Essential Oil



Compare to the active  
ingredient in Aspercreme®  
Lidocaine with Lavender  
Essential Oil\*



MAXIMUM STRENGTH  
Lidocaine concentration  
without a prescription<sup>†</sup>

# Lidocaine Pain Relief Roll-On

LIDOCAINE HCl 4%  
Lavender Essential Oil

- Temporary relief of pain
- Helps numb pain-affected areas without irritation
- Non-greasy, no-mess formula



With calming  
lavender  
aromatherapy

Actual Bottle  
Size on  
Side Panel



2.5 FL OZ  
(73 mL)

MAXIMUM STRENGTH  
Lidocaine concentration  
without a prescription<sup>†</sup>

# Lidocaine Pain Relief Roll-On

LIDOCAINE HCl 4%  
Lavender Essential Oil

- Temporary relief of pain
- Helps numb pain-affected areas without irritation
- Non-greasy, no-mess formula

Child-resistant packaging.  
Close cap tightly after use.  
Please read and understand  
the Drug Facts before using.

\*This product is not manufactured or distributed  
by Chatterm Inc., owner of the registered  
trademark Aspercreme®.

<sup>†</sup>Among over the counter topical analgesics.

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2023 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS V-33548

100% money back  
guaranteed.  
CVS.com/returnpolicy



## Drug Facts

**Active ingredient** Purpose  
Lidocaine HCl 4% Topical anesthetic

**Use**  
For the temporary relief of pain

### Warnings For external use only

**Do not use**  
■ on large areas of the body or on cut, irritated or  
swollen skin ■ on puncture wounds  
■ for more than one week without consulting a doctor

### When using this product

■ use only as directed. Read and follow all directions  
and warnings on this carton  
■ do not allow contact with the eyes  
■ do not bandage or apply local heat (such as heating  
pads) to area of use

### Stop use and ask a doctor if

■ conditions worsen  
■ skin reactions occur, such as rash, itching,  
redness, irritation, pain, swelling and blistering  
■ symptoms persist for more than 7 days  
■ symptoms clear up and occur again within a  
few days

### Flammable: Keep away from fire or flame

**If pregnant or breast-feeding,**  
ask a health professional before use.

### Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison  
Control Center right away.

### Directions

■ adults and children 12 years of age  
and over:  
■ apply a thin layer to affected area every 6 to 8  
hours, not to exceed 3 applications in a 24 hour period  
**children 12 years or younger:** ask a doctor

### Other information

■ Avoid storing product in direct sunlight  
■ Protect product from excessive moisture  
■ Store with lid closed tightly

### Inactive ingredients

Acrylates/C10-30 Acrylate Crosspolymer, Alcohol  
Denatured, Aloe Barbadensis Leaf Juice, Aminomethyl  
Propanol, C30-45 Alkyl Cetearyl Dimethicone  
Crosspolymer, Caprylyl Methicone, Cetearyl Alcohol,  
Ceteeth-20 Phosphate, Dicetyl Phosphate,  
Dimethicone, Disodium EDTA, Ethylhexylglycerin,  
Glycerol Stearate, Hydroxyethyl Acrylate/Sodium  
Acryloyldimethyl Taurate Copolymer, Isohexadecane,  
Lavandula Angustifolia (Lavender) Oil, Methylparaben,  
Polysorbate 60, Steareth-2, Steareth-21, Water



Package Contains One Bottle

Actual Size

#188721



lidocaine hydrochloride lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51316-273
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	40 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S AT 0.5%)</b> (UNII: YY2HMJ9NZF)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CETETH-20 PHOSPHATE</b> (UNII: 921FTA1500)	
<b>CAPRYLYL METHICONE</b> (UNII: Q95M2P1KJL)	
<b>C30-45 ALKYL CETEARYL DIMETHICONE CROSSPOLYMER</b> (UNII: 4ZK9VP326R)	
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>ALOE VERA LEAF JUICE</b> (UNII: RUE8E6T4NB)	
<b>DICETYL PHOSPHATE</b> (UNII: 2V6E5WN99N)	
<b>GLYCERYL STEARATE</b> (UNII: 230OU9XXE4)	
<b>STEARETH-21</b> (UNII: 53J3F32P58)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>AMINOMETHYL PROPANOL</b> (UNII: LU49E6626Q)	
<b>CETEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>STEARETH-2</b> (UNII: V56DFE46J5)	
<b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%)</b> (UNII: 86FQE96TZ4)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-273-03	1 in 1 CARTON	02/12/2026	
1		73 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/12/2026	

**Labeler** - CVS Pharmacy (062312574)

Revised: 2/2026

CVS Pharmacy