

**ANTISEPTIC SKIN CLEANSER- chlorhexidine gluconate 4% liquid**  
**Xttrium Laboratories, Inc.**

-----  
**Walgreens 4% CHG**

**Active Ingredient**

Chlorhexidine gluconate 4% Solution

**Purpose**

Antiseptic

**Uses**

- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **skin wound and general skin cleansing**

**Warnings**

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

**When using this product**

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums..
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when

advised by a health care provider

### **Stop use and ask a doctor if**

irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

### **Healthcare personnel handwash:**

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for about 15 seconds
- rinse and dry thoroughly

### **Skin wound and normal skin cleansing:**

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

### **Other information**

- store at 20-25° C (68-77°F)
- avoid excessive heat above 40°C (104°F)

### **Inactive ingredients**

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol.

### **Questions?**

**1-800-587-3721**

**Laundering/Cleaning Instructions:** Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine-releasing products. Rinse completely and use only non-chlorine detergents.

**WARNING:** This product contains a chemical (cocamide DEA) known to the State of California to cause cancer.

‡Walgreens Pharmacist Survey Study, November 2014

‡‡This product is not manufactured or distributed by Mölnlycke Healthcare, owner of the

registered trademark Hibiclens®.

Distributed by: Walgreen Co.

200 Wilmot RD., Deerfield, IL 60015

**100% Satisfaction Guaranteed**

walgreens.com

©2015 Walgreen Co. **Made in USA**

## Package label and principal display panel

Walgreens

Compare to the Hibiclens® active ingredient

NDC 0363-1061-08

Dye-Free

Antiseptic Skin Cleanser

CHLORHEXIDINE GLUCONATE 4% SOLUTION / ANTISEPTIC / ANTIMICROBIAL SKIN CLEANSER

DYE FREE

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING

8 FL OZ (237 mL)

**Walgreens**  
Compare to the active ingredient in Hibiclens®

**Dye-Free**

**Antiseptic Skin Cleanser**

CHLORHEXIDINE GLUCONATE 4% SOLUTION / ANTISEPTIC / ANTIMICROBIAL SKIN CLEANSER

8 FL OZ (237 mL)

**TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING**

**Drug Facts**

**Active ingredient** Purpose  
Chlorhexidine gluconate 4% solution ..... Antiseptic

**Uses**  
■ **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease  
■ **skin wound and general skin cleansing**

**Warnings**  
For external use only

**Allergy alert:**  
This product may cause a severe allergic reaction. Symptoms may include:  
■ wheezing/difficulty breathing  
■ shock ■ facial swelling  
■ hives ■ rash  
If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**  
■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product  
■ in contact with meninges  
■ in the genital area

**Drug Facts (continued)**

**When using this product**  
■ keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.  
■ if solution should contact these areas, rinse out promptly and thoroughly with water  
■ wounds which involve more than the superficial layers of the skin should not be routinely treated  
■ repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

**Stop use and ask a doctor if** irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

**Drug Facts (continued)**

**Healthcare personnel handwash:**  
■ wet hands with water  
■ dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds  
■ rinse and dry thoroughly

**Skin wound and general skin cleaning:**  
■ thoroughly rinse the area to be cleaned with water  
■ apply the minimum amount of product necessary to cover the skin or wound area and wash gently  
■ rinse again thoroughly

**Other information**  
■ store at 20-25°C (68-77°F)  
■ avoid excessive heat above 40°C (104°F)

**Inactive ingredients** cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

**Questions?** 1-800-587-3721

DISTRIBUTED BY: WALGREEN CO., DEERFIELD, IL 60015, W30RG1223-F REV-0124 NDC 0363-1061-08

Laundry/Cleaning Instructions: Chlorhexidine gluconate 4% solution is used with chlorine releasing products, such as chlorine bleach. This product is not manufactured or distributed by Melnyk Healthcare, owner of the registered trademark "Hibiclens". Not for sale in California. walgreens.com 4W308TLLBLH

ITEM 454559 W10071-0224-F  
1191712239 7  
3

NDC 0363-1061-18

Walgreens

Compare to Hibiclens® active ingredient


Dye-Free Antiseptic Skin Cleanser

CHLORHEXIDINE GLUCONATE 4% SOLUTION / ANTISEPTIC / ANTIMICROBIAL SKIN

## CLEANSER

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING

18 FL OZ (532 mL)



Compare to the active ingredient in Hibiclens<sup>®</sup>

**Dye-Free**

# Antiseptic Foaming Skin Cleanser

CHLORHEXIDINE GLUCONATE 4% SOLUTION  
ANTISEPTIC / ANTIMICROBIAL SKIN CLEANSER

18 FL OZ (532 mL)

Drug Facts	
<b>Active ingredient</b> Chlorhexidine gluconate 4% solution.....Antiseptic	<b>Purpose</b> Antiseptic
<b>Uses</b> <ul style="list-style-type: none"><li>healthcare personnel handwash: helps reduce bacteria that potentially can cause disease</li><li>skin wound and general skin cleansing</li></ul>	
<b>Warnings</b> For external use only	
<b>Allergy alert:</b> This product may cause a severe allergic reaction. Symptoms may include: <ul style="list-style-type: none"><li>wheezing/difficulty breathing</li><li>shock</li><li>facial swelling</li><li>hives</li><li>rash</li></ul> If an allergic reaction occurs, stop use and seek medical help right away.	
<b>Do not use</b> <ul style="list-style-type: none"><li>if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product</li><li>in contact with the meninges</li><li>in the genital area</li></ul>	
<b>When using this product</b> <ul style="list-style-type: none"><li>keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.</li><li>if solution should contact these areas, rinse out promptly and thoroughly with water</li><li>wounds which involve more than the superficial layers of the skin should not be routinely treated</li><li>repeated general skin cleansing of large body areas should not be done except when advised by a healthcare provider</li></ul>	

Drug Facts (continued)	
<b>Stop use and ask a doctor if</b> irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> <ul style="list-style-type: none"><li>use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.</li></ul>	
<b>Healthcare personnel handwash:</b> <ul style="list-style-type: none"><li>wet hands with water</li><li>dispense 4 full pumps (about 5 mL) of product into cupped hands and wash in a vigorous manner for 15 seconds</li><li>rinse and dry thoroughly</li></ul>	

Drug Facts (continued)	
<b>Skin wound and general skin cleansing:</b> <ul style="list-style-type: none"><li>thoroughly rinse the area to be cleaned with water</li><li>apply the minimum amount of product necessary to cover the skin or wound area and wash gently</li><li>rinse again thoroughly</li></ul>	
<b>Other information</b> <ul style="list-style-type: none"><li>store at 20-25°C (68-77°F)</li><li>avoid excessive heat above 40°C (104°F)</li></ul>	
<b>Inactive ingredients</b> cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol	
<b>Questions?</b> 1-800-587-3721	

**Laundering/Cleaning Instructions:** Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach.

**Not for sale in California.**

"Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands."

"This product is not manufactured or distributed by Mönlycke Healthcare, owner of the registered trademark Hibiclens<sup>®</sup>."

DISTRIBUTED BY: WALGREEN CO., DEERFIELD, IL 60015, 100% SATISFACTION GUARANTEED  
walgreens.com  
©2023 Walgreen Co. MADE IN U.S.A.

ITEM 260787 W10071-0224-F  
3 11917 22151 5

NDC 0363-1061-16

Walgreens


Compare to Hibiclens<sup>®</sup> active ingredient

Dye-Free Antiseptic Skin Cleanser

CHLORHEXIDINE GLUCONATE 4% SOLUTION / ANTISEPTIC / ANTIMICROBIAL SKIN CLEANSER

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING

16 FL OZ (473 mL)



Compare to the active ingredient in Hibiclens<sup>®</sup>

**Dye-Free**

# Antiseptic Skin Cleanser

CHLORHEXIDINE GLUCONATE  
4% SOLUTION / ANTISEPTIC /  
ANTIMICROBIAL SKIN CLEANSER

16 FL OZ (473 mL)

**TAMPER EVIDENT: DO NOT USE IF  
SAFETY SEAL IS BROKEN OR MISSING**

Drug Facts	
<b>Active ingredient</b> Chlorhexidine gluconate 4% solution .....	<b>Purpose</b> Antiseptic
<b>Uses</b> <ul style="list-style-type: none"><li>healthcare personnel handwash: helps reduce bacteria that potentially can cause disease</li><li>skin wound and general skin cleansing</li></ul>	
<b>Warnings</b> For external use only	
<b>Allergy alert:</b> This product may cause a severe allergic reaction. Symptoms may include: <ul style="list-style-type: none"><li>wheezing/difficulty breathing</li><li>shock</li><li>facial swelling</li><li>hives</li><li>rash</li></ul> If an allergic reaction occurs, stop use and seek medical help right away.	
<b>Do not use</b> <ul style="list-style-type: none"><li>if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product</li><li>in contact with meninges</li><li>in the genital area</li></ul>	

Drug Facts (continued)	
<b>When using this product</b> <ul style="list-style-type: none"><li>keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.</li><li>if solution should contact these areas, rinse out promptly and thoroughly with water</li><li>wounds which involve more than the superficial layers of the skin should not be routinely treated</li><li>repeated general skin cleansing of large body areas should not be done except when advised by a health care provider</li></ul>	
<b>Stop use and ask a doctor if</b> irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> <ul style="list-style-type: none"><li>use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.</li></ul>	

Drug Facts (continued)	
<b>Healthcare personnel handwash:</b> <ul style="list-style-type: none"><li>wet hands with water</li><li>dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds</li><li>rinse and dry thoroughly</li></ul>	
<b>Skin wound and general skin cleansing:</b> <ul style="list-style-type: none"><li>thoroughly rinse the area to be cleaned with water</li><li>apply the minimum amount of product necessary to cover the skin or wound area and wash gently</li><li>rinse again thoroughly</li></ul>	
<b>Other information</b> <ul style="list-style-type: none"><li>store at 20-25°C (68-77°F)</li><li>avoid excessive heat above 40°C (104°F)</li></ul>	
<b>Inactive ingredients</b> cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol	
<b>Questions?</b> 1-800-587-3721	

**Laundering/Cleaning Instructions:** Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach.

**Not for sale in California.**

"Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands."

"This product is not manufactured or distributed by Mönlycke Healthcare, owner of the registered trademark Hibiclens<sup>®</sup>."

DISTRIBUTED BY: WALGREEN CO., DEERFIELD, IL 60015, W30RG1223-F REV-0124 NDC 0363-1061-16

ITEM 932004 W10071-0224-F  
3 11917 18272 8

Carton

NDC 0363-1061-15

Walgreens, Co.

Chlorhexidine Gluconate 4% Solution

Antiseptic Skin Cleansing Kit

Xttrium Laboratories, Inc.,  
Mount Prospect, IL 60056  
4WAL15INNERCTNA  
0.5 FL OZ (15 mL)





Walgreens

NDC 33304-014-01

Compare to Hibiclens® active ingredient†

# Antiseptic Skin Cleanser Kit

CHLORHEXIDINE GLUCONATE  
4% SOLUTION / ANTISEPTIC /  
NON-STERILE SOLUTION  
ANTIMICROBIAL SKIN CLEANSER

DYE FREE

ALL-IN-ONE KIT

PRE-SURGICAL

- Patient pre-operative skin preparation
- Wound & general skin cleansing
- Single-Use


# 2

KITS

1 SPONGE & 1 (15 ML)  
LIQUID POUCH EACH

BEFORE USING THIS PRODUCT, CAREFULLY READ ALL WARNINGS AND  
FOLLOW THE DIRECTIONS IN THE DRUG FACTS AND PACKAGE INSERT

NET WT 0.17 LB (79.62 g)



**Lidstock**

NDC 0363-1061-15

**Walgreens, Co.**

Chlorhexidine Gluconate 4% Solution

Antiseptic Skin Cleansing Kit

Distributed by:

Xttrium Laboratories, Inc.,  
Mount Prospect, IL 60056  
4WAL15LIDSTOCKA  
0.5 FL OZ (15 mL)



## Packet

NDC 0363-1061-15

**Walgreens, Co.**



# Chlorhexidine Gluconate 4% Solution

## Antiseptic Skin Cleansing Convenience Kit

Distributed by:

Xttrium Laboratories, Inc.,

Mount Prospect, IL 60056

4WAL15PACKETA

0.5 FL OZ (15 mL)





## ANTISEPTIC SKIN CLEANSER

chlorhexidine gluconate 4% liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0116-0161
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	4 mg in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>LAURAMINE OXIDE</b> (UNII: 4F6FC4MI8W)	
<b>COCO DIETHANOLAMIDE</b> (UNII: 92005F972D)	
<b>PEG-75 LANOLIN</b> (UNII: 09179OX7TB)	
<b>HYDROXYETHYL CELLULOSE (2000 CPS AT 1%)</b> (UNII: S38J6RZ N16)	
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	

**WATER** (UNII: 059QF0KO0R)

**TRIDECYL ALCOHOL** (UNII: 8I9428H868)

**GLUCONOLACTONE** (UNII: WQ29KQ9POT)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0116-0161-08	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/01/2011	
2	NDC:0116-0161-16	473 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	05/01/2011	
3	NDC:0116-0161-15	15 mL in 1 KIT; Type 1: Convenience Kit of Co-Package	01/01/2017	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019125	05/01/2011	

**Labeler** - Xttrium Laboratories, Inc. (007470579)

Revised: 4/2025

Xttrium Laboratories, Inc.