

MAGNESIUM CITRATE- magnesium citrate liquid
Pinnacle RX LLC

MedRite 166.000/166AA rev 1-AB
Lemon Magnesium Citrate

Tamper Evident Statement

Do not use if tamper evident twist-off cap is missing, broken or separated from neckring.

Active ingredient (in each fl oz)

Magnesium citrate 1.745 g

Purpose

Saline laxative

Uses

- for relief of occasional constipation (irregularity).
- Generally produces bowel movement in ½ to 6 hours

Warnings

for this product.

Ask a doctor before use if you have

- kidney disease
- a magnesium restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are

- taking any other drug.
- Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Storage

Store at temperatures between 46° and 86° F (8° and 30° C).

Directions

- shake well before using
- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz maximum 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours

children 2 to under 6 years of age - 2 to 3 fl oz maximum 3 fl oz in 24 hours

children under 2 years of age - ask a doctor

Other information

- each fl oz contains: magnesium 290 mg
- each fl oz contains: sodium 1 mg

Inactive ingredients

benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

Claims

Non-USP: Non-Carbonated, Non-Pasteurized; Contains Preservatives

Adverse Reaction

Distributed By: Pinnacle Rx LLC

368 New Hempstead Rd Suite 6-65

New City, NY 10956

Principal Display Panel

MedRite

Magnesium Citrate

Saline Laxative

Low Sodium

Lemon Flavor

MADE IN THE USA WITH US AND FOREIGN COMPONENTS

10 FL OZ (296 mL)

MedRite
Magnesium Citrate
Saline Laxative

Low Sodium
Lemon Flavor

MADE IN THE USA
WITH US AND FOREIGN COMPONENTS

10 FL OZ
(296 mL)

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING

Drug Facts	Drug Facts (continued)
Active Ingredient (in each fl oz): Purpose Magnesium citrate 1.745g Saline laxative	or contact a Poison Control Center right away. Store at temperatures between 40° and 80°F (4° and 30°C)
Uses: ■ for relief of occasional constipation if regularity. ■ Generally produces bowel movement in 5 to 6 hours	Directions: ■ shake well before using ■ drink a full glass of water with each dose ■ may be taken as a single daily dose or in divided doses
Warnings: Ask a doctor before use if you have: ■ kidney disease ■ a magnesium metabolic disorder ■ abdominal pain, nausea, or vomiting ■ notice a sudden change in bowel habits that persists over a period of 2 weeks ■ already use a laxative for a period longer than 1 week Ask a doctor or pharmacist before use if you are taking any other drug. ■ Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work. Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help	Directions: ■ shake well before using ■ drink a full glass of water with each dose ■ may be taken as a single daily dose or in divided doses adults and children 12 years of age and over 4.5 to 10 fl oz maximum 10 fl oz in 24 hours children 6 to under 12 years of age 2 to 7 fl oz maximum 7 fl oz in 24 hours children 2 to under 6 years of age 2 to 3 fl oz maximum 3 fl oz in 24 hours children under 2 years of age ask a doctor
Other information: ■ each fl oz contains magnesium 290 mg ■ each fl oz contains sodium 1 mg	Other information: ■ each fl oz contains magnesium 290 mg ■ each fl oz contains sodium 1 mg
Inactive ingredients: benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water	Inactive ingredients: benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

Non-USP Non-Carbonated, Non-Parfumeurized. Contains Preservatives

Distributed By: Pinncode Rx LLC
368 New Hempstead Rd - Suite 6-65
NEW CITY, NY, 10956
L0022438SA

MAGNESIUM CITRATE

magnesium citrate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87438-0002
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

Inactive Ingredients

Ingredient Name	Strength
SUCRALOSE (UNII: 96K6UQ3ZD4)	
WATER (UNII: 059QF0KO0R)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	

CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)

EDETATE DISODIUM (UNII: 7FLD91C86K)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87438-0002-0	296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/13/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	02/13/2026	

Labeler - Pinnacle RX LLC (136361430)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(87438-0002)

Revised: 2/2026

Pinnacle RX LLC