SODIUM FLUORIDE- sodium fluoride solution Target Corp.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Whitening Anticavity Mouth Rinse

Active Ingredient

Sodium fluoride 0.02% (0.01% w/v fluoride ion)

Purpose

Anticavity

Use

Aids in the prevention of dental cavities

Warnings

Keep out of reach of children.

If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 6 years of age and older:

- use twice a day after brushing your teeth with a toothpaste
- vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

children under 6 years of age: consult a dentist or doctor

Inactive ingredients

water, alcohol (8%), hydrogen peroxide, poloxamer 407, sodium saccharin, sucralose, menthol, phosphoric acid, disodium phosphate, flavor

Other information

store at room temperature (59°-77°F)

Disclaimer

This product is not manufactured or distributed by Johnson & Johnson Healthcare Products, distributor of Listerine HealthyWhite Anticavity Mouthrinse

Principal Display Panel

SAFETY SEALED WITH PRINTED NECKBAND FOR YOUR PROTECTION

IMPORTANT: read directions for proper use

- Whitening
- Anticavity mouth rinse
- Begins working on contact
- 5 days to whiter teeth
- Helps strengthen teeth
- Kills germs that cause bad breath
- Fresh mint flavor
- 32 fl oz (946 mL)

SAFETY SEALED WITH PRINTED NECKBAND FOR YOUR PROTECTION IMPORTANT: read directions for proper use.

whitening anticavity mouth rinse

Begins working on contact 5 days to whiter teeth Helps strengthen teeth Kills germs that cause bad breath



SODIUM FLUORIDE

sodium fluoride solution

| Product Inform | nation | | | | | | | |
|--|-----------------------------|-------------------------------|------------------------|---------------------|------------|----------------------------|--|--|
| Product T ype | | HUMAN OTC DRUG | Item Code (Source) NDC | | NDC:1 | C:11673-435 | | |
| Route of Adminis | | | | | | | | |
| Activo Ingradi | nt/Activo Moi | - t x z | | | | | | |
| Active Ingredient/Active Moiety | | | | | | | | |
| Ingredient NameBasis of StrengtSODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)FLUORIDE ION | | | | | | Strength 0.2 mg in 1 mL | | |
| | l* | | | | | | | |
| Inactive Ingredients | | | | | | | | |
| Ingredient Name WATER (UNII: 059QF0K00R) | | | | | | | | |
| ALCOHOL (UNII: 3K9958V90M) | | | | | | | | |
| HYDRO GEN PERO XIDE (UNII: BBX060AN9V) | | | | | | | | |
| POLOXAMER 407 (UNII: TUF2IVW3M2) | | | | | | | | |
| SACCHARIN SO DIUM (UNII: SB8ZUX40TY) | | | | | | | | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | | | | | | | | |
| MENTHOL (UNII: L7T10EIP3A) | | | | | | | | |
| PHOSPHORIC ACI | | | | | | | | |
| SO DIUM PHO SPHA | ATE, DIBASIC ANH | YDROUS (UNII: 22ADO53M61 | F) | | | | | |
| | | | | | | | | |
| Packaging | | | | | | | | |
| # Item Code | Package Description | | Marketing Sta Date | - | | | | |
| NDC:11673-435- 45 | 946 mL in 1 BOTT Product | LE, PLASTIC; Type 0: Not a Co | o mbinatio n | 06/28/2015 | | | | |
| | | | | | | | | |
| Marketing I | nformation | | | | | | | |
| • | | on Number or Monograph (| litation Ma | rketing Start Date | e Mark | eting End Dat | | |
| Marketing Categ | ory Application | in Number of Monograph C | Jitution Mit | and any other to at | c ivitatin | cong Lna Dat | | |

Labeler - Target Corp. (006961700)

| Establishment | | | | | | | | |
|---------------|---------|-----------|---|--|--|--|--|--|
| Name | Address | ID/FEI | Business Operations | | | | | |
| Vi-Jon, Inc. | | 790752542 | manufacture(11673-435), analysis(11673-435) | | | | | |