

COUGH DROPS CHERRY WITH SUGAR- menthol tablet
COUGH DROPS MENTHOL SUGAR FREE- menthol tablet
COUGH DROPS HONEY LEMON WITH SUGAR- menthol tablet
Lidl US LLC

Cough Drops
Honey Lemon















JOB NAME: BEUTEL USA COUGH DROPS HONEY-LEMON

DATE: 23/01/2016

REEL: 430 mm

CUTOFF: 140 mm

 1	 2	 3	 4	 5
CYAN	MAGENTA	YELLOW	BLACK	WHITE
 6				
P.7816				



Tray content:

4 Menthol bags

4 Cherry bags

4 Honey Lemon bags

**Cough Drops
Honey Lemon**

Drug Facts

Active ingredient (in each lozenge)

Menthol 7.5 mg.....

**Cough Drops
Honey Lemon**

Purpose

Cough Suppressant/ Oral Anesthetic

Purpose
...Cough Suppressant / Oral Anesthetic

Cough drops

Honey Lemon

Uses temporarily relieves:

- cough as may occur with a cold or inhaled irritants
- occasional minor irritation and sore throat

Cough drops Honey Lemon

Warnings

Sore throat warning: If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These symptoms may be serious.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough accompanied by excessive phlegm (mucus)

Stop use and ask a doctor if

- cough lasts for more than one week, tends to recur, or is accompanied by fever, rash or persistent headache
- sore mouth does not improve in 7 days
- irritation, pain or redness persist or worsen

Cough Drops Honey Lemon

Keep out of reach of children.

Cough Drops Honey lemon

Directions


adults and children over 5 years old	allow lozenge to dissolve slowly in the mouth. May be repeated every two hours as needed or as directed by a doctor.
children under 5 years old	ask a doctor

Cough Drops Honey lemon

Inactive ingredients beta-carotene, citric acid, concentrated lemon juice, eucalyptus oil, glucose syrup, honey, lactic acid, natural flavors, sucralose, sucrose. may contain milk

Cough Drops Menthol





JOB NAME: BEUTEL USA COUGH DROPS MENTOL_FRESH
DATE: 23/01/2016
REEL: 430 mm
CUTOFF: 140 mm





Cough Drops Menthol

Drug Facts

Active ingredient (in each lozenge)

Menthol 5.8 mg.....

Cough drops

Menthol

Purpose ...Cough Suppressant / Oral Anesthetic
--

Cough drops

Menthol

Uses temporarily relieves: <ul style="list-style-type: none">■ cough as may occur with a cold or inhaled irritants■ occasional minor irritation and sore throat

Cough drops

Menthol

Warnings

Sore throat warning: If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These symptoms may be serious.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough accompanied by excessive phlegm (mucus)

Stop use and ask a doctor if

- cough lasts for more than one week, tends to recur, or is accompanied by fever, rash or persistent headache
- sore mouth does not improve in 7 days
- irritation, pain or redness persist or worsen

Cough drops Menthol

Keep out of reach of children.

Cough Drops Menthol

Directions

adults and children over 5 years old	allow lozenge to dissolve slowly in the mouth. May be repeated every two hours as needed or as directed by a doctor.
children under 5 years old	ask a doctor

**Cough Drops
Menthol**

Inactive ingredients citric acid, eucalyptus oil, isomalt, lactic acid, sodium lactate, steviol glycoside, may contain milk

**Cough Drops
Cherry**

1 2 3 4 5
CYAN MAGENTA YELLOW BLACK WHITE
6 7
BLACK MAGENTA

JOB NAME: BUTTEL USA COUGH DROPS CHERRY
 DATE: 23/01/2016
 REEL: 430 mm
 CUTOFF: 140 mm

430mm

215mm

140mm

Zip-Verpackung

30mm

10mm

SOOTHS sore throat pain

Drug Facts

Active Ingredient (in each dosage)	Purpose
Herbal USA, Inc.	Cough Suppressor / Analgesic
Most Important Information:	
<ul style="list-style-type: none"> Use cough as long as you need it with a cold or influenza infection Use occasional relief for throat and sore throat 	
Warnings:	
<ul style="list-style-type: none"> Do not drink alcohol while you have this medicine. It may make you dizzy or drowsy. Do not use if you are pregnant or breastfeeding. Do not use if you are taking other cough suppressants. Do not use if you are taking other pain relievers. Do not use if you are taking other sedatives. Do not use if you are taking other medicines that may interact with this medicine. 	
Directions:	
<ul style="list-style-type: none"> Adults and children over 12 years old: 1 lozenge every 4 hours as needed. Children 6 to 12 years old: 1/2 lozenge every 4 hours as needed. Children under 6 years old: Ask a doctor. 	<ul style="list-style-type: none"> Use as directed. Do not use if you are pregnant or breastfeeding. Do not use if you are taking other cough suppressants. Do not use if you are taking other pain relievers. Do not use if you are taking other sedatives. Do not use if you are taking other medicines that may interact with this medicine.
Other information:	
<ul style="list-style-type: none"> Contains 32 lozenges. Keep out of reach of children. Keep away from heat and moisture. Keep away from children. Keep away from pets. Keep away from fire. Keep away from children. Keep away from pets. Keep away from fire. Keep away from children. Keep away from pets. Keep away from fire. 	
Questions or comments? 1-844-344-3071	

DISTRIBUTED BY
 L&L USA, LLC
 3000 S. Clark Street
 Arlington, VA 22202
 QUESTION? 1-844-344-3071
 www.l&l.com
 PRODUCT OF GERMANY
 STORE IN A COOL, DRY PLACE.

Exclusively at

I really liked it
 I love it!

Follow us on

2087-1451

NET WT 1.00 OZ (28.35 g)

770-08-400





Cough Drops Cherry

Drug Facts

Active ingredient (in each lozenge)

Menthol 5.8 mg.....

**OTC-Purpose
Cough Drops Cherry**

Purpose
...Cough Suppressant / Oral Anesthetic

Cough Drops Cherry

Uses temporarily relieves:

- cough as may occur with a cold or inhaled irritants
- occasional minor irritation and sore throat

Cough Drops Cherry

Warnings

Sore throat warning: If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These symptoms may be serious.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough accompanied by excessive phlegm (mucus)

Stop use and ask a doctor if

- cough lasts for more than one week, tends to recur, or is accompanied by fever, rash or persistent headache
- sore mouth does not improve in 7 days
- irritation, pain or redness persist or worsen

Cough Drops Cherry

Keep out of reach of children.

Cough Drops Cherry

Directions

adults and children over 5 years old	allow lozenge to dissolve slowly in the mouth. May be repeated every two hours as needed or as directed by a doctor.
children under 5 years old	ask a doctor

**Cough Drops
Cherry**

Inactive ingredients carmine, citric acid, eucalyptus oil, glucose syrup, lactic acid, natural flavor, sucralose, sucrose.
may contain milk

COUGH DROPS CHERRY WITH SUGAR

menthol tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71141-111
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	5.8 mg in 5.8 mg

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
CALCIUM CHLORIDE (UNII: M4I0D6VV5M)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
1,2-PROPANEDIOL, 1-BENZOATE (UNII: K4K90ZQ89N)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
SUCROSE (UNII: C151H8M554)	
CORN SYRUP (UNII: 9G5L16BK6N)	
WATER (UNII: 059QF0KO0R)	
TRIACETIN (UNII: XHX3C3X673)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
COCHINEAL (UNII: TZ8Z31B35M)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
ACETIC ACID (UNII: Q40Q9N063P)	
GELATIN (UNII: 2G86QN327L)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	

Product Characteristics

Color	red (red, slighty blue-red)	Score	no score
Shape	OVAL	Size	20mm
Flavor	CHERRY (fresh, as Cherry and Menthol, slightly hot)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71141-111-32	96000 mg in 1 BAG; Type 0: Not a Combination Product	05/01/2017	



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/01/2017	

COUGH DROPS MENTHOL SUGAR FREE

menthol tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71141-112
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	5.8 mg in 5.8 mg

Inactive Ingredients

Ingredient Name	Strength
EUCALYPTUS OIL (UNII: 2R04ONI662)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
ISOMALT (UNII: S870P55O2W)	
SODIUM LACTATE (UNII: TU7HW0W0QT)	
WATER (UNII: 059QF0KO0R)	

STEVIA REBAUDIUNA LEAF (UNII: 6TC6NN0876)

CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)

ALCOHOL (UNII: 3K9958V90M)

Product Characteristics

Color	white (Almost clear)	Score	no score
Shape	OVAL	Size	20mm
Flavor	MENTHOL (fresh, as eucalyptus and menthol, slightly hot)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71141-112-32	96000 mg in 1 BAG; Type 0: Not a Combination Product	05/01/2017	



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/01/2017	

COUGH DROPS HONEY LEMON WITH SUGAR

menthol tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71141-110
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	7.5 mg in 7.5 mg

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
CORN SYRUP (UNII: 9G5L16BK6N)	
WATER (UNII: 059QF0KO0R)	
TRIACETIN (UNII: XHX3C3X673)	
.BETA.-CAROTENE (UNII: 01YAE03M7J)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
LEMON JUICE (UNII: AGN709ANTJ)	
HONEY (UNII: Y9H1V576FH)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
ALCOHOL (UNII: 3K9958V90M)	
1,2-PROPANEDIOL, 1-BENZOATE (UNII: K4K90ZQ89N)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
.ALPHA.-TOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
STARCH, CORN (UNII: O8232NY3SJ)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	

Product Characteristics

Color	yellow (pale yellow, slightly brown, milky)	Score	no score
Shape	OVAL	Size	20mm
Flavor	HONEY (fresh, as honey, slightly citric, slight hot)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71141-110-32	96000 mg in 1 BAG; Type 0: Not a Combination Product	05/01/2017	



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/01/2017	

Labeler - Lidl US LLC (079389709)

Registrant - Sweet Tec GmbH (344924076)

Revised: 12/2023

Lidl US LLC