

GENTAMICIN SULFATE- gentamicin sulfate solution/ drops
NuCare Pharmaceuticals, Inc.

Gentamicin Sulfate Ophthalmic Solution USP, 0.3%

Sterile

Rx only

DESCRIPTION

Gentamicin sulfate is a water-soluble antibiotic of the aminoglycoside group.

Gentamicin Sulfate Ophthalmic Solution is a sterile, aqueous solution for ophthalmic use.


Each mL contains:

Active: Gentamicin Sulfate USP (equivalent to 3 mg gentamicin base)

Preservative: Benzalkonium Chloride

Inactives: Disodium Phosphate, Monosodium Phosphate, and Sodium Chloride. The pH range is from 6.8 to 7.3.

Gentamicin is obtained from cultures of *Micromonospora purpurea*. It is a mixture of the sulfate salts of gentamicin C₁, C₂, and C_{1A}. All three components appear to have similar antimicrobial activities. Gentamicin sulfate occurs as a white powder and is soluble in water and insoluble in alcohol. The structural formula is as follows:



CLINICAL PHARMACOLOGY

Microbiology

Gentamicin sulfate is active *in vitro* against many strains of the following microorganisms:

- *Staphylococcus aureus*, *Staphylococcus epidermidis*, *Streptococcus pyogenes*, *Streptococcus pneumoniae*, *Enterobacter aerogenes*, *Escherichia coli*, *Haemophilus influenzae*, *Klebsiella pneumoniae*, *Neisseria gonorrhoeae*, *Pseudomonas aeruginosa*, and *Serratia marcescens*.

INDICATIONS AND USAGE

Gentamicin Sulfate Sterile Ophthalmic Solution is indicated in the topical treatment of ocular bacterial infections, including conjunctivitis, keratitis, keratoconjunctivitis, corneal ulcers, blepharitis, blepharoconjunctivitis, acute meibomianitis, and dacryocystitis caused by susceptible strains of the following microorganisms:

- *Staphylococcus aureus*, *Staphylococcus epidermidis*, *Streptococcus pyogenes*, *Streptococcus pneumoniae*, *Enterobacter aerogenes*, *Escherichia coli*, *Haemophilus influenzae*, *Klebsiella pneumoniae*, *Neisseria gonorrhoeae*, *Pseudomonas aeruginosa*, and *Serratia marcescens*.

CONTRAINDICATIONS

Gentamicin Sulfate Sterile Ophthalmic Solution is contraindicated in patients with known hypersensitivity to any of the components.

WARNINGS

NOT FOR INJECTION INTO THE EYE. Gentamicin Sulfate Ophthalmic Solution is not for injection. It should never be injected subconjunctivally, nor should it be directly introduced into the anterior chamber of the eye.

PRECAUTIONS

General

Prolonged use of topical antibiotics may give rise to overgrowth of nonsusceptible organisms including fungi. Bacterial resistance to gentamicin may also develop. If purulent discharge, inflammation or pain becomes aggravated, the patient should discontinue use of the medication and consult a physician.

If irritation or hypersensitivity to any component of the drug develops, the patient should discontinue use of this preparation and appropriate therapy should be instituted.

Information for patients

To avoid contamination, do not touch tip of container to the eye, eyelid or any surface.

Carcinogenesis, Mutagenesis, Impairment of Fertility

There are no published carcinogenicity or impairment of fertility studies on gentamicin. Aminoglycoside antibiotics have been found to be non mutagenic.

Pregnancy

Pregnancy Category C

Gentamicin has been shown to depress body weights, kidney weights and median glomerular counts in newborn rats when administered systemically to pregnant rats in daily doses approximately 500 times the maximum recommended ophthalmic human dose. There are no adequate and well-controlled studies in pregnant women. Gentamicin should be used during pregnancy only if the potential benefit justifies the potential risk to the fetus.

Pediatric Use

Safety and effectiveness in neonates have not been established.

ADVERSE REACTIONS

Bacterial and fungal corneal ulcers have developed during treatment with gentamicin ophthalmic preparations.

The most frequently reported adverse reactions are ocular burning and irritation upon drug instillation, non-specific conjunctivitis, conjunctival epithelial defects and conjunctival hyperemia.

Other adverse reactions which have occurred rarely are allergic reactions, thrombocytopenic purpura and hallucinations.

DOSAGE AND ADMINISTRATION

Gentamicin Sulfate sterile ophthalmic solution; Instill one or two drops into the affected eye(s) every four hours. In severe infections, dosage may be increased to as much as two drops once every hour.

HOW SUPPLIED

Gentamicin Sulfate ophthalmic solution - Sterile, 5-mL plastic dropper bottle, box of one. (NDC 66267-971-05)

STORAGE: Store at 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature].

Avoid exposure to excessive heat.

Akorn

Manufactured by: **Akorn, Inc.**
Lake Forest, IL 60045

GK00N

Rev. 11/11

 NuCare Pharmaceuticals, Inc.

Manufactured by:
Akorn, Inc., Lake Forest, IL 60048
R0270005
Packaged by:
NuCare Pharmaceuticals, Inc.
Orange, CA 92867
Call your doctor for medical advice about side effects
You may report side effects to FDA at 1-800-FDA-1088.
Patient Instructions:
Place drop(s)
into the affected
eye(s) every
hours.
66267097106*8*000000*000000

NDC 66267-971-05
Lot #: 000000 Exp. Date: 00-00
Gentamicin Sulfate 0.3%
5mL Ophth. Soln.
See manufacturer's label
for full list of ingredients
Product #: R0270005
Rx Only

Gentamicin Sulfate 0.3%
5mL Ophth. Soln. Exp Date: 00-00
NDC 66267-0971-05 AWP: \$18.95
Mfg NDC 17478-283-10
Lot #: 000000 Rx # 22445877
Gentamicin Sulfate 0.3%
5mL Ophth. Soln. Exp Date: 00-00
NDC 66267-0971-05 AWP: \$18.95
Mfg NDC 17478-283-10
Lot #: 000000 Rx # 22445877
Gentamicin Sulfate 0.3%
5mL Ophth. Soln. Exp Date: 00-00
NDC 66267-0971-05 AWP: \$18.95
Mfg NDC 17478-283-10
Lot #: 000000 Rx # 22445877
Rx # 22445877

Rev. 01/10
WARNING: KEEP OUT OF REACH OF CHILDREN. STORE AT CONTROLLED TEMPERATURE 68-77 °F.

GENTAMICIN SULFATE

gentamicin sulfate solution/ drops

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:66267-971(NDC:17478-283)
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GENTAMICIN SULFATE (UNII: 8X7386QLV) (GENTAMICIN - UNII:T6Z9V48IKG)	GENTAMICIN	3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM PHOSPHATE, MONOBASIC (UNII: 3980JH2SW)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66267-971-05	1 in 1 CARTON	03/16/2017	
1		5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA064163	12/13/2006	

Labeler - NuCare Pharmaceuticals, Inc. (010632300)

Establishment

Name	Address	ID/FEI	Business Operations
NuCare Pharmaceuticals, Inc.		010632300	relabel(66267-971)

Revised: 8/2024

NuCare Pharmaceuticals, Inc.