

**CHILDRENS ACETAMINOPHEN- childrens acetaminophen suspension**  
**Kesin Pharma Corporation**

-----

**CHILDREN'S Acetaminophen Oral Suspension, USP**

***DRUG FACTS***

***Active ingredient (in each 5 mL)***

**Acetaminophen** 160 mg

***PURPOSE***

Pain Reliever/Fever Reducer

***USES***

Temporarily reduces fever

Temporarily relieves minor aches and pains due to:

- the common cold
- flu
- headaches
- sore throat
- toothaches

***WARNINGS***

**Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes:**

- more than 5 doses in 24 hours, which is the maximum daily amount
- **with other drugs containing acetaminophen**

**Allergy alert: Acetaminophen may cause severe skin reactions.**

**Symptoms may include:**

- **skin reddening**
- **blisters**
- **rash**

**If a skin reaction occurs, stop use and seek medical help right away**

**Sore throat warning: If sore throat is severe, persistent for more than 2 days, is accompanied**

**or followed by fever, headache, nausea, rash, or vomiting, consult a doctor promptly.**

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if the your child has** liver disease

**Ask a doctor or pharmacist before use if your child** is taking the blood thinning drug warfarin.

**When using this product, do not exceed the recommended dose (see overdose warning)**

**Stop use and ask a doctor if**

- symptoms do not improve
- new symptoms occur
- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### ***DIRECTIONS***

- **this product does not contain directions or complete warnings for adult use**
- **do not take more than directed (see overdose warning)**
- **shake well before using**
- mL = milliliter
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

<b>Weight (lb)</b>	<b>Age (yr)</b>	<b>Dose (mL)</b>
Under 24	Under 2 years	Ask a doctor
24 to 35	2 to 3 years	5 mL
36 to 47	4 to 5 years	7.5 mL
48 to 59	6 to 8 years	10 mL
60 to 71	9 to 10 years	12.5 mL
72 to 95	11 years	15 mL

\* or as directed by a doctor

**Other information**

- **each 5 mL contains:** sodium: < 5 mg
- store at 20°C to 25°C (68°F to 77°F) [See USP Controlled Room Temperature]
- protect from freezing
- a white to off-white, cherry flavored suspension supplied in the following oral dosage forms

NDC 81033-026-05: 5 mL unit-dose cup

NDC 81033-026-38: Carton containing 30 unit-dose cups of 5 mL each.

NDC 81033-026-01: Case containing 100 unit-dose cups of 5 mL each.

NDC 81033-026-10: 10.15 mL unit-dose cup

NDC 81033-026-39: Carton containing 30 unit-dose cups of 10.15 mL each.

NDC 81033-026-02: Case containing 100 unit-dose cups of 10.15 mL each.

NDC 81033-026-20: 20.13 mL unit-dose cup

NDC 81033-026-40: Carton containing 30 unit-dose cups of 20.13 mL each.

**Inactive ingredients**

carboxymethylcellulose sodium, cherry flavor, citric acid, glycerin, microcrystalline cellulose, potassium sorbate, purified water, sorbitol, sucralose, sucrose, and xanthan gum.

**Questions or comments?**

Call 1-833-537-4679

Distributed by:

**Kesin Pharma**

Oldsmar, FL 34677

PIS-026-V01

Rev. 02/2026



NDC 81033-026-38

**CHILDREN'S Acetaminophen Oral Suspension, USP**

**160 mg per 5 mL**

30 x 5 mL Unit Dose Cups

NDC: 81033-026-38

**CHILDREN'S Acetaminophen  
Oral Suspension, USP  
160 mg per 5 mL**

Delivers 5 mL

EXP: 00-FEB-0000      LOT: K0000000



(01)00381033026381(17)000200(10)K0000000

Packaged by and Distributed by  
Kesin Pharma Corporation - Oldsmar, FL

**FOR INSTITUTIONAL USE ONLY**

---

**CHILDREN'S Acetaminophen  
Oral Suspension, USP  
160 mg per 5 mL**

30 x 5 mL Unit Dose Cups

EXP: 00-FEB-0000      LOT: K0000000  
**Store at 68°F to 77°F (20°C to 25°C)**



See Insert  
Internal Use Only R.01



K0000000

NDC 81033-026-01

**CHILDREN'S Acetaminophen Oral Suspension, USP  
160 mg per 5 mL**

100 UD Cups (Do Not Break Case)

NDC: 81033-026-01

Product Name: **CHILDREN'S Acetaminophen Oral Suspension, USP**  
**160 mg per 5 mL**

Delivers: 5 mL Case = 100 UD Cups (Do Not Break Case)

Storage: 68°F to 77°F (20°C to 25°C)

EXP: 00-FEB-0000

LOT: K0000000

QTY: 1



(17) 000200 (10) K0000000 (30) 1



(01) 00381033026015



Packaged by and Distributed by:  
Kesin Pharma Corporation - Oldsmar, FL

Internal Use Only R.01



00000000000000

NDC 81033-026-39

**CHILDREN'S Acetaminophen Oral Suspension, USP**  
**320 mg per 10.15 mL**

30 x 10.15 mL Unit Dose Cups

NDC: 81033-026-39

**CHILDREN'S Acetaminophen  
Oral Suspension, USP  
320 mg per 10.15 mL**

Delivers 10.15 mL

EXP: 00-FEB-0000      LOT: K0000000



(01)00381033026398(11)700020(01)0K0000000

Packaged by and Distributed by  
Kesin Pharma Corporation - Oldsmar, FL

**FOR INSTITUTIONAL USE ONLY**

---

**CHILDREN'S Acetaminophen  
Oral Suspension, USP  
320 mg per 10.15 mL**

30 x 10.15 mL Unit Dose Cups

EXP: 00-FEB-0000      LOT: K0000000  
**Store at 68°F to 77°F (20°C to 25°C)**



See Insert  
Internal Use Only R.01



K0000000

NDC 81033-026-02

**CHILDREN'S Acetaminophen Oral Suspension, USP  
320 mg per 10.15 mL**

100 UD Cups (Do Not Break Case)

NDC: 81033-026-02

Product Name: **CHILDREN'S Acetaminophen Oral Suspension, USP**  
**320 mg per 10.15 mL**

Delivers: 10 mL Case = 100 UD Cups (Do Not Break Case)

Storage: 68°F to 77°F (20°C to 25°C)

EXP: 00-FEB-0000      LOT: K0000000      QTY: 1



(17) 000200 (10) K0000000 (30) 1



(01) 00381033026022



Packaged by and Distributed by:  
Kesin Pharma Corporation - Oldsmar, FL

Internal Use Only R.01



00000000000000

NDC 81033-026-40

**CHILDREN'S Acetaminophen Oral Suspension, USP**  
**640 mg per 20.13 mL**

30 x 20.13 mL Unit Dose Cups

NDC: 81033-026-40

**CHILDREN'S Acetaminophen  
Oral Suspension, USP  
640 mg per 20.13 mL**

Delivers 20.13 mL

EXP: 00-FEB-0000      LOT: K0000000



(01)00381033026404(11)700020(01)0K0000000

Packaged by and Distributed by  
Kesin Pharma Corporation - Oldsmar, FL

**FOR INSTITUTIONAL USE ONLY**

---

**CHILDREN'S Acetaminophen  
Oral Suspension, USP  
640 mg per 20.13 mL**

30 x 20.13 mL Unit Dose Cups

EXP: 00-FEB-0000      LOT: K0000000  
**Store at 68°F to 77°F (20°C to 25°C)**



See Insert  
Internal Use Only R.01



K0000000

**CHILDRENS ACETAMINOPHEN**

childrens acetaminophen suspension

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:81033-026
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
CARBOXYMETHYLCELLULOSE (UNII: 05JZI7B19X)	
WATER (UNII: 059QF0KO0R)	
CITRIC ACID (UNII: 2968PHW8QP)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
GLYCERIN (UNII: PDC6A3C0OX)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SUCROSE (UNII: C151H8M554)	
XANTHAN GUM (UNII: TTV12P4NEE)	

### Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81033-026-38	30 in 1 CARTON	02/27/2026	
1	NDC:81033-026-05	5 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
2	NDC:81033-026-01	100 in 1 CASE	02/27/2026	
2	NDC:81033-026-05	5 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
3	NDC:81033-026-39	30 in 1 CARTON	02/27/2026	
3	NDC:81033-026-10	10.15 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
4	NDC:81033-026-02	100 in 1 CASE	02/27/2026	
4	NDC:81033-026-10	10.15 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
5	NDC:81033-026-05	5 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product	02/27/2026	
6	NDC:81033-026-10	10.15 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product	02/27/2026	
7	NDC:81033-026-40	30 in 1 CARTON	02/27/2026	
7	NDC:81033-026-20	20.13 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
8	NDC:81033-	20.13 mL in 1 CUP, UNIT-DOSE; Type 0: Not a	02/27/2026	

026-20

Combination Product

02/27/2026

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	02/27/2026	

**Labeler** - Kesin Pharma Corporation (117447816)

## Establishment

Name	Address	ID/FEI	Business Operations
Kesin Pharma Corporation		117447816	label(81033-026) , pack(81033-026)

## Establishment

Name	Address	ID/FEI	Business Operations
Bellevue Biosciences LLC		131968803	manufacture(81033-026)

Revised: 2/2026

Kesin Pharma Corporation