

BACITRACIN ZINC- bacitracin zinc ointment
Sun Pharmaceutical Industries, Inc.

Bacitracin Zinc Ointment USP

Drug Facts

Active ingredient (each gram contains)

Bacitracin Zinc 500 units

Purpose

First aid antibiotic

Uses

first aid to help prevent infection in

- minor cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

Ask a doctor before use

- on deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if

- condition persists or gets worse
- a rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area and dry thoroughly
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily

- may be covered with a sterile bandage

Other information

- To open: unscrew cap, pull tab to remove foil seal
- Store at 20° - 25°C (68° - 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

mineral oil, white petrolatum

Questions?

Call **1-866-923-4914**

Distributed by:

Ohm Laboratories Inc.

New Brunswick, NJ 08901

Made in Canada

PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton

Bacitracin Zinc

Ointment USP

First Aid Antibiotic Ointment

NET WT 1 oz (28.4 g)

NDC 51672-2075-2

Bacitracin Zinc Ointment USP

First Aid Antibiotic Ointment



Helps Prevent Infection in Minor Cuts, Scrapes, and Burns.

LPK-7650-0
0914-0
M601

Bacitracin Zinc Ointment USP

First Aid Antibiotic Ointment

NET WT 1 oz (28.4 g)

Bacitracin Zinc Ointment USP
First Aid Antibiotic Ointment

T51



Distributed by:
Taro Pharmaceuticals U.S.A., Inc.
Hawthorne, NY 10532

TARO is a registered trademark of Taro Pharmaceuticals U.S.A., Inc.
Made in Canada



N 3 5 1672 20752 9

NO COPY ON THIS FLAP
FOR LOT # AND EXPIRY
DATE PRINT

Drug Facts
Active Ingredient (each gram contains) Bacitracin Zinc 500 units First aid antibiotic
Uses first aid to help prevent infection in • minor cuts • scrapes • burns
Warnings For external use only Do not use • in the eyes • over large areas of the body • if you are allergic to any of the ingredients longer than 1 week unless directed by a doctor
Ask a doctor before use • on deep or puncture wounds, animal bites, or serious burns Stop use and ask a doctor if • condition persists or gets worse • a rash or other allergic reaction develops
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away
Directions • clean the affected area and dry thoroughly • apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • may be covered with a sterile bandage
Other Information • To open: unscrew cap, pull tab to remove foil seal • Store at 20° - 25°C (68° - 77°F) • see carton or tube crimp for lot number and expiration date
Inactive Ingredients mineral oil, white petrolatum
Questions? Call 1-866-923-4914

First Aid Antibiotic Ointment

Bacitracin Zinc Ointment USP

14.2 g Carton



a SUN PHARMA company

NDC 51672-2075-1

Bacitracin Zinc Ointment USP

First Aid Antibiotic Ointment



Helps Prevent Infection in Minor Cuts, Scrapes, and Burns.

5259547
0625-01
488

Bacitracin Zinc Ointment USP

First Aid Antibiotic Ointment



NET WT 0.5 oz (14.2 g)

Bacitracin Zinc Ointment USP
First Aid Antibiotic Ointment

OHM and OHM Logo are trademarks of Ohm Laboratories, Inc. All other trademarks are the property of their respective owners.

Distributed by:
Ohm Laboratories Inc.
New Brunswick, NJ 08901
Made in Canada



T27
B51.3
ENG19.06

NO VARNISH/NO AQ
NO COPY/NO COLOR
THIS FLAP FOR LOT #
AND EXP DATE PRINT

Drug Facts
Active ingredient (each gram contains) Bacitracin Zinc 500 units. First aid antibiotic.
Uses first aid to help prevent infection in • minor cuts • scrapes • burns
Warnings For external use only Do not use • in the eyes • over large areas of the body • if you are allergic to any of the ingredients • longer than 1 week unless directed by a doctor Ask a doctor before use • on deep or puncture wounds, animal bites, or serious burns Stop use and ask a doctor if • condition persists or gets worse • a rash or other allergic reaction develops Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions • clean the affected area and dry thoroughly • apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • may be covered with a sterile bandage
Other information • To open: unscrew cap, pull tab to remove foil seal • Store at 20° - 25°C (68° - 77°F) • see carton or tube crimp for lot number and expiration date
Inactive ingredients mineral oil, white petrolatum
Questions? Call 1-866-923-4914

Bacitracin Zinc Ointment USP
First Aid Antibiotic Ointment

BACITRACIN ZINC

bacitracin zinc ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51672-2075
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51672-2075-1	1 in 1 CARTON	05/11/2006	
1		15 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:51672-2075-2	1 in 1 CARTON	05/11/2006	
2		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	05/11/2006	

Labeler - Sun Pharmaceutical Industries, Inc. (146974886)

Establishment

Name	Address	ID/FEI	Business Operations
Sun Pharma Canada Inc.		243339023	manufacture(51672-2075)