

LISTERINE TOTAL CARE INTENSE ANTICAVITY FLUORIDE MOUTHWASH- sodium fluoride mouthwash
Kenvue Brands LLC

Listerine Total Care Intense Anticavity Fluoride Mouthwash

Drug Facts

Active ingredient

Sodium Fluoride 0.02% (0.01% w/v Fluoride ion)

Purpose

Anticavity

Use

aids in the prevention of dental cavities

Warnings

Warnings

Keep out of reach of children . If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and older:
- Use twice daily after brushing your teeth with a toothpaste
- vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- supervise children as necessary until capable of using without supervision
- Children under 12 years of age: consult a dentist or doctor

Other information

- store at room temperature
- cold weather may cloud this product

Inactive ingredients

Water, Alcohol (21.6% v/v), Sorbitol, Poloxamer 407, Eucalyptol, Flavor, Methyl Salicylate, Menthol, Phosphoric Acid, Sodium Saccharin, Thymol, Disodium Phosphate, Sucralose, Red 33, Blue 1

Questions?

call toll-free **888-222-0182**; or **215-273-8755** (collect)

Distributed by:

Kenvue Brands LLC

Summit, NJ 07901

PRINCIPAL DISPLAY PANEL - 1 L Bottle Label

ANTICAVITY FLUORIDE MOUTHWASH

LISTERINE®

TOTAL CARE

POWERED BY ESSENTIAL OILS + FLUORIDE

6

IN ONE

FOR A HEALTHIER MOUTH

360

CLEAN*

FRESHENS

BREATH

KILLS 99.9%

OF GERMS*

REPAIRS

ENAMEL

24 HR CAVITY

PROTECTION †


STRENGTHENS

TEETH

IMPORTANT: READ DIRECTIONS FOR PROPER USE

SODIUM FLUORIDE & ACIDULATED PHOSPHATE TOPICAL SOLUTION

1.0 L (1 Qt 1.8 FL Oz)



Drug Facts

Active ingredient
Sodium Fluoride 0.02% (0.01% w/v Fluoride Ion).....Anticavity

Purpose
Anticavity

Use aids in the prevention of dental cavities

Warnings
Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions
• Adults and children 12 years of age and older:
• use twice daily after brushing your teeth with a toothpaste
• vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out
• do not swallow the rinse • do not eat or drink for 30 minutes after rinsing
• supervise children as necessary until capable of using without supervision
• Children under 12 years of age: consult a dentist or doctor

Other information
• store at room temperature • cold weather may cloud this product

Inactive ingredients Water, Alcohol (21.6% v/v), Sorbitol, Poloxamer 407, Eucalyptol, Flavor, Methyl Salicylate, Menthol, Phosphoric Acid, Sodium Saccharin, Thymol, Disodium Phosphate, Sucralose, Red 33, Blue 1

Questions? call toll-free 888-222-0182 or 215-273-8755 (collect) *bad breath germs

Discard Seal, Empty & Replace Cap
PLASTIC BOTTLE
how2recycle.info

SQUEEZE & TURN TO OPEN: SQUEEZE THE CAP AND TURN TO CLOSE: TURN CAP UNTIL IT LOCKS

†when used twice daily

Distributed by: Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands LLC 2026 Pat. www.kenvuepats.com

ADA Accepted American Dental Association # Helps prevent cavities

The LISTERINE® bottle design is a registered trademark. Do not use if printed band around cap is broken or missing.

12547 30635 5

30061891

EXP LOT

LISTERINE TOTAL CARE INTENSE ANTICAVITY FLUORIDE MOUTHWASH

sodium fluoride mouthwash

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0952
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	SODIUM FLUORIDE	0.1 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	
PHOSPHORIC ACID (UNII: E4GA8884NN)	
POLOXAMER 407 (UNII: TUF21VW3M2)	
EUCALYPTOL (UNII: RV6J6604TK)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	
SORBITOL (UNII: 506T60A25R)	
RED 33 (UNII: 9DBA0SBB0L)	
MENTHOL (UNII: L7T10EIP3A)	

DISODIUM PHOSPHATE (UNII: 22ADO53M6F)

BLUE 1 (UNII: H3R47K3TBD)

THYMOL (UNII: 3J50XA376E)

SUCRALOSE (UNII: 96K6UQ3ZD4)

SODIUM SACCHARIN (UNII: SB8ZUX40TY)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0952-1	1000 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2026	
2	NDC:69968-0952-9	95 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2026	
3	NDC:69968-0952-5	500 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2026	
4	NDC:69968-0952-2	250 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	01/01/2026	

Labeler - Kenvue Brands LLC (118772437)

Revised: 2/2026

Kenvue Brands LLC