

DEWORMER FOR DOG- pyrantel pamoate suspension
Shenzhen Zhenshangzekai Technology Co., Ltd.

Pyrantel Pamoate

The presence of these parasites should be confirmed by laboratory fecal exam. Dogs maintained under conditions of constant exposure to worm infestation should have a follow-up fecal exam within 2-4 weeks after treatment. Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism.

NOT FOR USE IN HUMANS

KEEP OUT OF REACH OF CHILDREN

dewormer

Puppies: Treat at 2, 3, 4, 6, 8, and 10 weeks of age.

Lactating Bitches: Treat 2-3 weeks after whelping.

Adult Dogs: Dogs kept in heavily contaminated quarters may be treated at monthly intervals to prevent *T. canis* reinfestation.

DEWORMER FOR DOG

suspension



For the removal of large roundworms (*Toxocara canis* and *Toxascaris leonina*) and hookworms (*Ancylostoma caninum* and *Uncinaria stenocephala*) in dogs and puppies.

Water

Purified Water, Natural Flavor, Xanthan Gum, Citric Acid, Potassium Sorbate

For the removal of large roundworms (*Toxocara canis* and *Toxascaris leonina*) and hookworms (*Ancylostoma caninum* and *Uncinaria stenocephala*) in dogs and puppies.

ANIMAL SAFETY: Keep this product in a secure location out of reach of dogs, cats, and other animals to prevent accidental ingestion or overdose.

<p>RECOMMENDED TREATMENT</p> <p>Puppies: Treat at 2, 3, 4, 6, 8, and 10 weeks of age. Lactating Bitches: Treat 2-3 weeks after whelping. Adult Dogs: Dogs kept in heavily contaminated quarters may be treated at monthly intervals to prevent <i>T. canis</i> reinfestation.</p> <p>STORAGE AND SAFETY RECOMMENDED STORAGE: Store below 30°C (86°F).</p> <p>ANIMAL SAFETY: Keep this product in a secure location out of reach of dogs, cats, and other animals to prevent accidental ingestion or overdose.</p> <p>Email: PREPAKU2026@outlook.com Questions or Comments? Call toll-free 1-800-555-0199 Distributed by: PREPAKU INC, 120 Enterprise Ave, Suite 100 Snow Hill, NC 28582 MADE IN USA Lot: P-1231 Exp: 12/2029 NOT FOR USE IN HUMANS KEEP OUT OF REACH OF CHILDREN</p>	<p>PREPAKU[®] 2X Canine Anthelmintic Suspension (pyrantel pamoate oral suspension)</p> <p>DOSAGE AND ADMINISTRATION</p> <p>IMPORTANT: SHAKE WELL BEFORE USING This product is a suspension and will separate. To ensure uniform resuspension and proper dosage, shake thoroughly before every use.</p> <p>DOSAGE: Administer 1 teaspoon (5 mL) for each 10 lb of body weight.</p> <p>ADMINISTRATION: It is not necessary to withhold food prior to or after treatment. Dogs usually find this dewormer palatable and will lick the dose from the bowl willingly. If there is reluctance, mix in a small quantity of dog food to encourage consumption.</p> 	<p>PREPAKU[®] 2X DEWORMER FOR DOG (pyrantel pamoate oral suspension)</p>  <ul style="list-style-type: none"> ✓ Removes Large Roundworms ✓ Removes Hookworms <p>Canine Anthelmintic Suspension</p> <p>Active Ingredient: 4.54 mg of Pyrantel Base as Pyrantel Pamoate per mL</p>	<p>INDICATIONS AND USAGE:</p> <p>For the removal of large roundworms (<i>Toxocara canis</i> and <i>Toxascaris leonina</i>) and hookworms (<i>Ancylostoma caninum</i> and <i>Uncinaria stenocephala</i>) in dogs and puppies.</p> <p>PREVENTION & DIAGNOSIS</p> <p>This suspension may also be used to prevent reinfestation of <i>T. canis</i> in puppies, adult dogs, and lactating bitches.</p> <p>The presence of these parasites should be confirmed by laboratory fecal exam.</p> <p>Dogs maintained under conditions of constant exposure to worm infestation should have a follow-up fecal exam within 2-4 weeks after treatment. Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism.</p>
NET CONTENTS - 3.4 fl. oz. (100 mL)			

DEWORMER FOR DOG				
pyrantel pamoate suspension				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87276-262	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
PYRANTEL PAMOATE (UNII: 81BK194Z5M) (PYRANTEL - UNII:4QIH0N49E7)		PYRANTEL	4.54 mg in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
WATER (UNII: 059QF0KO0R)				
CITRIC ACID (UNII: 2968PHW8QP)				
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)				
XANTHAN GUM (UNII: TTV12P4NEE)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87276-262-01	1 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2026	
Marketing Information				
Marketing	Application Number or Monograph	Marketing Start	Marketing End	

Category	Citation	Date	Date
OTC Monograph Drug	M024	03/01/2026	

Labeler - Shenzhen Zhenshangzekai Technology Co., Ltd. (518601007)

Revised: 3/2026

Shenzhen Zhenshangzekai Technology Co., Ltd.